# CUPRUM OXYDATUM NIGRUM- cuprum oxydatum nigrum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM OXYDATUM NIGRUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

**Directions:** Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# CUPRUM OXYDATUM NIGRUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# TWIST TO OPEN - USE ONLY IF SEALED

# CUPRUM OXYDATUM NIGRUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# CUPRUM OXYDATUM NIGRUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## CUPRUM OXY. NIGRUM

## **30C**

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

sucrose

Inactive ingredients:

emann Labs Inc. 1940 Fourth St. San Rafael, C TWIST TO OPEN - USE ONLY IF SEALE

# TWIST TO OPEN - USE ONLY IF SEALED

# CUPRUM OXYDATUM NIGRUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# CUPRUM OXYDATUM NIGRUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

# CUPRUM OXY. NIGRUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, CA

# CUPRUM OXYDATUM NIGRUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# CUPRUM OXYDATUM NIGRUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# CUPRUM OXYDATUM NIGRUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

# CUPRUM OXY. NIGRUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

||||||||||||||| 00000

sucrose

emann Labs Inc. 1940 Fourth St. San Rafael, CA

# CUPRUM OXYDATUM NIGRUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# CUPRUM OXYDATUM NIGRUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# CUPRUM OXYDATUM NIGRUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## CUPRUM OXY. NIGRUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, CA 9

# **CUPRUM OXYDATUM NIGRUM 500C**

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# CUPRUM OXYDATUM NIGRUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# CUPRUM OXYDATUM NIGRUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## CUPRUM OXY. NIGRUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

sucrose

Inactive ingredients:

nemann Labs Inc. 1940 Fourth St. San Rafael, (

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# CUPRUM OXYDATUM NIGRUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# CUPRUM OXYDATUM NIGRUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM OXYDATUM NIGRUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

### **CUPRUM OXYDATUM NIGRUM**

cuprum oxydatum nigrum pellet

### **Product Information**

Product Type

HUMAN OTC DRUG

**Item Code (Source)** 

NDC:37662-0663

**Route of Administration** 

ORAL

**Active Ingredient/Active Moiety** 

Ingredient Name	<b>Basis of Strength</b>	Strength
CUPRIC OXIDE (UNII: V1XJQ704R4) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	1 [hp_M]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 0663-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022			
2	NDC:37662- 0663-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022			
3	NDC:37662- 0663-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022			
4	NDC:37662- 0663-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022			

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	06/21/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0659		
Route of Administration	ORAL				

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
CUPRIC OXIDE (UNII: V1XJQ704R4) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 0659-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022			
2	NDC:37662- 0659-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022			
3	NDC:37662- 0659-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022			
4	NDC:37662- 0659-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022			

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	06/21/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0664		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
CUPRIC OXIDE (UNII: V1XJQ704R4) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	1 [hp_Q]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	1mm		
Flavor		Imprint Code			
Contains					

l	P	Packaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:37662- 0664-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		06/21/2022		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0662	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
CUPRIC OXIDE (UNII: V1XJQ704R4) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	500 [hp_C]		

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 0662-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022			
2	NDC:37662- 0662-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022			
3	NDC:37662- 0662-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022			
4	NDC:37662- 0662-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		06/21/2022		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0658	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
CUPRIC OXIDE (UNII: V1XJQ704R4) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	12 [hp C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

Packaging			
# Hom Code	Daalaana Daaanintian	Marketing Start	Marketing End

7	item Code	Раскаде резсприон	Date	Date
]	NDC:37662- 0658-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022	
:	NDC:37662- 0658-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	
3	NDC:37662- 0658-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	

Marketing Information			
n Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	06/21/2022		
	n Number or Monograph Citation	Citation Date	

cuprum oxydatum nigrum pellet

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-0660

Route of Administration ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name

CUPRIC OXIDE (UNII: V1XJQ704R4) (CUPRIC CATION - UNII:8CBV67279L)

Basis of Strength

CUPRIC CATION

100 [hp\_C]

### **Inactive Ingredients**

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

### **Product Characteristics**

NDC:37662-

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

### **Packaging Marketing Start Marketing End** # Item Code **Package Description** Date Date 1 NDC:37662-200 in 1 VIAL, GLASS; Type 0: Not a Combination 06/21/2022 0660-1 Product NDC:37662-500 in 1 VIAL, GLASS; Type 0: Not a Combination 06/21/2022 0660-2 **Product**

06/21/2022

3000 in 1 BOTTLE, GLASS; Type 0: Not a

I	3	0660-3	Combination Product	UU/	
	4	NDC:37662- 0660-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	06/21/2022		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

cuprum oxydatum nigrum pellet

Prod	luct	Intor	mati	on

**Route of Administration** ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
CUPRIC OXIDE (UNII: V1XIO704R4) (CUPRIC CATION - UNII:8CBV67279I)	CUPRIC CATION	200 [hp. C]

### **Inactive Ingredients**

<b>3</b>	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 0661-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022				
2	NDC:37662- 0661-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022				
3	NDC:37662- 0661-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022				
4	NDC:37662- 0661-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		06/21/2022		

cuprum oxydatum nigrum pellet

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-0657

Route of Administration ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name

CUPRIC OXIDE (UNII: V1XJQ704R4) (CUPRIC CATION - UNII:8CBV67279L)

Basis of Strength

CUPRIC CATION 6 [hp\_C]

### **Inactive Ingredients**

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Contains

# Product CharacteristicsColorwhiteScoreno scoreShapeROUNDSize3mmFlavorImprint Code

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 0657-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022				
2	NDC:37662- 0657-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022				
3	NDC:37662- 0657-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	

unapproved homeopathic	06/21/2022

## Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-0657, 37662-0658, 37662-0659, 37662-0660, 37662-0661, 37662-0662, 37662-0663, 37662-0664)

Revised: 6/2022 Hahnemann Laboratories, INC.