

**EQUISETUM HYEMALE- equisetum hyemale pellet**  
**Hahnemann Laboratories, INC.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# **EQUISETUM HYEMALE**

## **6C**

**Min. net wt: 5g of pellets**

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**EQUISETUM  
HYEMALE  
30C**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as dyspepsia.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc.

**EQUISETUM  
HYEMALE  
100C**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as dyspepsia.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc.

**EQUISETUM  
HYEMALE  
200C**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as dyspepsia.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**EQUISETUM  
HYEMALE  
500C**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as dyspepsia.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**EQUISETUM  
HYEMALE  
1M**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as dyspepsia.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# EQUISETUM HYEMALE LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for dyspepsia.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

## EQUISETUM HYEMALE

equisetum hyemale pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37662-0673
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>EQUISETUM HYEMALE</b> (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)	EQUISETUM HYEMALE	6 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	3mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0673-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022	
2	NDC:37662-0673-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	
3	NDC:37662-0673-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/21/2022	

## EQUISETUM HYEMALE

equisetum hyemale pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37662-0678
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>EQUISETUM HYEMALE</b> (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)	EQUISETUM HYEMALE	500 [hp_C]

## Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

## Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0678-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022	
2	NDC:37662-0678-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022	
3	NDC:37662-0678-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	
4	NDC:37662-0678-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/21/2022	

## EQUISETUM HYEMALE

equisetum hyemale pellet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0679
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EQUISETUM HYEMALE (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)	EQUISETUM HYEMALE	1 [hp_M]



## Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

## Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0679-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022	
2	NDC:37662-0679-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022	
3	NDC:37662-0679-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	
4	NDC:37662-0679-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/21/2022	

## EQUISETUM HYEMALE

equisetum hyemale pellet

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0676
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EQUISETUM HYEMALE (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)	EQUISETUM HYEMALE	100 [hp_C]

## Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

SUCROSE (UNII: C151H8M554)

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	2mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0676-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022	
2	NDC:37662-0676-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022	
3	NDC:37662-0676-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	
4	NDC:37662-0676-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/21/2022	

## EQUISETUM HYEMALE

equisetum hyemale pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37662-0677
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>EQUISETUM HYEMALE</b> (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)	EQUISETUM HYEMALE	200 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	2mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0677-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022	
2	NDC:37662-0677-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022	
3	NDC:37662-0677-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	
4	NDC:37662-0677-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/21/2022	

## EQUISETUM HYEMALE

equisetum hyemale pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37662-0675
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>EQUISETUM HYEMALE</b> (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)	EQUISETUM HYEMALE	30 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

## Product Characteristics



<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	3mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0675-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022	
2	NDC:37662-0675-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022	
3	NDC:37662-0675-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	
4	NDC:37662-0675-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/21/2022	

## EQUISETUM HYEMALE

equisetum hyemale pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37662-0680
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>EQUISETUM HYEMALE</b> (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)	EQUISETUM HYEMALE	1 [hp_Q]

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	1mm

<b>Flavor</b>		<b>Imprint Code</b>		
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0680-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		06/21/2022		

<b>EQUISETUM HYEMALE</b>				
equisetum hyemale pellet				
<b>Product Information</b>				
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37662-0674	
<b>Route of Administration</b>	ORAL			
<b>Active Ingredient/Active Moiety</b>				
Ingredient Name	Basis of Strength	Strength		
<b>EQUISETUM HYEMALE</b> (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)	EQUISETUM HYEMALE	12 [hp_C]		
<b>Inactive Ingredients</b>				
Ingredient Name	Strength			
<b>SUCROSE</b> (UNII: C151H8M554)				
<b>Product Characteristics</b>				
<b>Color</b>	white	<b>Score</b>	no score	
<b>Shape</b>	ROUND	<b>Size</b>	3mm	
<b>Flavor</b>		<b>Imprint Code</b>		
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

<b>1</b>	NDC:37662-0674-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/21/2022	
<b>2</b>	NDC:37662-0674-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	
<b>3</b>	NDC:37662-0674-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/21/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/21/2022	

**Labeler** - Hahnemann Laboratories, INC. (147098081)

## Establishment

Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-0673, 37662-0674, 37662-0675, 37662-0676, 37662-0677, 37662-0678, 37662-0679, 37662-0680)

Revised: 6/2022

Hahnemann Laboratories, INC.