DECOLORIZED IODINE- ethyl alcohol liquid Pharma Nobis, LLC

Private Label Decolorized Iodine

Drug Facts

Active Ingredients

Alcohol 45 % denatured with ammonia, Ammonium and Potassium Iodides.

Purpose

Antiseptic

Uses

First aid to help prevent infection in minor cuts, scrapes and burns.

Warnings

For external use only.

Ask a doctor before use if you have

deep or puncture wounds, animal bites, serious burns.

Stop use and ask a doctor if:

The condition persists or gets worse, or if using this product for longer than 1 week.

When using this product:

Do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. Do not apply over large areas of the body.

Keep out of the reach of children.

In case of acidental ingestion give milk, then give a starch solution made by mixing two tablespoonfools of cornstarch or flour to a pint of water. contact a poison Control Center immediately.

Directions

Clean the affected area. Aply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let it dry first.


Inactive Ingredient:

Purified Water

Other Information:

Will stain skin and clothing

De La Cruz Label



Distributed by / Distribuido por: De La Cruz Products

A Division of DLC Laboratories, Inc.

Paramount, CA 90723 USA

Questions / Preguntas: 1-800-858-3889 www.dlclabs.com @ 2013 DLC 24286"1531

P0958-HZT

ADVERTENCIAS: MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS. INFLAMABLE. MANTÉNGASE ALEJADO DE CHISPAS, CALOR Y FUEGO. WARNINGS: KEEP OUT OF REACH OF CHILDREN. FLAMMABLE, KEEP AWAY FROM SPARKS, HEAT AND FIRE.

Datos Medicinales Drug Facts

Peel Here Levante Aquri

Orua Facts

Ictive ingredient

Propósito

Voohol 48%....Antiséptico para primeros auxilios

Datos Medicinales

ngrediente activo

Antiséptico para primeros auxilios;

ayuda a prevenir infecciones en

lammable. Keep away from sparks, heat

consult a doctor before use if you have

do not apply over large areas of the body do not use in or near the eyes

Do not use this product longer than 1 week The condition persists or gets worse.

If swallowed, get medical help or contact a Poison Control Center immediately. (eep out of reach of children.

Directions

amount of this product to the area 1 to 3 times daily ■ may be covered with a sterile ■ clean the affected area ■ apply a small andage. If bandaged, let dry first

store at room temperature

nactive ingredients

vicohol 48%

mection in minor:

cuts

scrapes

burns **'ses** First aid antiseptic to help prevent

Varnings For external use only

deep or puncture wounds

animal bites

serious burns

hen using this product

Stop use and consult a doctor if

unless directed by a doctor

Other information

ammonium hydroxide, iodine, potassium odide, purified water

.First aid antiseptic

Advertencias Para uso externo únicamente milamable. Manténgase alejado de chispas cortaduras menores

abrasiones menores quemaduras menores

Consulte con un médico antes de usar si tiene alor y fuego.

heridas profundas o punzantes

mordeduras de animales

quemaduras graves

Suando use este producto

no usar en los olos ni cerca de ellos

Jeje de usar y consulte con un médico si no aplicar en áreas grandes del cuerpo

 la condición persiste o empeora. No usar por más de 1 semana a menos que sea recomendado por un médico.

Si se ingiere, pida ayuda médica o contáctese con un Centro de Control de Envenenamientos Manténgase fuera del alcance de los niños nmediatamente

■ aplique este producto en cantidades pequeñas de 1 a 3 veces al día ■ puede cubrir untes de vendar, deje que el producto se seque. nstrucciones I limpie el área afectada área afectada con una venda esterilizada.

Otra información

manténgase a temperatura ambiente

naredientes inactivos

idróxido amónico, yodo, yoduro de potasio, igua purificada



Leader Label




Quality Choice Label



Sunmark Label



DDM Label



Ask a doctor before use if you have

deep or puncture wounds = animal bites = serious burns.

Stop use and ask a doctor if 🔳 the condition persists or tets worse, or if using this product for longer than 1 week

upper and lower lids. contact occurs, flush with large amounts of water while lifting When using this product **a** do not use in the eves.

mixing two tablespoonfuls of cornstarch or flour to a pint of (eeb out of the reach of children, in case of accidental ngestion give milk, then give a starch solution made by Contact a Poison Control Center immediatel amount to the affected area 1 to 3 times daily. May be

Clean the affected area. Apply a small

Dredons

30 HUNTER LANE, CAMP HILL, PA 17011

Rite Aid Label



Active Ingredients **Drug Facts**

Ammonium and Potassium lodides......Antiseptic To help prevent infection in minor cuts Alcohol 48% denatured with ammonia, scrapes and burns.

Ask a doctor before use if you have

deep or puncture Warnings For external use only. wounds ■ animal bites ■ serious burns.

When using this product ■ do not use in the eyes. If Stop use and ask a doctor if
the condition persists or contact occurs, flush with large amounts of water while lifting upper and lower lids.

do not apply over large areas of gets worse, or if using this product for longer than 1 week

Directions Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be mixing two tablespoonfuls of cornstarch or flour to a pint of Keep out of the reach of children. In case of accidental ngestion, give milk then give a starch solution made by water. Contact a Poison Control Center immediately covered with a sterile bandage. If bandaged, let dry first Other information: Will stain skin and clothing Flammable: Keep from spark, heat or flame. Inactive ingredient: Purified Water.

CVS Label





Drug Facts

Alcohol 48% denatured with Active ingredients

Antiseptic ammonium and potassium iodides

Indications = First aid antiseptic to help prevent skin infection

First Aid Antisectic

Active ingredient

Ethyl Alcohol 48%

Purpose

When using this product - Do not use in the eyes or apply over

Flammable: Keep away from spark, heat and flame.

Warnings - For External Use Only

in minor cuts, scrapes and burns

large areas of the body. In case of deep or puncture wounds

animal bites or serious burns consult a doctor

Stop use and consult a doctor if the condition persists or gets worse. Do not use this product for longer than 1 week unless

Keep out of reach of children. If swallowed, get medical

directed by a doctor.

help or contact a Poison Control Center immediately. Soap

will deactivate the effects of this product.

Directions

Clean the affected area, apply a small amount on the area 1 to 3 times daily. May be covered with Inactive ingredients Ammonium Hydroxide, lodine.

Potassium lodide, and Punified water

Other information - Store at room temperature.

2

a sterile bandage. If bandaged, let dry first

Uses: To help prevent infection in minor cuts, scrapes and burns.

Warnings

Deep puncture wounds

animal bites

serious burns Ask a doctor before use if you have

6

Stop use and consult a doctor if:

condition persists or For External Use Only

do not use in the eyes. If contact gets worse, or if using this product for more than 1 week

Keep out of reach of children. In case of accidental mixing two tablespoonfuls of cornstarch or flour to a pint ingestion, give milk, then a starch solution made lower lids.

do not apply over large areas of the body.

b

affected area 1 to 3 times daily.

Flammable. Keep away from spark, heat and flame.

amount to the affected area 1 to 3 times daily. May be

covered with a sterile bandage. If bandaged, let dry first

nactive ingredient: Purified Water

Other information: Will stain skin and clothing

Directions Clean the affected area. Apply a small water. Contact a Poison Control Center immediately

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, Ri 02895 © 2015 CVS/pharmacy CVS.com* 1-800-SHOP CVS

0428"39407"

Top Care Label



Active Ingredients Facts

Purpose Ammonium and Potassium lodides.....Antiseptic First aid to help prevent infection in minor Alcohol 45% denatured with ammonia, Ses

For external use only.

Ask a doctor before use if you have

deep or puncture

cuts, scrapes and burns.

Narnings

wounds ■ animal bites ■ serious burns.

Stop use and ask a doctor if

the condition persists or

gets worse, or if using this product for longer than 1 week When using this product ■ do not use in the eyes.

contact occurs, flush with large amounts of water while lifting upper and lower lids.

do not apply over large areas of ngestion give milk, then give a starch solution made by mixing two tablespoonfuls of cornstarch or flour to a pint of

Keep out of the reach of children. In case of accidental

he body.

occurs, flush with large amounts of water while lifting upper and

of water. Contact a Poison Control Center immediately

Directions:

May be covered with a Clean the affected area. Apply a small amount sterile bandage. If bandaged, let dry first

Inactive ingredient: Purified Water

Other information:

Will stain skin and clothing.

Made in the U.S.A. 4-17624

HHG610

0

334.

 $\bar{\infty}$

Ó M

0

7711 GROSS POINT ROAD, SKOKIE, IL 60077 @TOPCO

DISTRIBUTED BY TOPCO ASSOCIATES LLC

QUESTIONS? 1-888-423-0139 topcare@topco.com

9

Distributed by: GVS Pharmacy, Inc. One CVS Driva, Whomsocket, Rt 02895 CVS.com* 1-800-SHOP CVS

Drug Facts

Active ingredient Ethyl Alcohol 48%..... Purpose First aid antiseptic

Use First aid to help prevent skin infection in minor cuts, scrapes and burns

Warnings

For external use only

When using this product IIII do not use in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites or serious burns, consult a doctor.

Stop use and consult a doctor if the condition persists or gets worse. Do not use this product for longer than 1 week unless directed by a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Continued D



ALCOHOL 48%

FIRST AID ANTISEPTIC
 ANTISÉPTICO PARA PRIMEROS AUXILIOS

(Drug facts continued)

Directions

■ clean the affected area ■ a amount of this product on the area daily. ■ may be covered with bandage. ■ If bandaged, let dry fir

Other information

- IIII Flammable: Keep away from fi
- Inactive ingredients ammonium hydroxide, iodine, iodine, and purified water

Questions or Comments? @1-800-

MAGE I



2 FL, OZ, (59 mL) • 2 ONZAS FL (59 mL)

Información sobre el Medicamento

Ingrediente activos

Propósito

Alcohol Etilico 48%.....Antiseptico de Primeros Auxilios

Usos Para ayudar a prevenir infecciones en cortadas, raspaduras y quemaduras leves

Advertencias:

Para uso externo únicamente

Al utilizar este producto in No lo use en los ojos. En caso de contacto, enjuague con cantidades grandes de agua mientras levanta los párpados superiores e inferiores.

Suspenda el uso de este producto y consulte un médico si la condición im persiste o empeora, o si se usa durante más de una semana.

Mantener fuera del alcance de los niños. Si se ingiere, consiga atención médica o contacte un Centro de Control de Envenenamiento inmediatamente.



YODO BLANCO

ALCOHOL 4896

 ANTISÉPTICO PARA PRIMEROS AUXILIOS



2 ONZAS FL (59 mL)

Información s (Continuación) Instrucciones


m Limpie el área cantidad pequeña veces al día. Pur estéril, pero prime

Otra informaci IIII Inflamable: Ma calor o a la llama ambiente.

Ingredientes ir. hydroxido de amo y agua purificada

¿Preguntas o Con

Health Mart Label



DECOLORIZED IODINE

ethyl alcohol liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82645-909
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.45 mL in 1 mL		

Inactive Ingredients			
Ingredient Name	Strength		
AMMONIA (UNII: 5138Q19F1X)			
IODINE (UNII: 9679TC07X4)			
POTASSIUM IODIDE (UNII: 1C4QK22F9J)			
WATER (UNII: 059QF0KO0R)			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:82645- 909-92	59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/23/2022		
2	NDC:82645- 909-91	30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/23/2022		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/23/2022	

Labeler - Pharma Nobis, LLC (118564114)

Registrant - Pharma Nobis, LLC (118564114)

Establishment			
Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(82645-909), analysis(82645-909), pack(82645-909), label(82645-909)

Revised: 12/2023 Pharma Nobis, LLC