

**FIRST AID ANTISEPTIC- povidone-iodine solution**  
**Topco Associates LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Top Care**  
**050.002 050AE**

**Active ingredient**

Povidone-iodine, 10%  
(1% available iodine)

**Purpose**

First aid antiseptic

**uses**

first aid to help prevent the risk of infection in minor cuts, scrapes and burns

**Warnings**

For external use only

**Do not use**

- in the eyes or apply over large areas of the body
- longer than 1 week unless directed by a doctor

**Ask a doctor before use**

in case of deep or puncture wounds, animal bites, or serious burns

**stop use and ask a doctor if**

condition persists or gets worse

**keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- clean the affected area
- apply a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage.
- if bandaged, let dry first.

### **Other information**

- ☐ store between 15°-30°C (59°-86°F)

### **inactive ingredients**

C12-13 Pareth-9, citric acid, disodium phosphate, glycerin, sodium hydroxide, water

DISTRIBUTED BY TOPCO ASSOCIATES LLC

ELK GROVE VILLAGE, IL 60007

TOPCO VIJA0622

QUESTIONS? 1-888-423-0139

topcare@topco.com www.topcarebrand.com

\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Betadine Antiseptic 10% Povidone-Iodine First Aid Antiseptic.

Quality Guaranteed

This TopCare product is laboratory tested to guarantee its highest quality.

Your total satisfaction is guaranteed.

Scan here for more information or call 1-888-423-0139

### **principal display panel**

TopCare health

Compare to Betadine Active Ingredient

Povidone-Iodine Solution, 10%

FIRST AID ANTISEPTIC

- Kills germs in minor cuts, scrapes, and burns
- Used by Hospitals, Doctors & Nurses
- Water Soluble

8 FL OZ (237 mL)

NDC 36800-011-34



COMPARE TO BETADINE  
ACTIVE INGREDIENT\*

# Povidone- Iodine Solution, 10%

FIRST AID ANTISEPTIC

- **Kills Germs in Minor Cuts, Scrapes & Burns**
- **Used by Hospitals, Doctors & Nurses**
- **Water Soluble**

**8 FL OZ (237 mL)**

<b>FIRST AID ANTISEPTIC</b>			
povidone-iodine solution			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-011

<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL	
<b>Inactive Ingredients</b>				
	<b>Ingredient Name</b>	<b>Strength</b>		
	C12-13 PARETH-9 (UNII: 9BXD858P37)			
	CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
	SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)			
	GLYCERIN (UNII: PDC6A3C0OX)			
	SODIUM HYDROXIDE (UNII: 55X04QC32I)			
	WATER (UNII: 059QF0KO0R)			
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:36800-011-34	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/29/2004	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC monograph not final	part333E	07/29/2004		

**Labeler** - Topco Associates LLC (006935977)

**Registrant** - Vi Jon, LLC (790752542)

### Establishment

Name	Address	ID/FEI	Business Operations
Vi Jon, LLC		790752542	manufacture(36800-011)

### Establishment

Name	Address	ID/FEI	Business Operations
Vi Jon, LLC		088520668	manufacture(36800-011)