

**MUCUS RELIEF- guaifenesin 400 mg tablet**  
**NUVICARE LLC**

-----  
**MUCUS RELIEF- Guaifenesin 400 mg tablet**

**Active ingredient (in each tablet)**

Guaifenesin 400 mg

**Purpose**

Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and makes coughs more productive

**Warnings**

**Ask a doctor before use if you have**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough is accompanied by too much phlegm (mucus)

**Stop use and ask a doctor if**

- cough lasts for more than 7 days, come back, or occur with fever, rash, or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding,**ask a health care professional before use.

**KEEP OUT OF REACH OF CHILDREN.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- **Adults and children 12 years and older:**take 1 tablet every 4 hours with a full glass of water while symptoms persist. Do not exceed 6 doses in 24 hours.
- **children under 12 years:**do not use

**Other information**

- Store at 25°C (77°F) excursions between 15°-30°C (59°-86°F)

- Keep in a dry place and do not expose to heat
- Read all product information before using

## Inactive ingredients

Colloidal Silicon Dioxide, Magnesium Stearate, Microcrystalline Cellulose, Stearic Acid Powder, Sodium Starch Glycolate

## Questions or Comments ?

Call 1 (718) 337-8733 or visit: support@nuvicare.com

This product is not manufactured or distributed by Reckitt Benckiser's , owner of the Registered Trademark MUCINEX®

**nuvicare**  
expectorant  
**Mucus Relief**  
Guaifenesin 400mg each tablet  
✓ Thins and loosens mucus  
✓ Relieves chest congestion  
100 tablets  
not actual size

**Drug Facts**  
Active Ingredient (in each tablet) Guaifenesin 400mg Expectorant  
Uses: ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and makes coughs more productive  
Warnings: Do not use: ■ for children under 12 years of age  
Ask a doctor before use if you have ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema ■ cough is accompanied by too much phlegm (mucus)  
Stop use and ask a doctor if ■ cough lasts for more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.  
If pregnant or breast-feeding, ask a health professional before use.  
KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222), right away.  
Directions: ■ Adults and children 12 years and older: take 1 tablet every 4 hours with a full glass of water while symptoms persist. Do not exceed 6 doses in 24 hours ■ children under 12 years: do not use.  
Other Information: ■ Store at 25°C (77°F) excursions between 15°-30°C (59°-86°F) ■ Keep in a dry place and do not expose to heat ■ Read all product information before using  
Inactive Ingredients: Colloidal Silicon Dioxide, Magnesium Stearate, Microcrystalline Cellulose, Stearic Acid Powder, Sodium Starch Glycolate  
Questions or Comments? Call 1 (718) 337-8733 or visit: support@nuvicare.com

TAMPER EVIDENT Do not use if safety seal under cap is broken or missing.

This product is not manufactured or distributed by Reckitt Benckiser's, owner of the registered trademark MUCINEX®.  
Distributed by: Nuvicare, LLC., Brooklyn, NY  
www.nuvicare.com  
PL0208-00  
3 84324 00007 17  
Lot No.  
Exp. Dt.

## MUCUS RELIEF

guaifenesin 400 mg tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84324-009
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg

### Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	

<b>Product Characteristics</b>			
<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	capsule	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	EB
<b>Contains</b>			

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84324-009-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/17/2024	

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/17/2024	

**Labeler** - NUVICARE LLC (119257565)

**Registrant** - NUVICARE LLC (119257565)