

SINSINPAS CORN REMOVER- salicylic acid patch
Sinsin Pharmaceutical Co., Ltd.

SINSINPAS CORN REMOVER PATCH

Active ingredients

Salicylic Acid 40% ----- Corn, Callus and Wart Remover

Purpose

Corn, Callus and Wart Remover

Uses

- for the removal of corns, calluses, warts

Warnings

Warnings

- For external use only

Do not use

- if you are a diabetic or poor blood circulation
- on irritated skin or any area that is infected or reddened
- on the face, genital, or mucous membranes, on moles, birthmarks, corns, warts with hair growing from them

Stop use and ask a doctor if discomfort persists

Keep out of reach of children

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- wash affected area and dry thoroughly
- apply medicated bandage
- after 48 hours, remove medicated bandage
- repeat procedure every 48 hours for up to 14 days for corn/callus removal and up to 12 weeks for warts, until the problem has cleared.

- may soak corn in warm water for 5 minutes to assist in removal

Other information

- store between 20°C to 25°C (68°F to 77°F)
- protect from excessive heat and temperatures above 40°C (104°F)

Inactive ingredients

Adhesive bandage, Felt, Glyceryl rosinat, Natural rubber, Non-woven fabric, Polyisobutylene, Purified lanolin, Releasing paper, Water-based acrylic adhesive(BS-100)

Package label

1112

Distributed by:
SINSINPAS PHARM AMERICA
Brea, CA 92821
www.sinsinpas.us
Made in Korea



LOT:
EXP:

8 Medicated Bandages



- Maximum Strength
- Safe and Quick
- Salicylic Acid

CORN Callus & Wart Remover

SINSINPAS



CORN Callus & Wart Remover

SINSINPAS

Salicylic Acid
CORN Callus & Wart Remover

Drug Facts	
Active ingredient Salicylic Acid 40% ... Corn, Callus and Wart Remover	Purpose
Uses • for the removal of corns, calluses, warts	Directions • wash affected area and dry thoroughly • apply medicated bandage • after 48 hours, remove medicated bandage • repeat procedure every 48 hours for up to 14 days for corn/callus removal and up to 12 weeks for warts, until the problem has cleared. • may soak corn in warm water for 5 minutes to assist in removal
Warnings -For external use only	Other information • store between 20° to 25°C (68° to 77°F) • protect from excessive heat and temperatures above 40°C (104°F)
Do not use •if you are a diabetic or poor blood circulation •on irritated skin or any area that is infected or reddened • on the face, genital, or mucous membranes, on moles, birthmarks, corns, warts with hair growing from them	Inactive ingredients Adhesive bandage, Felt, Glyceryl rosinatate, Natural rubber, Non-woven fabric, Polyisobutylene, Purified lanolin, Releasing paper, Water-based acrylic adhesive(BS-100)
Stop use and ask a doctor if discomfort lasts	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	

salicylic acid patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55264-115
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	25.6 mg in 100

Inactive Ingredients

Ingredient Name	Strength
GLYCERYL ROSINATE (UNII: SD112V492J)	
NATURAL LATEX RUBBER (UNII: 2LQ0UUW8IN)	
LANOLIN (UNII: 7EV65EAW6H)	
POLYISOBUTYLENE (1000 MW) (UNII: 5XB3A63Y52)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55264-115-04	4 in 1 CASE	06/27/2022	
1	NDC:55264-115-03	2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/27/2022	

Labeler - Sinsin Pharmaceutical Co., Ltd. (823149161)

Registrant - Sinsin Pharmaceutical Co., Ltd. (687867143)

Establishment

Name	Address	ID/FEI	Business Operations
Sinsin Pharmaceutical Co., Ltd.		687867143	manufacture(55264-115)