

STOOL SOFTENER LAXATIVE- docusate sodium and sennosides tablet Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg

Sennosides 8.6 mg

Purpose

Stool softener

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Other information

- **each tablet contains:** calcium 21 mg
- **each tablet contains:** sodium 5 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in Colace® 2-IN-1††

Stool Softener + Stimulant Laxative

DOCUSATE SODIUM 50 mg / STOOL SOFTENER

SENNOSIDES 8.6 mg / STIMULANT LAXATIVE

GENTLE DEPENDABLE

- Relief in 6 to 12 hours
- 2-in1

TABLETS

††This product is not manufactured or distributed by Avrio Health L.P., owner of the

registered trademark Colace® 2-IN-1.


TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT
INFORMATION

DISTRIBUTED BY: WALGREENS CO,
200 WILMOT RD., DEERFIELD, IL 60015
walgreens.com

Product Label

VALUE SIZE



NDC 0363-8780-20

Compare to the active ingredients
in Colace® 2-IN-1™

Stool Softener +
Stimulant Laxative

DOCUSATE SODIUM 50 mg / STOOL SOFTENER
SENSNOSIDES 8.6 mg / STIMULANT LAXATIVE


Gentle

Dependable

• Relief in 6 to 12 hours
• 2-in-1

200

TABLETS



ACTUAL SIZE

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY
SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredients (in each tablet)

Docosate sodium 50 mg.....Stool softener
Sennosides 8.6 mg.....Stimulant laxative

Uses

■ relieves occasional constipation (irregularity)
■ generally produces bowel movement in 6 to 12 hours

Warnings


Do not use
■ laxative products for longer than 1 week unless directed by a doctor
■ if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting
■ noticed a sudden change in bowel habits that lasts over a period of
2 weeks

Drug Facts (continued under label)

Walgreens Pharmacist Recommended.
Our pharmacists recommend the Walgreens brand.
We invite you to compare to national brands.
This product is not manufactured or distributed by Avrio
Health L.P., owner of the registered trademark
Colace® 2-in-1.
DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co.
W3ORG0921-F3
ITEM 484738 W10064-0921-F

how2recycle.info



PLASTIC
BOTTLE

PLD-H677A
LB008508

3 11917 10912 1

Lot No.:
Exp. Date:

PEEL HERE

Drug Facts (continued)

Stop use and ask a doctor if you have rectal bleeding or fail to
have a bowel movement after use of a laxative. These may
indicate a serious condition.

If pregnant or breast-feeding, ask a health professional
before use.
Keep out of reach of children. In case of overdose, get medical
help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ take only by mouth. Doses may be taken as a single daily dose,
preferably in the evening, or in divided doses.

adults and children
12 years and over

take 2-4 tablets daily

children 6 to under
12 years of age

take 1-2 tablets daily

children 2 to under 6
years of age

take up to 1 tablet daily

children under 2

ask a doctor

Other information

■ each tablet contains: calcium 21 mg
■ each tablet contains: sodium 5 mg VERY LOW SODIUM
■ store at 25°C (77°F); excursions permitted between 15-30°C
(59-86°F)

Inactive ingredients

carnauba wax, croscarmellose
sodium, dibasic calcium phosphate dihydrate, FD&C red #40
aluminum lake, hypromellose, magnesium stearate,
microcrystalline cellulose, polyethylene glycol, silicon dioxide,
sodium benzoate, stearic acid, titanium dioxide

Questions or comments?

Call 1-877-733-3935 Monday-Friday 9AM-5PM EST

WALGREENS Stool Softener Laxative

STOOL SOFTENER LAXATIVE

docusate sodium and sennosides tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-8780
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	TCL097
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-8780-20	200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/30/2020	
2	NDC:0363-8780-60	1 in 1 BOX	07/30/2020	
2		60 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	07/30/2020	

