GENTAMICIN SULFATE - gentamicin sulfate cream STAT RX USA LLC

For Dermatologic Use Only

Not For Ophthalmic Use

Rx Only

DESCRIPTION

Gentamicin Sulfate Cream is a wide spectrum antibiotic preparation for topical administration. Each gram contains Gentamicin Sulfate USP equivalent to 1 mg gentamicin base in a cream base containing stearic acid, propylene glycol monostearate, isopropyl myristate, polysorbate 40, propylene glycol, sorbitol solution and purified water with methylparaben and butylparaben as preservatives.

CLINICAL PHARMACOLOGY

Gentamicin sulfate is a wide spectrum antibiotic that provides highly effective topical treatment in primary and secondary bacterial infections of the skin. Gentamicin Sulfate Cream may clear infections that have not responded to treatment with other topical antibiotic agents. In primary skin infections such as impetigo contagiosa, treatment 3 or 4 times daily with Gentamicin Sulfate Cream usually clears the lesions promptly. In secondary skin infections, Gentamicin Sulfate Cream aids in the treatment of the underlying dermatoses by controlling the infection. Bacteria susceptible to the action of gentamicin sulfate include sensitive strains of Streptococci (group A beta-hemolytic, alpha-hemolytic), Staphylococcus aureus (coagulase positive, coagulase negative, and some penicillinase-producing strains), and the gram-negative bacteria, Pseudomonas aeruginosa, Aerobacter aerogenes, Escherichia coli, Proteus vulgaris, and Kiebsiella pneumoniae.

INDICATIONS AND USAGE

Primary skin infections: Impetigo contagiosa, superficial folliculitis, ecthyma, furunculosis, sycosis barbae, and pyoderma gangrenosum. Secondary skin infections: Infectious eczematoid dermatitis, pustular acne, pustular psoriasis, infected seborrheic dermatitis, infected contact dermatitis (including poison ivy), infected excoriations, and bacterial super-infections of fungal or viral infections. Please Note: Gentamicin sulfate is a bactericidal agent that is not effective against viruses or fungi in skin infections. Gentamicin sulfate is useful in the treatment of infected skin cysts and certain other skin abscesses when preceded by incision and drainage to permit adequate contact between the antibiotic and the infecting bacteria. Good results have been obtained in the treatment of infected stasis and other skin ulcers, infected superficial burns, paronychia, infected insect bites and stings, infected lacerations and abrasions, and wounds from minor surgery. Patients sensitive to neomycin can be treated with gentamicin sulfate, although regular observation of patients sensitive to topical antibiotics is advisable when such patients are treated with any topical antibiotic. Gentamicin sulfate cream is recommended for wet, oozing primary infections, and greasy, secondary infections, such as pustular acne or infected seborrheic dermatitis. If a water-washable preparation is desired, the cream is preferable. Gentamicin sulfate cream has been used successfully in infants over one year of age, as well as in adults and children.

CONTRAINDICATIONS

This drug product is contraindicated in individuals with a history of sensitivity to any of its components.

PRECAUTIONS

The use of topical antibiotics occasionally allows overgrowth of nonsusceptible organisms, including fungi. If this condition occurs, or if irritation, sensitization or superinfection develops, treatment with gentamicin sulfate should be discontinued and appropriate therapy instituted.

ADVERSE REACTIONS

In patients with dermatoses treated with gentamicin sulfate, irritation (erythema and pruritis) that did not usually require discontinuance of treatment has been reported in a small percentage of cases. There was no evidence of irritation or sensitization, however, in any of these patients patch-tested subsequently with gentamicin sulfate on normal skin. Possible photosensitization has been reported in several patients but could not be elicited in these patients by reapplication of gentamicin sulfate followed by exposure to ultraviolet radiation.

DOSAGE AND ADMINISTRATION

A small amount of gentamicin sulfate cream should be applied gently to the lesions three or four times daily. The area treated may be covered with a gauze dressing if desired. In impetigo contagiosa, the crusts should be removed before application of gentamicin sulfate to permit maximum contact between the antibiotic and the infection. Care should be exercised to avoid further contamination of the infected skin. Infected stasis ulcers have responded well to treatment with gentamicin sulfate under gelatin packing.

HOW SUPPLIED

Gentamicin Sulfate Cream USP, 0.1% is supplied in 15 gram tubes NDC 0168-0071-15.

Store at controlled room temperature 15°-30°C (59°-86°F).

E. FOUGERA and CO. A division of Nycomed US Inc. MELVILLE, NEW YORK 11747

I27115D #294 R2/08

GENTAMICIN SULFATE CREAM USP, 0.1%

		amicin	9
	0.1%	15 gm	-
	Generic For:		fer of 0
Dosage: See pack Store between 59	NDC 16590-107	-15 Prode 107-	15 E
	Each Gram Contains: Gent Equivalent to 1mg Gentam (Cream)	amicin Sulfate, USP. icin base	SNI 4 prohibit
ckage	Mig By: E. Fougera & Co. Melville, NY 11747	NDC 0168-0071-15	Federa
ins	Mfg Lot: 314G81 Discard After: 03/12	BW 9/16/2010 SAMPL	ntion

GENTAMICIN SULFA	TE				
gentamicin sulfate cream					
Product Information					
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Sour	ce) NDC:16590-107	/(NDC	2:0168-0071
Route of Administration	TOPICAL				
Active Ingredient/Active M	oiety				
Ingredient Name Basis of Stren					Strengtl
GENTAMICIN SULFATE (UNII: 8X7386QRLV) (GENTAMICIN - UNII: T6Z9V48IKG) GENTAMICIN SULF.					1 mg in 1 g
	Ingredient Name			S	trength
	-			S	trength
STEARIC ACID (UNII: 4ELV7Z65AP					
PROPYLENE GLYCOL MONOSTE					
ISOPROPYL MYRISTATE (UNII: 01 POLYSORBATE 40 (UNII: STI11B5/					
PROPYLENE GLYCOL (UNII: 6DCS	,				
SORBITOL (UNII: 506T60A25R)	, (10, 10)				
METHYLPARABEN (UNII: A2I8C7H	I9 T)				
METHYLPARABEN (UNII: A218C7H BUTYLPARABEN (UNII: 3QPI1U3FV					
BUTYLPARABEN (UNII: 3QPI1U3FV					
METHYLPARABEN (UNII: A218C7H BUTYLPARABEN (UNII: 3QPI1U3FV WATER (UNII: 059QF0K00R)					
BUTYLPARABEN (UNII: 3QPI1U3FV					

		•		0		5	
1 NDC:16590-107-15	15 g in 1 TUBE						
Marketing Information							
Marketing Category	Application Number	or Monogra	ph Citation	Marketing Start	Date	Marketing End Date	
ANDA	ANDA062531			08/11/2009			

Labeler - STAT RX USA LLC (786036330)

Establishment							
Name	Address	ID/FEI	Business Operations				
STAT RX USA LLC		786036330	relabel, repack				

Revised: 3/2011

STAT RX USA LLC