

LORATADINE- loratadine tablet, orally disintegrating
Target Corporation

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Loratadine, USP 10 mg

PURPOSE

Antihistamine

USES

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

WARNINGS

Do not use

If you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

Do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

- place 1 tablet on tongue; tablet disintegrates, with or without water

adults and children 6 years and over

1 tablet daily; not more than 1 tablet in 24 hours

children under 6 years of age

ask a doctor

consumers with liver or kidney disease

ask a doctor

OTHER INFORMATION

- Phenylketonurics: Contains Phenylalanine 0.6 mg Per Tablet.
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25° C (68° to 77° F). Protect from excessive moisture.
- keep in a dry place.
- use tablet immediately after opening individual blister.

INACTIVE INGREDIENTS

aspartame, croscarmellose sodium, fruit flavors, magnesium stearate, mannitol, sodium stearyl fumarate

QUESTIONS?

Call **1-800-910-6874**

PRINCIPAL DISPLAY PANEL

NDC 11673-513-12

Original Prescription Strength

non-drowsy**

allergy relief

loratadine orally disintegrating tablets, 10 mg

antihistamine

indoor & outdoor allergies

Compare to active ingredient in Alavert®*

24 HOUR RELIEF

24-hour allergy relief of: sneezing/

runny nose/itchy nose and throat

no water needed/tablets melt in your mouth

for adults and children 6 years and older

mint flavor

****When taken as directed.**

See drug facts panel.

up & up™

12 ORALLY DISINTEGRATING TABLETS

Distributed by Target Corporation

5079395/R1210



Alavert - 12's

NDC 11673-527-31

Original Prescription Strength

non-drowsy**

allergy relief

loratadine orally disintegrating tablets,

10 mg antihistamine

indoor & outdoor allergies

Compare to active ingredient in Claritin® Reditabs®*

24-hour allergy relief of: sneezing/runny

nose/itchy, watery eyes/itchy throat or nose

no water needed/tablets melt in your mouth

for adults and children 6 years and older

****When taken as directed.**

See drug facts panel.

up & up™

24 HOUR RELIEF

30 ORALLY DISINTEGRATING TABLETS

Distributed by Target Corp.

5079394/R1210



Drug Facts
Active ingredient (in each tablet)
 Loratadine, USP 10 mg.....Antihistamine

Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
 When using this product do not take more than directed. Taking more than directed may cause drowsiness.
 Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
 ■ place 1 tablet on tongue; tablet disintegrates, with or without water
 adults and children 6 years and over 1 tablet daily; not more than 1 tablet in 24 hours
 children under 6 years of age ask a doctor
 consumers with liver or kidney disease ask a doctor

Other information
 ■ Phenylethanolamine: Contains Phenylethanolamine 0.6 mg Per Tablet.
 ■ TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.

up&dn non-drowsy**
allergy relief
 loratadine orally disintegrating tablets,
 10 mg antihistamine
 indoor & outdoor allergies

NDC 11673-527-31

Original Prescription Strength
non-drowsy
 allergy relief**
 loratadine orally disintegrating tablets,
 10 mg antihistamine
 indoor & outdoor allergies

**Compare to active ingredient in Claritin®
 RediTabs®***

24-hour allergy relief of: sneezing/runny nose/itchy, watery eyes/itchy throat or nose no water needed/tablets melt in your mouth for adults and children 6 years and older
 ** when taken as directed. see drug facts panel.

24 HOUR RELIEF
30 TABLETS

30 ORALLY DISINTEGRATING TABLETS SHOWN ACTUAL SIZE ABOVE

Drug Facts (continued)
 ■ store between 20° to 25° C (68° to 77° F). Protect from excessive moisture.
 ■ keep in a dry place.
 ■ use tablet immediately after opening individual blister.

Inactive ingredients aspartame, croscarmellose sodium, fruit flavors, magnesium stearate, mannitol, sodium stearyl fumarate

Questions? call 1-800-910-6874

* The product is not manufactured or distributed by Schering-Plough Healthcare Products, Inc. Claritin® and RediTabs® are registered trademarks of Schering Corporation.

Keep the carton. It contains important information. See end panel for expiration date.

Expiration Date: _____
 Batch No. _____

Non Varnish Area

R1210
 094 04 0871 ID290405
 Distributed by Target Corp.
 Minneapolis, MN 55403
 © 2011 Target Brands, Inc.
 All Rights Reserved
 Shop target.com

3 51660152731 5

Claritin - 30's

loratadine tablet, orally disintegrating

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-513
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	

Product Characteristics

Color	white (White to Off-White)	Score	no score
Shape	ROUND (Flat Faced Beveled Edge)	Size	10mm
Flavor	FRUIT	Imprint Code	RC17
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-513-69	1 in 1 CARTON		
1		10 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077153	08/31/2007	

LORATADINE

loratadine tablet, orally disintegrating

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-527
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	

Product Characteristics

Color	white (White to Off-white)	Score	no score
Shape	ROUND (Flat Faced Beveled Edge)	Size	10mm
Flavor	FRUIT	Imprint Code	RC17
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-527-31	1 in 1 CARTON		
1		30 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077153	08/31/2007	

Labeler - Target Corporation (006961700)**Registrant** - Ranbaxy Pharmaceuticals Inc. (937890044)**Establishment**

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		051565745	manufacture(11673-513)