BASIC CARE ACETAMINOPHEN- acetaminophen tablet Amazon.com Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Amazon Acetaminophen Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- · minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- Adults and children 12 years and over:
- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

Children under 12 years: ask a doctor

Inactive ingredients

carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid

*may contain one or more of these ingredients

Questions or comments?

1-800-719-9260

Principal Display Panel

Extra Strength

Compare to Extra Strength Tylenol® Caplets

active ingredient

Acetaminophen

Pain Reliever/Fever Reducer

For Adults

actual size

200 CAPLETS

500 mg Each



basic@care

Extra Strength

Compare to Extra Strength Tylenol® Caplets active ingredient**

NDC 72288-484-82

Acetaminophen

Pain Reliever/ **Fever Reducer** For Adults



200 CAPLETS 500 mg Each

DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Store at 20-25°C (68-77°F).

Active ingredient (in each caplet)

Purpose

Acetaminophen 500 mg......Pain reliever/fever reducer

Uses temporarily relieves minor aches and pains due to:

- the common cold headache
 - toothache
- backache minor pain of arthritis premenstrual and menstrual cramps
- muscular aches
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of a cetaminophen in 24 hours

- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if pain gets worse or lasts more than 10 days

- fever gets worse or lasts more than 3 days
 new symptoms occur
- redness or swelling is present These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions do not take more than directed (see overdose warning) Adults and children 12 years and over: ■ take 2 caplets every 6 hours while symptoms last on ot take more than 6 caplets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor Children under 12 years: ask a doctor

Inactive ingredients carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid *may contain one or more of these ingredients

Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Extra Strength Tylenol® Caplets.

28484

DISTRIBUTED BY: AMAZON.COM SERVICES LLC 410 TERRY AVENUE N. SEATTLE, WA 98109 **GLUTEN FREE**



BASIC CARE ACETAMINOPHEN

acetaminophen tablet

Product Information

HUMAN OTC DRUG Item Code (Source) NDC:72288-484 **Product Type**

Route of Administration

ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ACETAMINOPHEN (LINII) 36200ITI 9D) (ACETAMINOPHEN - LINII) 36200ITI 9D)	ACETAMINOPHEN	500 mg		

Inactive Ingredients	
Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	

Product Characteristics					
Color	WHITE	Score	no score		
Shape	OVAL	Size	16mm		
Flavor		Imprint Code	L484		
Contains					

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:72288-484- 93	1000 in 1 BOTTLE; Type 0: Not a Combination Product	04/15/2020		
2	NDC:72288-484- 90	500 in 1 BOTTLE; Type 0: Not a Combination Product	04/15/2020		
3	NDC:72288-484- 82	200 in 1 BOTTLE; Type 0: Not a Combination Product	10/05/2020		
4	NDC:72288-484- 83	225 in 1 BOTTLE; Type 0: Not a Combination Product	10/08/2020		
5	NDC:72288-484- 78	1 in 1 CARTON	08/03/2021		
5		100 in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
part343	04/15/2020				
	Application Number or Monograph Citation	Application Number or Monograph Marketing Start Citation Date			

Revised: 8/2021 Amazon.com Services LLC