

BERKLEY AND JENSEN SLEEP AID- diphenhydramine hcl solution

BJWC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

BJWC Sleep-Aid Drug Facts

Active ingredient (in each 30 mL)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take only one dose per day (24 hours)
- only use the dose cup provided

adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor
children under 12 yrs	do not use

Other information

- **each 30 mL contains:** sodium 20 mg
- store at 20-25°C (68-77°F)

Inactive ingredients

alcohol, anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, poloxamer 407, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate

Questions or comments?

1-800-BJS-CLUB

Package/Label Principal Display Panel

Compare to the Active Ingredient in Vicks® ZzzQuil®

berkley jensen®

Compare to the Active Ingredient in Vicks® ZzzQuil®

berkley jensen®

SLEEP-AID

DIPHENHYDRAMINE HCl 50 mg PER 30 mL

NIGHTTIME SLEEP-AID

NON-HABIT FORMING

NOT FOR TREATING COLD OR FLU

10% ALCOHOL

NIGHTTIME SLEEP-AID

SLEEP-AID

DIPHENHYDRAMINE HCl 50 mg PER 30 mL

HELPS YOU FALL ASLEEP • NON-HABIT FORMING

100% MONEY-BACK GUARANTEE

BERRY FLAVOR

THREE 12 FL OZ (355mL) BOTTLES, TOTAL 36 FL OZ (2.25 pt) 1.06L

Compare to the Active Ingredient in Vicks® ZzzQuil®*

berkley
jensen.®

Compare to the Active
Ingredient in Vicks® ZzzQuil®*

berkley
jensen.

SLEEP-AID

DIPHENHYDRAMINE HCl
50mg PER 30mL

NIGHTTIME SLEEP-AID

NON-HABIT FORMING
NOT FOR TREATING COLD OR FLU
10% ALCOHOL

Compare to the Active
Ingredient in Vicks® ZzzQuil®*

berkley
jensen.

SLEEP-AID

DIPHENHYDRAMINE HCl
50mg PER 30mL

NIGHTTIME SLEEP-AID

NON-HABIT FORMING
NOT FOR TREATING COLD OR FLU
10% ALCOHOL

Compare to the Active
Ingredient in Vicks® ZzzQuil®*

berkley
jensen.

SLEEP-AID

DIPHENHYDRAMINE HCl
50mg PER 30mL

NIGHTTIME SLEEP-AID

NON-HABIT FORMING
NOT FOR TREATING COLD OR FLU
10% ALCOHOL

NIGHTTIME SLEEP-AID



BERRY FLAVOR

SLEEP-AID

DIPHENHYDRAMINE HCl 50 mg PER 30 mL
HELPS YOU FALL ASLEEP • NON-HABIT FORMING

100%
MONEY-BACK
GUARANTEE

THREE **12** FL OZ (355mL) BOTTLES, TOTAL **36** FL OZ (2.25pt) 1.06L

EJ #244610
Manf. #17 5709008



Compare to the Active Ingredient in Vicks® ZzzQuil®*



SLEEP-AID

DIPHENHYDRAMINE HCl 50mg PER 30mL

NIGHTTIME SLEEP-AID

HELPS YOU FALL ASLEEP • NON-HABIT FORMING

Drug Facts		Drug Facts (continued)					
Active ingredient (in each 30 mL) Diphenhydramine HCl 50 mg	Purpose Nighttime sleep-aid	If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).					
Uses		Directions					
<ul style="list-style-type: none"> ■ For the relief of occasional sleeplessness ■ reduces time to fall asleep if you have difficulty falling asleep 		<ul style="list-style-type: none"> ■ take only one dose per day (24 hours) ■ only use the dose cup provided 					
Warnings		<table border="1"> <tr> <td>adults & children 12 yrs & over</td> <td>30 mL at bed time if needed or as directed by a doctor</td> </tr> <tr> <td>children under 12 yrs</td> <td>do not use</td> </tr> </table>		adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor	children under 12 yrs	do not use
adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor						
children under 12 yrs	do not use						
<ul style="list-style-type: none"> ■ Do not use ■ for children under 12 years of age ■ with any other product containing diphenhydramine, even one used on skin 		Other information					
<ul style="list-style-type: none"> ■ Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ difficulty in urination due to enlargement of the prostate gland 		<ul style="list-style-type: none"> ■ each 30 mL contains: sodium 20 mg ■ store at 20-25°C (68-77°F) 					
<ul style="list-style-type: none"> ■ Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers 		Inactive ingredients					
<ul style="list-style-type: none"> ■ When using this product ■ avoid alcoholic beverages 		alcohol, anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, polyoxamer 407, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate					
<ul style="list-style-type: none"> ■ Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness. 		Questions or comments? 1-800-BJS-CLUB					

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

GLUTEN FREE



Every Berkley Jensen product comes with our 100% Money-Back Guarantee.

Distributed by:
BJS Wholesale Club, Inc.
350 Campus Drive
Marlborough, MA 01752

*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® ZzzQuil®.

BERKLEY AND JENSEN SLEEP AID

diphenhydramine hcl solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68391-186
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLOXAMER 407 (UNII: TUF21VW3M2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	

Product Characteristics

Color	PURPLE	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68391-186-40	3 in 1 CARTON	07/23/2020	
1		355 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part338	07/23/2020	

Labeler - BJWC (159082692)