

TRIPLE ANTIBIOTIC PLUS PAIN RELIEF- bacitracin, neomycin, polymyxin b, pramoxine hcl ointment

Kroger Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Kroger Co. Triple Antibiotic + Pain Relieving Ointment Drug Facts

Active ingredients (in each gram)

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

Purpose

First aid antibiotic

External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse

- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredient

white petrolatum

Questions or comments?

1-800-632-6900

Principal Display Panel

COMPARE TO active ingredients of NEOSPORIN® + PAIN RELIEF See back panel

Maximum Strength

Triple Antibiotic + Pain Relieving Ointment

First Aid Antibiotic/Pain Relieving Ointment

Bacitracin Zinc

Neomycin Sulfate

Polymyxin B Sulfate

Pramoxine HCl

NET WT 1 OZ (28g)

COMPARE TO active ingredients
of NEOSPORIN® + PAIN RELIEF
*See back panel



NDC 30142-679-64

Maximum Strength

Triple Antibiotic + Pain Relieving Ointment

First Aid Antibiotic/Pain Relieving Ointment

Bacitracin Zinc
Neomycin Sulfate

Polymyxin B Sulfate
Pramoxine HCl

NET WT 1 OZ (28g)



DISTRIBUTED BY THE KROGER CO.
CINCINNATI, OHIO 45202

QUALITY GUARANTEE
www.kroger.com

*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin®.

Questions or comments? 1-800-632-6900

Inactive ingredient white petrolatum

Other information ■ store at 20-25°C (68-77°F)

Drug Facts (continued)

Drug Facts (continued)
Stop use and ask a doctor if:
■ you need to use longer than 1 week ■ condition persists or gets worse
■ symptoms persist for more than 1 week, or clear up and occur again within a few days
■ rash or other allergic reaction develops
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Drug Facts (continued)
Directions
■ adults and children 2 years of age or older:
■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
■ may be covered with a sterile bandage
■ children under 2 years of age: ask a doctor

Drug Facts (continued)
Active ingredients (in each gram)
Bacitracin zinc 500 units... First aid antibiotic
Neomycin sulfate equivalent to 3.5 mg of neomycin base... First aid antibiotic
Polymyxin B 10,000 units as polymyxin B sulfate... First aid antibiotic
Pramoxine HCl 10 mg... External analgesic
Uses first aid to help prevent infection and for temporary relief of pain or discomfort in minor:
■ cuts ■ scrapes ■ burns

Drug Facts (continued)
Warnings
Do not use:
■ if you are allergic to any of the ingredients
■ in the eyes
■ over large areas of the body
Ask a doctor before use if you have:
■ deep or puncture wounds
■ animal bites ■ serious burns

Triple Antibiotic + Pain Relieving Ointment

Maximum Strength

TRIPLE ANTIBIOTIC PLUS PAIN RELIEF

bacitracin, neomycin, polymyxin b, pramoxine hcl ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30 142-6 79
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USPU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USPU] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	YELLOW (Translucent)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-679-64	1 in 1 CARTON	04/27/2017	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	04/27/2017	

Labeler - Kroger Company (006999528)

Revised: 1/2019

Kroger Company