

**AGE DEFENSE BB BROAD SPECTRUM SPF 30 ALL SKIN TYPES- octinoxate, octisalate, titanium dioxide, and zinc oxide cream  
CLINIQUE LABORATORIES LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**AGE DEFENSE BB BROAD SPECTRUM SPF 30 ALL SKIN TYPES**

***Drug Facts***

**Active ingredients**

Octinoxate 7.5%  
Octisalate 4.4%  
Titanium dioxide 3.5%  
Zinc oxide 2.2%

**Purpose**

Sunscreen

**Use**

helps prevent sunburn

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures

including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

## Inactive ingredients

water\aquaeau • octyldodecyl neopentanoate • butylene glycol • dimethicone • propanediol • glyceryl stearate • behenyl alcohol • peg-40 stearate • polyglyceryl-10 pentastearate • phenyl trimethicone • polymethylsilsesquioxane • hordeum vulgare (barley) extract\extrait d'orge • triticum vulgare (wheat) germ extract • laminaria saccharina extract • linoleic acid • oryzanol • squalane • caffeine • hydrogenated lecithin • sucrose • glycerin • polyquaternium-51 • lecithin • sodium stearyl lactylate • polyglyceryl-6 polyricinoleate • sodium pca • isopropyl titanium triisostearate • trehalose • urea • tocopheryl acetate • sodium hyaluronate • ammonium acryloyldimethyltaurate/vp copolymer • xanthan gum • glycyrrhetic acid • stearic acid • alumina • silica • pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate • disodium edta • chlorphenesin • sodium dehydroacetate • phenoxyethanol • [+/- titanium dioxide (ci 77891) • iron oxides (ci 77491, ci 77492, ci 77499) • mica] [iln39837]

## Other information

protect the product in this container from excessive heat and direct sun

## PRINCIPAL DISPLAY PANEL - 40 ml Tube Carton

**C**

### CLINIQUE

age defense

**BB**

**cream**

broad spectrum

SPF 30

ALL SKIN TYPES

1.4 FL.OZ.LIQ./40 ml e





90856  
TP 823

**Allergy Tested.**  
**100% Fragrance Free.**  
**Dermatologist Tested.**  
Perfecting cream conceals, helps prevent premature signs of aging with UVA/UVB protection. Unique complex of optics instantly reduces the appearance of lines and wrinkles. Antioxidants help defend against environmental aggressors. Works beautifully under foundation, or alone. Skin feels soft, smooth. Looks brighter, perfected.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 7.5%	Sunscreen
Octisalate 4.4%	
Titanium dioxide 3.5%	
Zinc oxide 2.2%	

**Use**  
helps prevent sunburn

**Warnings**  
For external use only  
**Do not use** on damaged or broken skin  
**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.**  
If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:  
• apply liberally 15 minutes before sun exposure  
• reapply at least every two hours  
• use a water resistant sunscreen if swimming or sweating  
• **Sun Protection Measures.**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m. – 2 p.m.  
• wear long-sleeved shirts, pants, hats and sunglasses  
• children under 6 months of age; ask a doctor

**Drug Facts (cont'd)**

**Inactive Ingredients**

water/aqua/aeu • octyldodecyl neopentanoate • butylene glycol • dimethicone • propenediol • glyceryl stearate • behenyl alcohol • peg-40 stearate • polyglyceryl-10 pentastearate • phenyl trimethicone • polymethylsiloxane • hordeum vulgare (barley) extract/extrait d'orge • triticum vulgare (wheat) germ extract • laminaria saccharina extract • linoleic acid • cryzanol • squalene • caffeine • hydrogenated lecithin • sucrose • glycerin • polyquaternium-51 • lecithin • sodium stearoyl lactylate • polyglyceryl-8 polyricinoleate • sodium pca • isopropyl titanium trifluoroacetate • triethoxycellulose • urea • tocopheryl acetate • sodium hyaluronate • ammonium acryloyldimethyltaurate/vp copolymer • xanthan gum • glyceryl methacrylate • stearic acid • alumina • silica • pentaerythrityl tetra-di-1-butyl hydroxyhydrocinnamate • disodium edta • chlorphenesin • sodium dehydroacetate • phenoxyethanol • +/- titanium dioxide (ci 77891) • iron oxides (ci 77491, ci 77492, ci 77499) • mica [ln30837]

**Other information**

protect the product in this container from excessive heat and direct sun

© CLINIQUE LABORATORIES, DIST.  
NEW YORK, NEW YORK 10022  
WLB LTD, GUS2 90D, UK  
WLB NV, OBEI, BE-2280  
MADE IN BELGIUM 7KYL



7KYL-01-1118

age prevention



**CLINIQUE**

age defense

**BB**  
cream

broad spectrum  
SPF 30

ALL SKIN TYPES

1.4 FL.OZ./LIQ./40 ml e



**AGE DEFENSE BB BROAD SPECTRUM SPF 30 ALL SKIN TYPES**

octinoxate, octisalate, titanium dioxide, and zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49527-030
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	44 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	35 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	22 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>PEG-40 STEARATE</b> (UNII: ECU18C66Q7)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>WHEAT GERM</b> (UNII: YR3G369F5A)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)	
<b>ORYZANOL</b> (UNII: SST9XCL51M)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>CAFFEINE</b> (UNII: 3G6A5W338E)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM STEAROYL LACTYLATE</b> (UNII: IN99IT31LN)	
<b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)	
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KBJ1I)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>ENOXOLONE</b> (UNII: P540XA09DR)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	

<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>MICA</b> (UNII: V8A1AW0880)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49527-030-01	1 in 1 CARTON	05/01/2013	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	05/01/2013	

**Labeler** - CLINIQUE LABORATORIES LLC (044475127)

**Registrant** - Estee Lauder Companies Inc. (790802086)

Establishment			
Name	Address	ID/FEI	Business Operations
PALC		078364654	label(49527-030) , pack(49527-030)

Establishment			
Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd.		204132062	pack(49527-030) , label(49527-030)

Establishment			
Name	Address	ID/FEI	Business Operations
Whitman Laboratories Ltd.		216866277	manufacture(49527-030) , pack(49527-030) , label(49527-030)

Establishment			
Name	Address	ID/FEI	Business Operations
Estee Lauder N.V.		370151326	manufacture(49527-030) , pack(49527-030) , label(49527-030)

Establishment			
Name	Address	ID/FEI	Business Operations

The Estee Lauder Inc	802599436	manufacture(49527-030) , pack(49527-030) , label(49527-030)
----------------------	-----------	---

## Establishment

Name	Address	ID/FEI	Business Operations
Northtec LLC		943871157	pack(49527-030) , label(49527-030)

## Establishment

Name	Address	ID/FEI	Business Operations
PADC 1		949264774	pack(49527-030) , label(49527-030)

Revised: 4/2023

CLINIQUE LABORATORIES LLC