

GOUT- gout ointment ointment
Shenzhen Boceda New Technology Co., Ltd.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

82877-001 Gout Ointment

Active Ingredient(s)

Chlorhexidine Acetate 0.3%

Purpose

Skin Antibacterial

Use

Inhibitory effect on Staphylococcus aureus, Escherichia coli, Candida albicans For external use only.

Do not use

Pregnant women and those allergic to this product are prohibited on open on open skin wounds

WHEN USING SECTION

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

OTC - STOP USE SECTION

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

OTC - KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Place enough product on hands to cover all surfaces. Massage to absorb Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

[STORAGE AND HANDLING SECTION]EDIT

Store between 15-30C (59-86F)

Avoid freezing and excessive heat above 40C (104F)


Inactive ingredients

Purified water, Cauliflower, Menthol, Myrrh

Warnings

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Package Label - Principal Display Panel


<p>Distributed by: Shenzhen Zhonghaoyu Technology Co., Ltd. address: Room 310A, East Shuiyuanju, Bao'an Avenue, Yabian Community, Shajing Street, Bao'an District, Shenzhen 518000</p> <p>Made in China</p>  <p>6845310981912</p>	<p>Nekvno™ Gout Ointment Joint & Muscle Therapy</p>  <ul style="list-style-type: none">✓ Fast Acting✓ Long Lasting Relief✓ Deep Penetrating✓ Anti-inflammatory✓ Promotes Circulation <p>NET:20g</p>	<table border="1"><thead><tr><th data-bbox="1047 1102 1258 1144">Active Ingredient(s)</th><th data-bbox="1258 1102 1477 1144">Purpose</th></tr></thead><tbody><tr><td data-bbox="1047 1144 1258 1186">Chlorhexidine Acetate 0.3%</td><td data-bbox="1258 1144 1477 1186">Skin Antibacterial</td></tr><tr><td colspan="2" data-bbox="1047 1186 1477 1228">Use Inhibitory effect on Staphylococcus aureus, Escherichia coli, Candida albicans For external use only.</td></tr><tr><td colspan="2" data-bbox="1047 1228 1477 1270">Do not use Pregnant women and those allergic to this product are prohibited on open on open skin wounds</td></tr><tr><td colspan="2" data-bbox="1047 1270 1477 1333">WHEN USING SECTION When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away</td></tr><tr><td data-bbox="1047 1333 1258 1417">OTC - STOP USE SECTION Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.</td><td data-bbox="1258 1333 1477 1417">OTC - KEEP OUT OF REACH OF CHILDREN Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td></tr><tr><td colspan="2" data-bbox="1047 1417 1477 1501">Directions Place enough product on hands to cover all surfaces. Massage to absorb Supervise children under 6 years of age when using this product to avoid swallowing. Other information [STORAGE AND HANDLING SECTION]EDIT Store between 15-30C (59-86F) Avoid freezing and excessive heat above 40C (104F)</td></tr><tr><td colspan="2" data-bbox="1047 1501 1477 1533">Inactive ingredients Purified water, Cauliflower, Menthol, Myrrh</td></tr></tbody></table>	Active Ingredient(s)	Purpose	Chlorhexidine Acetate 0.3%	Skin Antibacterial	Use Inhibitory effect on Staphylococcus aureus, Escherichia coli, Candida albicans For external use only.		Do not use Pregnant women and those allergic to this product are prohibited on open on open skin wounds		WHEN USING SECTION When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away		OTC - STOP USE SECTION Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.	OTC - KEEP OUT OF REACH OF CHILDREN Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	Directions Place enough product on hands to cover all surfaces. Massage to absorb Supervise children under 6 years of age when using this product to avoid swallowing. Other information [STORAGE AND HANDLING SECTION]EDIT Store between 15-30C (59-86F) Avoid freezing and excessive heat above 40C (104F)		Inactive ingredients Purified water, Cauliflower, Menthol, Myrrh	
Active Ingredient(s)	Purpose																	
Chlorhexidine Acetate 0.3%	Skin Antibacterial																	
Use Inhibitory effect on Staphylococcus aureus, Escherichia coli, Candida albicans For external use only.																		
Do not use Pregnant women and those allergic to this product are prohibited on open on open skin wounds																		
WHEN USING SECTION When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away																		
OTC - STOP USE SECTION Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.	OTC - KEEP OUT OF REACH OF CHILDREN Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																	
Directions Place enough product on hands to cover all surfaces. Massage to absorb Supervise children under 6 years of age when using this product to avoid swallowing. Other information [STORAGE AND HANDLING SECTION]EDIT Store between 15-30C (59-86F) Avoid freezing and excessive heat above 40C (104F)																		
Inactive ingredients Purified water, Cauliflower, Menthol, Myrrh																		

Distributed by: Shenzhen Zhonghaoyu Technology Co., Ltd.
address: Room 310A, East Shuiyuanju, Bao'an Avenue,
Yabian Community, Shajing Street, Bao'an District,
Shenzhen 518000

Made in China



Nekvno™
Gout Ointment
Joint & Muscle Therapy



- ✓ Fast Acting
- ✓ Long Lasting Relief
- ✓ Deep Penetrating
- ✓ Anti-inflammatory
- ✓ Promotes Circulation

NET:30g


Active Ingredient(s) Chlorhexidine Acetate 0.3%	Purpose Skin Antibacterial
Use Inhibitory effect on Staphylococcus aureus, Escherichia coli, Candida albicans For external use only.	
Do not use Pregnant women and those allergic to this product are prohibited on open skin wounds	
WHEN USING SECTION When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	
OTC - STOP USE SECTION Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.	OTC - KEEP OUT OF REACH OF CHILDREN Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions Place enough product on hands to cover all surfaces. Massage to absorb. Supervise children under 6 years of age when using this product to avoid swallowing. Other information [STORAGE AND HANDLING SECTION]EDIT Store between 15-30C (59-86F) Avoid freezing and excessive heat above 40C (104F)	
Inactive ingredients Purified water, Cauliflower, Menthol, Myrrh	

Distributed by: Shenzhen Zhonghaoyu Technology Co., Ltd.
address: Room 310A, East Shuiyuanju, Bao'an Avenue,
Yabian Community, Shajing Street, Bao'an District,
Shenzhen 518000

Made in China



Nekvno™
Gout Ointment
Joint & Muscle Therapy



- ✓ Fast Acting
- ✓ Long Lasting Relief
- ✓ Deep Penetrating
- ✓ Anti-inflammatory
- ✓ Promotes Circulation

NET:50g


Active Ingredient(s) Chlorhexidine Acetate 0.3%	Purpose Skin Antibacterial
Use Inhibitory effect on Staphylococcus aureus, Escherichia coli, Candida albicans For external use only.	
Do not use Pregnant women and those allergic to this product are prohibited on open skin wounds	
WHEN USING SECTION When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	
OTC - STOP USE SECTION Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.	OTC - KEEP OUT OF REACH OF CHILDREN Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions Place enough product on hands to cover all surfaces. Massage to absorb. Supervise children under 6 years of age when using this product to avoid swallowing. Other information [STORAGE AND HANDLING SECTION]EDIT Store between 15-30C (59-86F) Avoid freezing and excessive heat above 40C (104F)	
Inactive ingredients Purified water, Cauliflower, Menthol, Myrrh	

Distributed by: Shenzhen Zhonghaoyu Technology Co., Ltd.
address: Room 310A, East Shuiyuanju, Bao'an Avenue,
Yabian Community, Shajing Street, Bao'an District,
Shenzhen 518000

Made in China



Nekvno™
Gout Ointment
Joint & Muscle Therapy



- ✓ Fast Acting
- ✓ Long Lasting Relief
- ✓ Deep Penetrating
- ✓ Anti-inflammatory
- ✓ Promotes Circulation

NET:100g

Active Ingredient(s) Chlorhexidine Acetate 0.3%	Purpose Skin Antibacterial
Use Inhibitory effect on Staphylococcus aureus, Escherichia coli, Candida albicans For external use only.	
Do not use Pregnant women and those allergic to this product are prohibited on open skin wounds	
WHEN USING SECTION When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	
OTC - STOP USE SECTION Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.	OTC - KEEP OUT OF REACH OF CHILDREN Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions Place enough product on hands to cover all surfaces. Massage to absorb. Supervise children under 6 years of age when using this product to avoid swallowing. Other information [STORAGE AND HANDLING SECTION]EDIT Store between 15-30C (59-86F) Avoid freezing and excessive heat above 40C (104F)	
Inactive ingredients Purified water, Cauliflower, Menthol, Myrrh	

GOUT
gout ointment ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82877-001
---------------------	----------------	---------------------------	---------------

Route of Administration CUTANEOUS

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE ACETATE (UNII: 5908ZUF22Y) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE ACETATE	0.03 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CAULIFLOWER (UNII: 138LUT2DWW)	
MENTHOL (UNII: L7T10EIP3A)	
MYRRH (UNII: JC71GJ1F3L)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82877-001-01	20 g in 1 BOX; Type 0: Not a Combination Product	07/07/2022	
2	NDC:82877-001-02	30 g in 1 BOX; Type 0: Not a Combination Product	07/07/2022	
3	NDC:82877-001-03	50 g in 1 BOX; Type 0: Not a Combination Product	07/07/2022	
4	NDC:82877-001-04	100 g in 1 BOX; Type 0: Not a Combination Product	07/07/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/07/2022	

Labeler - Shenzhen Boceda New Technology Co., Ltd. (616634883)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Boceda New Technology Co., Ltd.		616634883	manufacture(82877-001)

Revised: 7/2022

Shenzhen Boceda New Technology Co., Ltd.