SHISEIDO ULTIMATE SUN PROTECTION- octinoxate, octocrylene, titanium dioxide, and zinc oxide lotion

SHISEIDO AMERICAS CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SHISEIDO ULTIMATE SUN PROTECTION

Drug Facts

Active ingredients	Purpose
OCTINOXATE 7.4%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 1.4%	Sunscreen
ZINC OXIDE 16.4%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
 - o after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - \circ limit time in the sun, especially from 10 a.m. 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • ISOPROPYL

MYRISTATE•ISOHEXADECANE•SD ALCOHOL 40-B•ISODODECANE•METHYL METHACRYLATE CROSSPOLYMER•PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE•TRIMETHYLSILOXYSILICATE•POLYBUTYLENE GLYCOL/PPG-9/1 COPOLYMER•XYLITOL•GLYCERIN•METHYL GLUCETH-10•PEG/PPG-14/7 DIMETHYL ETHER•SAXIFRAGA SARMENTOSA EXTRACT•SCUTELLARIA BAICALENSIS ROOT EXTRACT•ECTOIN•SOPHORA ANGUSTIFOLIA ROOT EXTRACT•HYDROGENATED POLYDECENE•HYDROGEN DIMETHICONE•ISOSTEARIC ACID•DEXTRIN PALMITATE•ALUMINUM HYDROXIDE•STEARIC ACID•DISTEARDIMONIUM HECTORITE•SILICA•POLYMETHYLSILSESQUIOXANE•TALC•ALCOHOL•TRISODIUM EDTA•BHT•SYZYGIUM JAMBOS LEAF EXTRACT•TOCOPHEROL•FRAGRANCE•

Other information

- protect this product in this container from excessive heat and direct sun.
- avoid contact with clothing and other textiles-may stain.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 100 mL Bottle Carton SHISEIDO

Anti-Aging Suncare

50 +

WetForce

Ultimate

Sun Protection Lotion

BROAD SPECTRUM

SPF 50+

For Face/Body

WATER RESISTANT (80 MINUTES)

SUNSCREEN

100mL 3.3 FL. OZ.



Ultimate Sun Protection Lotion BROAD SPECTRUM SPF 50+

For Face/Body



Anti-Aging Suncare



50+

WetForce

Ultimate Sun Protection Lotion

> BROAD SPECTRUM SPF 50+

For Face/Body WATER RESISTANT (80 MINUTES) SUNSCREEN

Drug Facts (continued)

Inactive ingredients

WATER - DIMETHICONE - BUTYLENE GLYCOL ISOPROPYL MYRISTATE - ISOHEXADECANE SD ALCOHOL 40-B - ISODODECANE METHYL METHACRYLATE CROSSPOLYMER PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE TRIMETHYLSILOXYSULCATE POLYBUTYLENE GLYCOL/PPG-9/1 COPOLYMER -

YVLTOL - GLYCERIN - METHYL GLUCETH-10 - PEG/PPG-14/7 DIMETHYL ETHER - SAMFRAGA SARMENTOSA EXTRACT - SCUTELLARIA BAICALENSIS ROOT EXTRACT - ECTOIN -

BOOM AMOUSTIFOUA ROOT EXTRACT HYDROGENATED POLYDECENE HYDROGEN DIMETHICONE - ISOSTEARIC ACID DEXTRIN PALMITATE - ALUMINUM HYDROXIDE STEARIC ACID - DISTEARDIMONIUM HECTORITE SULCA - POLYMETHY SILSESOUR XANE - TALC ALCOHOL - TRISODIUM EDTA - BHT SYZYGIUM JAMBOS LEAF EXTRACT TOCOPHEROL - FRAGRANCE -


Other Information

- protect this product in this container from excessive heat and direct sun.
- avoid contact with clothing and other textiles-may stain.

Questions or Comments? Call toll free 1-800-906-7503

100mL 3.3 FL.OZ.

/HI/EIDO



SHISEIDO ULTIMATE SUN PROTECTION LOTION BROAD SPECTRUM SPF 50+ FOR FACE/BODY

Multi-Environment Defense. Multi-Faceted Skin Protection

Providing powerful protection for your skin, this innovative protective veil actually becomes even more effective when it comes into contact* with water. It also includes skincare ingredients that help prevent skin dryness. It provides high sun protection technology, yet is comfortable and gentle on the skin.

- Broad spectrum UV protection helps reduce the appearance of photo-aging
- with exclusive SuperVeil-UV 360° technology.

 Formulated with WetForce technology, which reacts positively to water on contact*, activating additional strength within the protective vel*.

 • NON-COMEDOGENIC
- DERMATOLOGIST AND OPHTHALMOLOGIST TESTED
- * Compared before and after soaking in water for 30 minutes. Be sure to reapply product immediately after water activity such as swimming or after towel-drying

Drug Facts

Active ingredients Purpose OCTINOXATE 7.4% Sunscreen OCTOCRYLENE 3.0% Sunscreen TITANIUM DIOXIDE 1.4% Sunscreen ZINC OXIDE 16.4% Sunscreen

Uses

- ■helps prevent sunburn
- ■if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10022 MADE IN U.S.A. GLO. 11484 www.shiseido.com

Drug Facts (continued)

Warnings

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs


Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- ■apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
- · immediately after towel drying
- at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad
 - Spectrum SPF of 15 or higher and other sun protection measures including:
 - · limit time in the sun, especially from 10 a.m. - 2 p.m. wear long-sleeve shirts, pants,
 - hats, and sunglasses
- children under 6 months: Ask a doctor

7 30852 11484 5



SHISEIDO ULTIMATE SUN PROTECTION

octinoxate, octocrylene, titanium dioxide, and zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-253
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	8406 mg in 100 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	3408 mg in 100 mL	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII:15FIX9 V2JP)	TITANIUM DIO XIDE	1590 mg in 100 mL	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	18630 mg in 100 mL	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICO NE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ISOPROPYL MYRISTATE (UNII: 0 RE8 K4LNJS)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
ISODODECANE (UNII: A8289P68Y2)	
PEG-9 POLYDIMETHYLSILO XYETHYL DIMETHICONE (UNII: TYP8 1E471F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
XYLITOL (UNII: VCQ006KQ1E)	
GLYCERIN (UNII: PDC6 A3C0 OX)	
METHYL GLUCETH-10 (UNII: N0 MWT4C7WH)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6 DNW9 T7YT2)	
SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
ECTO INE (UNII: 7GXZ3858RY)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
HYDRO GENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
ISOSTEARIC ACID (UNII: X33R8 U0062)	
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DISTEARDIMO NIUM HECTO RITE (UNII: X687XDK09L)	

SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
TALC (UNII: 7SEV7J4R1U)	
ALCOHOL (UNII: 3K9958V90M)	
EDETATE TRISO DIUM (UNII: 420 IP9 21MB)	
BUTYLATED HYDRO XYTO LUENE (UNII: 1P9 D0 Z171K)	
SYZYGIUM JAMBOS LEAF (UNII: 407Z4W5LFF)	
.ALPHATOCOPHEROL (UNII: H4N855PNZ1)	

F	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:58411-253- 10	1 in 1 CARTON	0 2/0 1/20 15		
1		100 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			
2	NDC:58411-253- 80	2 mL in 1 POUCH; Type 0: Not a Combination Product	0 2/0 1/20 15	12/31/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	0 2/0 1/20 15	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment			
Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	manufacture(58411-253), analysis(58411-253)

Revised: 6/2020 SHISEIDO AMERICAS CORPORATION