

QUALITY CHOICE ANTI-ITCH CLEAR- zinc acetate and pramoxine hydrochloride lotion

Chain Drug Market Association

Quality Choice Anti-Itch Clear Lotion

Drug Facts

Active Ingredients

Zinc Acetate 8%

Pramoxine HCl 1%

Purpose

Skin Protectant

External analgesic

Uses

Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other skin irritations.

Warnings

For external use only. Use only as directed.

When using this product. Avoid contact with eyes and mucous membranes.

Ask a doctor before using on children 2 years of age.

Stop use and ask a doctor if

condition worsens. Symptoms last for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions

Adults and children 2 yr. of age and older. Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth, not

more than 3 to 4 times daily as needed for comfort.

Children under 2 yrs. of age. Consult a doctor before use.

Inactive Ingredients

SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methycelulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben and Purified Water.

Other information

Store at room temperature 15-30C (59-86F)

Principal display panel

Drug Facts

Active ingredients	Purpose
Pramoxine HCl 1%	External analgesic
Zinc Acetate 1.1%	Skin protectant

Indications: Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.

Warnings

- For external use only. Use only as directed.
- Avoid contact with eyes and mucous membranes.
- Ask a doctor before using on children under 2 years of age.

When using this product discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.

Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. **Continued**

*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark Caladryl® Clear™ Lotion

QC QUALITY CHOICE

NDC 63863-097-06

***Compare to ingredient in Caladryl® Clear™ Lotion**

Anti-Itch Clear Lotion

Skin Protectant

External Analgesic
Drying Agent
Helps Relieve Pain & Itch Caused by
Poison Ivy, Poison Oak
& Poison Sumac

6 fl oz (177mL)

Drug Facts (CONTINUED)

Directions

- Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.
- Children under 2 years of age: Consult a doctor before use.

Other information
Store at room temperature
15-30°C (59-86°F)

Inactive ingredients
SD Alcohol 38B 2.5%, Camphor,
Diazolidinyl Urea, Fragrances,
Glycerin, Hydroxypropyl
Methylcellulose, Methylparaben,
Polysorbate 80, Propylene Glycol,
Propylparaben, Purified Water.

**SATISFACTION
100%
GUARANTEED**

Distributed by: C.D.M.A., Inc.
4357 W. Nine Mile
Novi, MI 48376-0935
www.qualitychoice.com
Questions: 248-449-5300

MADE IN USA

3551594565 4

Drug Facts

Active ingredients **Purpose**
 Pramoxine HCl 1%.....External analgesic
 Zinc Acetate 0.1%.....Skin protectant

Indications Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.

Warnings
 ■ For external use only. Use only as directed.
 ■ Avoid contact with eyes and mucous membranes.
 ■ Ask a doctor before using on children under 2 years of age.

When using this product discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.

Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. *Continued* ▶

*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark Caladryl® Clear™ Lotion

NDC 63868-097-06



*Compare to
Ingredient in
Caladryl® Clear™
Lotion

Anti-Itch Clear Lotion

Skin Protectant

External Analgesic
Drying Agent
Helps Relieve Pain & Itch Caused by
Poison Ivy, Poison Oak
& Poison Sumac



6 fl oz (177mL)

Drug Facts (CONTINUED)

Directions
 ■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.
 ■ Children under 2 years of age: Consult a doctor before use.

Other information
 Store at room temperature
 15-30°C (59-86°F)

Inactive ingredients
 SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.



Distributed by C.D.M.A., Inc.®
 43157 W. Nine Mile
 Novi, MI 48376-0995
 www.qualitychoice.com
 Questions: 248-449-9300
MADE IN USA

R062614RLG



A29637 02 2022

4

6

QUALITY CHOICE ANTI-ITCH CLEAR

zinc acetate and pramoxine hydrochloride lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-097
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	80 mg in 1 mL
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
CAMPHOR (NATURAL) (UNII: N20HL7Q94I)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-097-06	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/12/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	03/25/1998	

Labeler - Chain Drug Market Association (011920774)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	analysis(63868-097) , manufacture(63868-097) , pack(63868-097) , label(63868-097)

Revised: 12/2023

Chain Drug Market Association