

FLUTICASONE PROPIONATE- fluticasone propionate spray, metered

Apotex Corp.

Drug Facts

Active ingredient (in each spray)

Fluticasone propionate (glucocorticoid)* 50 mcg.

*read the Question & Answer Leaflet

Purpose

Allergy symptom reliever

Uses

Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- nasal congestion
- itchy nose
- runny nose
- itchy, watery eyes
- sneezing

Warnings

Only for use in the nose. Do not spray into your eyes or mouth.

Do not use

- in children under 4 years of age
- to treat asthma
- if you have an injury or surgery to your nose that is not fully healed
- if you have ever had an allergic reaction to this product or any of the ingredients

Ask a doctor before use if you have or had glaucoma or cataracts

Ask a doctor or pharmacist before use if you are taking

- medicine for HIV infection (such as ritonavir)
- a steroid medicine for asthma, allergies or skin rash
- ketoconazole pills (medicine for fungal infection)

When using this product

- the growth rate of some children may be slower
- stinging or sneezing may occur for a few seconds right after use
- do not share this bottle with anyone else as this may spread germs
- remember to tell your doctor about all the medicines you take, including this one

Stop use and ask a doctor if

- you have, or come into contact with someone who has, chicken pox, measles or tuberculosis
- your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.
- you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.
- you get an allergic reaction to this product. Seek medical help right away.
- you get new changes to your vision that develop after starting this product
- you have severe or frequent nosebleeds

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- read the Quick Start Guide for how to:
 - prime the bottle
 - use the spray
 - clean the spray nozzle
- shake gently before each use
- use this product only once a day
- do not use more than directed

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

- Week 1 - use 2 sprays in each nostril once daily
- Week 2 through 6 months - use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms
- After 6 months of daily use - ask your doctor if you can keep using

CHILDREN 4 TO 11 YEARS OF AGE

- the growth rate of some children may be slower while using this product. **Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.**
- an adult should supervise use
- use 1 spray in each nostril once daily

CHILDREN UNDER 4 YEARS OF AGE

- **do not use**

Other information

- you may start to feel relief the first day and full effect after several days of regular, once-a-day use
- store between 4° and 30°C (39° and 86°F)
- keep this label and enclosed materials. They contain important additional information.

Inactive ingredients

0.02% w/w benzalkonium chloride, dextrose, microcrystalline cellulose and carboxymethylcellulose sodium, 0.25% w/w phenylethyl alcohol, polysorbate 80, purified water

Questions or comments?

call toll free **1-800-706-5575**, weekdays, 8:30am - 5:00pm Eastern Standard Time

Principal Display Panel - Carton

CARTON LABEL - PRINCIPAL DISPLAY PANEL - 50 mcg per spray

APOTEX CORP. NDC 60505-0955-1

Fluticasone Propionate Nasal Spray, USP

120 sprays

Allergy Symptom Reliever Nasal Spray

24 Hour Relief of:

- Nasal Congestion
- Runny Nose
- Itchy Nose
- Sneezing



FPO

Aqueous Free Area
40 mm x 40 mm
for placement of Lot & Exp.

TAMP ERENT DON'T USE IF CRACKED OR BROKEN OR IF THE SEAL AROUND THE PRODUCT LABEL IS BROKEN OR MISSING.

973E-0

NDC 60505-0955-1
FULL PRESCRIPTION STRENGTH
- NON-DROWSY

Fluticasone Propionate Nasal Spray, USP

50 mcg Per Spray
Allergy Symptom Reliever
(Glucocorticoid)*

What problems can Fluticasone Propionate Nasal Spray, USP help with?
Fluticasone Propionate Nasal Spray, USP helps relieve a broad range of uncomfortable symptoms like congestion and itchy eyes.

- Nasal symptoms • Eye symptoms

These symptoms can be triggered by allergens like pollen, mold, dust or pet dander.

- Outdoor allergens • Animal allergens, • Indoor allergens



24 Hour Relief of:

- Itchy, Watery Eyes • Nasal Congestion
- Runny Nose • Itchy Nose • Sneezing



0.54 fl oz (15.8 mL)

See Below For Important Information About Use In Children

Drug Facts

| Active ingredient (in each spray) | Purpose |
|--|---------|
| Fluticasone propionate (glucocorticoid) 50 mcg.....Allergy symptom reliever | |

Uses

Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- nasal congestion ■ runny nose
- sneezing ■ itchy nose
- itchy, watery eyes

Warnings

Only for use in the nose. Do not spray into your eyes or mouth.

Do not use

- in children under 4 years of age
- to treat asthma
- if you have an injury or surgery to your nose that is not fully healed
- if you have ever had an allergic reaction to this product or any of the ingredients

Ask a doctor before use if you have or had glaucoma or cataracts

Ask a doctor or pharmacist before use if you are taking

- medicine for HIV infection (such as ritonavir)
- a steroid medicine for asthma, allergies or skin rash
- ketoconazole pills (medicine for fungal infection)

When using this product

- the growth rate of some children may be slower
- stinging or sneezing may occur for a few seconds right after use

Drug Facts (continued)

- do not share this bottle with anyone else as this may spread germs
- remember to tell your doctor about all the medicines you take, including this one

Stop use and ask a doctor if

- you have, or come into contact with someone who has, chicken pox, measles or tuberculosis
- your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.
- you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.
- you get an allergic reaction to this product. Seek medical help right away.
- you get new changes to your vision that develop after starting this product
- you have severe or frequent nosebleeds

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- read the Quick Start Guide for how to:
- prime the bottle ■ use the spray
- clean the spray nozzle
- shake gently before each use
- use this product only once a day
- do not use more than directed

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

- Week 1 - use 2 sprays in each nostril once daily
- Week 2 through 6 months - use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms

Drug Facts (continued)

- After 6 months of daily use - ask your doctor if you can keep using
- CHILDREN 4 TO 11 YEARS OF AGE**
- the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.
 - an adult should supervise use
 - use 1 spray in each nostril once daily
- CHILDREN UNDER 4 YEARS OF AGE**
- do not use

Other information

- you may start to feel relief the first day and full effect after several days of regular, once-a-day use
- store between 4° and 30°C (39° and 86°F)
- keep this label and enclosed materials. They contain important additional information.

Inactive ingredients

0.02% w/w benzalkonium chloride, dextrose, microcrystalline cellulose and carboxymethylcellulose sodium, 0.25% w/w phenylethyl alcohol, polysorbate 80, purified water

Questions or comments?

call toll free 1-800-706-5575, weekdays, 8:30am - 5:00pm Eastern Standard Time

*Fluticasone propionate is a steroid medicine known as a glucocorticoid.

| | |
|---|---|
| Manufactured by: Apotex Inc. Toronto, Ontario Canada M9L 1T9 | Manufactured for: Apotex Corp. Weston, FL 33326 |
|---|---|



3 60505 09551 3



FPO


BOTTLE LABEL - PRINCIPAL DISPLAY PANEL - 50 mcg per spray

APOTEX CORP. NDC 60505-0955-1

Fluticasone Propionate Nasal Spray, USP

120 sprays

Allergy Symptom Reliever Nasal Spray

| | | | |
|---|--|--|--|
|  (01)00960505095513 | 0.54 fl oz (15.8 mL) NDC 60505-0955-1 | Fluticasone Propionate Nasal Spray, USP 50 mcg Per Spray | IMPORTANT: Read Drug Facts label and enclosed materials for important information. Children 4-11: 1 spray per nostril per day. Talk to a doctor if your child needs to use for longer than two months a year. Keep out of reach of children. Only for use in the nose, do not spray into eyes. Store between 4° and 30°C (39° and 86°F) Shake gently before each use. |
| Allergy Symptom Reliever (Glucocorticoid) | 120 sprays | Manufactured by: Apotex Inc., Toronto, Ontario, Canada M9L 1T9 Manufactured for: Apotex Corp., Weston, Florida, 33326 | 000000 |

FLUTICASONE PROPIONATE

fluticasone propionate spray, metered

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:60505-0955 |
| Route of Administration | NASAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|------------------------|----------|
| FLUTICASONE PROPIONATE (UNII: O2GMZ0LF5W) (Fluticasone - UNII:CUT2W21N7U) | FLUTICASONE PROPIONATE | 50 ug |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) | |
| CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2) | |
| PHENYLETHYL ALCOHOL (UNII: ML9LGA7468) | |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:60505-0955-1 | 1 in 1 CARTON | 07/25/2017 | |
| 1 | | 120 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.) | | |
| 2 | NDC:60505-0955-3 | 3 in 1 CARTON | 07/25/2017 | |
| 2 | | 120 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.) | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| ANDA | ANDA208150 | 07/25/2017 | |

Labeler - Apotex Corp. (845263701)**Registrant** - Apotex Inc. (209429182)

Revised: 12/2023

Apotex Corp.