

**RITE AID STOMACH RELIEF- bismuth subsalicylate tablet, chewable**  
**RITE AID CORPORATION**

-----  
**Rite Aid Stomach Relief Bismuth Subsalicylate 262 mg 30 Chewable Tablets**

**Active ingredient (in each tablet)**

Bismuth subsalicylate 262 mg

**Purpose**

Upset stomach reliever and antidiarrheal

**Uses**

relieves:

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
- heartburn
- indigestion
- nausea
- gas
- belching
- fullness

**Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert: Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products

**Do not use if you have**

- an ulcer
- a bleeding problem
- bloody or black stool

**Ask a doctor before use if you have**

- fever

- mucus in the stool

***Ask a doctor or pharmacist before use if you are taking any drug for***

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

**When using this product**

a temporary, but harmless, darkening of the stool and/or tongue may occur.

**Stop use and ask a doctor if**

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep Out of Reach of Children**

In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222

**Directions**

- chew completely or dissolve tablets in mouth. Do not swallow tablets whole.
- **adults and children 12 years and over:**
- 2 tablets (1 dose) every ½ hour or 4 tablets (2 doses) every hour as needed for diarrhea
- 2 tablets (1 dose) every ½ hour as needed for over indulgence (upset stomach, heartburn, indigestion, nausea.
- do not exceed 8 doses (16 tablets) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:** ask a doctor
- drink plenty clear fluids to help prevent dehydration caused by diarrhea.

**Other information**

- **each tablet contains:** salicylate 102 mg
- store at room temperature.
- avoid excessive heat

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF STRIP UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**Inactive ingredients**

D&C Red No. 27 lake, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose, sorbitol, sucralose.

**Questions or comments?**

**1-866-467-2748**

**Principal Display**

**NDC# 11822-4320-0**

**Compare to the active ingredient in Pepto-Bismol® Chewables\***

**STOMACH RELIEF**

**CHEWABLE**

BISMUTH SUBSALICYLATE 262 mg

UPSET STOMACH RELIEVER / ANTIDIARRHEAL

**5 SYMPTOMS DIGESTIVE RELIEF:**

- Heartburn
- Indigestion
- Nausea
- Upset Stomach
- Diarrhea

**CHERRY FLAVOR**

**NATURALLY AND ARTIFICIALLY FLAVORED**

**30 CHEWABLE TABLETS**

**DISTRIBUTED BY:**

**RITE AID, 30 HUNTER LANE,**

**CAMP HILL, PA 17011**

**[www.riteaid.com](http://www.riteaid.com)**

**SATISFACTION GUARANTEE**

**IF you're not satisfied, we'll happily refund your money.**

**IMPORTANT:** Keep this carton for future reference on full labeling.

\*This product is not manufactured or distributed by Procter & Gamble Inc., the distributor of Pepto-Bismol® Chewables.



## RITE AID STOMACH RELIEF

bismuth subsalicylate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-4320
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	

**MICROCRYSTALLINE CELLULOSE** (UNII: OP1R32D61U)

**SORBITOL** (UNII: 506T60A25R)

**SUCRALOSE** (UNII: 96K6UQ3ZD4)

### Product Characteristics

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	RP124
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-4320-0	5 in 1 CARTON	06/30/2020	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	06/30/2020	

**Labeler** - RITE AID CORPORATION (014578892)

Revised: 11/2023

RITE AID CORPORATION