

RIGHT REMEDIES ADULT LONG LASTING COUGH RELIEF SOFTGEL-
dextromethorphan hydrobromide capsule
Strive Pharmaceuticals Inc.

RIGHT REMEDIES Adult Long Lasting Cough Relief Softgel

Drug Facts

Active ingredient (in each softgel)

Dextromethorphan HBr, USP 15 mg

Purpose

Cough Suppressant

Use

temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI)(certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that occurs with too much phlegm (mucus)
- a cough that lasts or is chronic as occurs with smoking, asthma, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These can be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions

- do not take more than 8 softgels in any 24-hour period

- this adult product is not intended for use in children under 12 years of age

adults and children 12 years and older	take 2 softgels every 6 to 8 hours, as needed
children under 12 years	do not use

Other information

- store at 20°-25°C(68°-77°F)
- avoid excessive heat above 40°C(104°F)
- protect from light

Inactive ingredients

edible white ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, isopropyl alcohol, medium chain triglycerides, polyethylene glycol, povidone, propyl gallate, propylene glycol, purified water, sorbitol sorbitan solution

Questions or comments?

1-888-577-8033

Monday - Friday 8am - 4pm EST

Compare to the active ingredient of **ROBITUSSIN®** CoughGels®*

Relieves:

Cough for up to 8 hours

Non-Drowsy

ages 12+

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING FROM BOTTLE

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Robitussin® CoughGels®.

Distributed by:

Strive Pharmaceuticals Inc.

East Brunswick, NJ 08816

Product of UAE

Packaged and Quality Assured in the USA

Packaging

Drug Facts

Active ingredient Purpose (in each softgel)

Dextromethorphan HBr,
USP 15 mg.....Cough Suppressant

Use

temporarily relieves cough due to
minor throat and bronchial irritation as
may occur with a cold.

Warnings

Do not use if you are now taking a



Compare to the active ingredient
of **ROBITUSSIN®** CoughGels®*

NDC 70692-778-06

Adult Long Lasting Cough Relief

Dextromethorphan HBr,
USP 15 mg
Cough Suppressant

60
softgels



Relieves:
Cough for up to 8 hours
Non-Drowsy




Actual Size

ages 12+

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL
UNDER CAP IS BROKEN OR MISSING FROM BOTTLE

Drug Facts (continued under label)



3 70692 00051 1

No Varnish

LOT:
EXP:



PEEL
HERE

Warnings (continued)

prescription monoamine oxidase
inhibitor (MAOI)(certain drugs for
depression, psychiatric, or emotional
conditions, or Parkinson's disease), or
for 2 weeks after stopping the MAOI
drug. If you do not know if your
prescription drug contains an MAOI,
ask a doctor or pharmacist before
taking this product.

Ask a doctor before use if you have

- a cough that occurs with too much
phlegm (mucus)
- a cough that lasts or is chronic as
occurs with smoking, asthma, or
emphysema

Stop use and ask a doctor if cough
lasts for more than 7 days, comes
back, or is accompanied by fever,
rash, or persistent headache. These
can be signs of a serious condition.

If pregnant or breast-feeding, ask a
health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose,
get medical help or contact a Poison
Control Center right away
(1-800-222-1222). Prompt medical
attention is critical for adults as well as
children even if you do not notice any
signs or symptoms.

Directions

- do not take more than 8 softgels in
any 24-hour period
- this adult product is not intended for
use in children under 12 years of age

Directions (continued)

adults and children 12 years and older	take 2 softgels every 6 to 8 hours, as needed
children under 12 years	do not use

Other information

- store at 20°-25°C (68°-77°F)
- avoid excessive heat above
40°C (104°F)
- protect from light

Inactive ingredients

edible white ink, FD&C blue #1, FD&C
red #40, gelatin, glycerin, isopropyl
alcohol, medium chain triglycerides,
polyethylene glycol, povidone, propyl
gallate, propylene glycol, purified
water, sorbitol sorbitan solution

Questions or comments?

1-888-577-8033
Monday - Friday 8am - 4pm EST

*This product is not manufactured or distributed
by Pfizer Consumer Healthcare, owner of the
registered trademark Robitussin® CoughGels®.

Distributed by:
Strive Pharmaceuticals Inc.
East Brunswick, NJ 08816

Product of UAE

Packaged and Quality
Assured in the USA

REV.00-072021
LB7069277806

RIGHT REMEDIES ADULT LONG LASTING COUGH RELIEF SOFTGEL

dextromethorphan hydrobromide capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70692-778(NDC:73056-019)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL (oblong)	Size	14mm
Flavor		Imprint Code	778
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70692-778-06	60 in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/01/2022	

Labeler - Strive Pharmaceuticals Inc. (080028013)

Establishment

Name	Address	ID/FEI	Business Operations
Strive Pharmaceuticals Inc.		080028013	repack(70692-778)

Revised: 12/2023

Strive Pharmaceuticals Inc.