# COLD MEDICINE XL3- acetaminophen chlorpheniramine maleate phenylepherine hydrochloride tablet Midway Importing, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### XL3 Cold

#### Active ingredients (in each tablet)

Acetaminophen 325 mg Chlorpheniramine maleate 2 mg Phenylepherine HCl 5 mg

#### **Purposes**

Pain reliever/fever reducer Antihistamine Nasal decongestant

#### Uses

temporarily relieves ■ minor aches and pains ■ headaches ■ nasal congestion ■ sinus congestion & pressure ■ runny nose ■ sneezing

# Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 12 tablets in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

**Alergy alert** acetaminophen may cause severe skin reactions. Symptoms may include ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away

#### Do not use

■ If you are allergic to acetaminophen ■ more than 10 days unless directed by a doctor if you are taking a monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson"s disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

#### Ask adoctor before use if you have

■ liver disease ■ heart disease ■ glaucoma ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to enlarged prostate gland ■ a breathing problem such as emphysema or chronic bronchitis

#### Ask a doctor or pharmacist before use if you

■ are taking the blood thinning drug warfarin ■ are taking sedatives or tranquilizers

#### When using this product

■ do not use more than directed ■ excitability may occur, especially in children ■ may cause drowsiness ■ alcohol, sedatives and tranquilizers may increase drowsiness ■ avoid alcoholic drinks ■ be careful when driving a motor vehicle or operating machinery

#### Stop use and ask a doctor if

 $\blacksquare$  redness or swelling is present  $\blacksquare$  new symptoms occur  $\blacksquare$  you get nervous, dizzy, or sleepless  $\blacksquare$  pain or nasal congestion gets worse or lasts for more than 7 days  $\blacksquare$  fever gets worse or lasts for more than 3 days

# Keep out of reach of children

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

■ Do not use more than directed ■ Adults and children 12 years of age and older: take 2 tablets every 4 hours. Do not take more than 12 tablets in 24 hours ■ Children under 12 years of age: do not use in children under 12 years of age; this will provide more than the recommended dose (overdoes) and may cause liver damage.

#### Other Information

■ store at room temperature in a dry place ■ do not use if blister package is torn.

## **Inactive Ingredients**

alcohol, croscarmellose sodium, hypromellose, lactose monhydrate (derived from milk), magnesium stearate, polyethylene glycol, purified water, talc, titanium dioxide

#### **Questions and Comments?**

1-855-259-1590 Monday through Friday 9AM-5PM EST

### Package Label



# **COLD MEDICINE XL3**

acetaminophen chlorpheniramine maleate phenylepherine hydrochloride tablet


Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76095-011	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg		
CHLORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z) (CHLORPHENIRAMINE - UNII: 3U6I01965U)	CHLORPHENIRAMINE MALEATE	2 mg		
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg		

Inactive Ingredients			
Ingredient Name	Strength		
TALC (UNII: 7SEV7J4R1U)			
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
POVIDONE (UNII: FZ989GH94E)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)			
WATER (UNII: 059QF0KO0R)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
ALCOHOL (UNII: 3K9958V90M)			

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND (Tablet)	Size	11mm		
Flavor		Imprint Code	XL3		
Contains					

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:76095- 011-20	2 in 1 BOX	06/27/2022		
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product			



**Labeler -** Midway Importing, Inc. (611851627)

Revised: 7/2022 Midway Importing, Inc.