

MECLIZINE HCL 25 MG- meclizine hcl tablet
Preferred Pharmaceuticals Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meclizine HCL 25 mg

Drug Facts

Active ingredient (in each tablet)

Meclizine HCL 25 mg

Purpose

Antiemetic

Uses

- prevents and treats nausea, vomiting or dizziness due to motion sickness
- for others uses, consult your doctor

Warnings

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take dose one hour before travel starts
- tablets can be chewed or swallowed whole with water

adults & children 12 years and over: 1-2 tablets once daily

children under 12 years: ask a doctor

Other information

- **Phenylketonurics: each tablet contains:** phenylalanine 0.28 mg
- store at room temperature 15°-30°C (59°-86°F)
- This is a bulk package. Dispense contents with a child-resistant closure in a tight, light-resistant container as defined in the USP.

Inactive ingredients

aspartame, compressible sugar, croscarmellose sodium, dextrose, FD&C red # 40 (Al-lake), magnesium stearate, microcrystalline cellulose, raspberry flavor

Questions or comments?

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark BONINE®.

Repackaged By: Preferred Pharmaceuticals Inc.

Distributed by: **Reliable 1 Laboratories LLC, Valley Stream, NY 11580**

www.reliable1labs.com

NDC 68788-7982

Meclizine HCL 25 mg

ANTIEMETIC

THIS PACKAGE FOR HOUSEHOLD WITHOUT YOUNG CHILDREN

*Compare to Active Ingredient in BONINE®

<p>Meclizine HCL 25mg Chewable Tablets</p> <p>Generic for Bonine</p> <p>Each tablet contains: Meclizine HCL, USP.....2 5mg</p> <p>Pkg Size: Exp Date: Lot#: Batch#: Ins: Mfg: Reliable 1 Laboratories LLC Prod#: Warning Ask a doctor before use if you have glaucoma, a breathing problem such as emphysema or chronic bronchitis, trouble urinating due to enlarged prostate gland, or if you are taking sedatives or tranquilizers. When using this product you may get drowsy, avoid alcoholic drinks, and be careful when driving a motor vehicle or operating machinery. If pregnant or breast-feeding, ask a health professional before use. Keep this and all medication out of the reach of children. Store at room temperature 15° to 30°C (59° to 86°F). Tablet is round, pink, scored and imprinted with AP 115.</p>		<p>CAUTION: Federal law PROHIBITS transfer of this drug to any person other than the patient for whom it was prescribed</p>	<p>Meclizine HCL 25mg Chewable Tablets Qty: Ins: Lot#: Bat#:</p> <p>Prod# (NDC):</p> <p>Meclizine HCL 25mg Chewable Tablets Qty: Ins: Lot#: Bat#: Prod# (NDC):</p> <p>Meclizine HCL 25mg Chewable Tablets Qty: Insurance NDC: Lot#: Bat#:</p> <p>Meclizine HCL 25mg Chewable Tablets Qty: Ins: Lot#: Bat#: Prod# (NDC):</p>	<p>Log</p> <p>Chart</p> <p>Billing</p> <p>Patient</p>
---	---	---	---	---

Directions English
May cause drowsiness.
Take ___ tablet(s)
every ___ hours.



Instrucciones Español:
Puede causar
somnolencia.
Toma ___ tableta(s)
cada ___ horas.

MECLIZINE HCL 25 MG

meclizine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-7982(NDC:69618-028)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
RASPBERRY (UNII: 4N14V5R27W)	
ASPARTAME (UNII: Z0H242BBR1)	
SUCROSE (UNII: C151H8M554)	

CROSCARMELOSE SODIUM (UNII: M28OL1HH48)

Product Characteristics

Color	pink (Light Raspberry color)	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor	RASPBERRY	Imprint Code	AP;115
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-7982-1	10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/28/2021	
2	NDC:68788-7982-3	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/28/2021	



MECLIZINE HCL
25MG CHEW TABLET

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	07/28/2021	

Labeler - Preferred Pharmaceuticals Inc. (791119022)

Registrant - Preferred Pharmaceuticals Inc. (791119022)

Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	REPACK(68788-7982)

Revised: 11/2022

Preferred Pharmaceuticals Inc.