

MECLIZINE HCL 25 MG- meclizine hcl tablet
Preferred Pharmaceuticals Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meclizine HCL 25 mg

Drug Facts

Active ingredient (in each tablet)

Meclizine HCL 25 mg

Purpose

Antiemetic

Uses

- prevents and treats nausea, vomiting or dizziness due to motion sickness
- for others uses, consult your doctor

Warnings

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take dose one hour before travel starts
- tablets can be chewed or swallowed whole with water

adults & children 12 years and over: 1-2 tablets once daily

children under 12 years: ask a doctor

Other information

- **Phenylketonurics: each tablet contains:** phenylalanine 0.28 mg
- store at room temperature 15°-30°C (59°-86°F)
- This is a bulk package. Dispense contents with a child-resistant closure in a tight, light-resistant container as defined in the USP.

Inactive ingredients

aspartame, compressible sugar, croscarmellose sodium, dextrose, FD&C red # 40 (Al-lake), magnesium stearate, microcrystalline cellulose, raspberry flavor

Questions or comments?

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark BONINE®.

Repackaged By: Preferred Pharmaceuticals Inc.

Distributed by: **Reliable 1 Laboratories LLC, Valley Stream, NY 11580**

www.reliable1labs.com

NDC 68788-7982

Meclizine HCL 25 mg

ANTIEMETIC

THIS PACKAGE FOR HOUSEHOLD WITHOUT YOUNG CHILDREN

*Compare to Active Ingredient in BONINE®

Meclizine HCL
25mg Chewable
Tablets

Generic for Bonine

Each tablet contains: Meclizine HCL, USP.....2
5mg

Pkg Size: Exp Date:
Lot#:
Batch#:
Ins:

Mfg: Reliable 1 Laboratories LLC
Prod#:

Warning

Ask a doctor before use if you have glaucoma, a
breathing problem such as emphysema or chronic
bronchitis, trouble urinating due to enlarged prostate
gland, or if you are taking sedatives or tranquilizers.
When using this product you may get drowsy, avoid
alcoholic drinks, and be careful when driving a motor
vehicle or operating machinery. If pregnant or breast-
feeding, ask a health professional before use. Keep this and
all medication out of the reach of children. Store at room
temperature 15° to 30°C (59° to 86°F). Tablet is round,
pink, scored and imprinted with AP 115.

Directions English

May cause drowsiness.
Take _____ tablet(s)
every _____ hours.

Instructions Español:

Puede causar
somnia.
Toma _____ tableta(s)
cada _____ horas.

CAUTION: Federal law PROHIBITS transfer of
this drug to any person other than the patient for
whom it was prescribed

Meclizine HCL 25mg
Chewable Tablets
Qty: Ins:
Lot#: Bat#:

Prod# (NDC):

Meclizine HCL 25mg
Chewable Tablets
Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Meclizine HCL 25mg
Chewable Tablets
Qty:
Insurance NDC:
Lot#: Bat#:

Meclizine HCL 25mg
Chewable Tablets
Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Log

Chart

Billing

Patient

MECLIZINE HCL 25 MG

meclizine hcl tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-7982(NDC:69618-028)
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)		MECLIZINE HYDROCHLORIDE	25 mg
Inactive Ingredients			
Ingredient Name			Strength
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
RASPBERRY (UNII: 4N14V5R27W)			
ASPARTAME (UNII: Z0H242BBR1)			
SUCROSE (UNII: C151H8M554)			

Product Characteristics

Color	pink (Light Raspberry color)	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor	RASPBERRY	Imprint Code	AP;115
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-7982-1	10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/28/2021	
2	NDC:68788-7982-3	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/28/2021	



MECLIZINE HCL
25MG CHEW TABLET

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	07/28/2021	

Labeler - Preferred Pharmaceuticals Inc. (791119022)

Registrant - Preferred Pharmaceuticals Inc. (791119022)

Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	REPACK(68788-7982)

Revised: 7/2023

Preferred Pharmaceuticals Inc.