

IODINE TINCTURE MILD- iodine and sodium iodide and alcohol liquid
Pharma Nobis, LLC

Private Label Iodine Ticture Mild, USP

Drug Facts

Active ingredient

Iodine 2%

Purpose

First Aid Antiseptic

Active ingredient

Sodium Iodide 2.4%

Purpose

First Aid Antiseptic

Active ingredient

Alcohol 47%

Purpose

First Aid Antiseptic

Indications

First aid to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns
- Flammable: Keep away from sparks heat and flame

Stop use and consult doctor if

- the condition persists or gets worse, or if using for longer than one week

When using this product

- do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids
- do not apply over large areas of the body

Keep out of reach of children.

In case of accidental ingestion, give milk then a starch solution made by mixing two tablespoonfuls of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.

Directions

- clean the affected area
- apply a small amount on the area 1 to 3 times daily
- may be covered with sterile bandage
- if bandaged let dry first

Other information

- will stain skin and clothing

Inactive ingredient

Purified Water

Good Neighbor Label

**GOOD
NEIGHBOR
PHARMACY®**

NDC 24385-0213-10

**Iodine Tincture
USP 2% Mild**
Antiseptic • First Aid
First Aid Antiseptic
Alcohol 47%
FLAMMABLE keep away from open flame, heat & fire
1 FL OZ (30 mL)

Drug Facts
Active Ingredients
Iodine 2%, Sodium Iodide 2.4%,
Alcohol 47%
Purpose
Antiseptic
Uses: To help prevent infection in minor cuts, scrapes and burns.
Warnings: For external use only.
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns.
Stop use ask a doctor if ■ the condition persists or gets worse, or if using this product for longer than 1 week.
When using this product ■ **do not use** in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. ■ **do not apply** over large areas of the body.
Keep out of the reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing two tablespoonfuls of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.
Directions: Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.
Inactive ingredient: Purified Water.
Other information: Will stain skin and clothing.


0 87701 40390 3
ABC# 655-840 R111109RLG
Dist. by: AmerisourceBergen • 1300 Morris Dr., Chesterbrook, PA 19087
Questions or Comments? ☎ 1-800-662-3435 • www.goodneighborpharmacy.com

Leader Label

Drug Facts	
Active ingredients Iodine 2%, Sodium Iodide 2.4%	Purpose First Aid Antiseptic
Indications ■ First aid to help prevent infection in minor cuts, scrapes and burns	
Warnings For external use only	
Flammable: Keep away from spark, heat or flame	
Do not use in the eyes or apply over large areas of the body	
Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns	
Stop use and ask a doctor if the condition persists or gets worse. Do not use longer than one week unless directed by a doctor	Cont. ►

LEADER[®]

NDC 70900-0401-1

2% Mild Iodine Tincture USP

Alcohol 47%
First Aid Antiseptic

For external use only

1 FL OZ (30 mL)

Drug Facts (continued)	
Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.	
Directions ■ clean the affected area. ■ apply a small amount to the affected area 1 to 3 times daily. May be covered with sterile bandage. If bandaged let dry first.	
Other information ■ will stain skin or clothing.	
Inactive ingredients ■ Alcohol 47%, Purified Water	
Questions or Comments? 1-800-662-3435	
Dist. by CAH, Dublin, OH 43017 1-800-200-6313 ©2018 Cardinal Health	
100% Money Back Guarantee Return to place of purchase if not satisfied.	

CIN 5455464 REV. 11/18

A38874 06 2022 0 9629513515 2

NDC 37205-022-10

LEADER[®]

2% Mild Iodine Tincture USP Alcohol 47%
FIRST AID ANTISEPTIC
For External Use Only

All Leader[®] Brand products are 100% satisfaction guaranteed or return to place of purchase for a full refund.

SATISFACTION GUARANTEED

1 FL OZ (30 mL)

Drug Facts	Purpose Antiseptic
Active ingredients Iodine 2%, Sodium Iodide 2.4%, Alcohol 47%	
Uses: To help prevent infection in minor cuts, scrapes and burns.	
Warnings: For external use only. Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns. Stop use and ask a doctor if ■ the condition persists or gets worse, or if using this product for longer than 1 week. When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. ■ do not apply over large areas of the body.	
Keep out of the reach of children. In case of accidental ingestion. Give milk, then give a starch solution made by mixing two tablespoons of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.	
Directions: Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.	
Inactive ingredient: Purified Water.	
Other information: Will stain skin and clothing.	

CIN 3324571 R07211LSI

Dist. by: 0 96295 11101 9
Cardinal Health, Dublin, Ohio 43017
1-800-200-6313 • www.myleader.com

Quality Choice Label

NDC 63868-330-01

QC QUALITY CHOICE

Iodine Tincture 2% Mild USP

First Aid Antiseptic

Alcohol 47%
Helps Prevent Infection In Minor Cuts, Scrapes and Burns
Flammable: Keep from spark, heat or flame.

1 fl OZ (30mL)

ANTISEPTIC FIRST AID

Drug Facts	
Active ingredient Iodine Tincture, USP 2% Mild.....	Purpose First Aid Antiseptic
Indication To help prevent infection in minor cuts, scrapes and burns.	
Warnings: For external use only. Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns. Stop use and ask a doctor if ■ the condition persists or gets worse, or if using for longer than one week. When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. ■ do not apply over large areas of the body.	
Continued ►	

(Drug facts continued)

Keep out of reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing 2 tablespoons of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.

Directions ■ clean the affected area. ■ apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged let dry first.

Other information ■ will stain skin or clothing.

6 35515 99205 4

Distributed by C.D.M.A., Inc.©
43157 W. Nine Mile, Novi, MI 48376-0995
www.qualitychoice.com
Questions: 248-449-9300

MADE IN USA
R072414RLG

Sunmark Label




Drug Facts A46653 02 2023

Purpose
Active Ingredients
Iodine 2%, Sodium Iodide 2.4%,
Alcohol 47%.....Antiseptic

USES: To help prevent infection in minor cuts, scrapes and burns.

WARNINGS: For external use only.
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns.
Stop use ask a doctor if ■ the condition persists or gets worse, or if using this product for longer than 1 week.
When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. ■ do not apply over large areas of the body.
Keep out of the reach of children. In case of accidental ingestion, give milk, then give a starch solution made by mixing two tablespoons of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.
DIRECTIONS: Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.
Inactive ingredient: Purified Water.
Other information: Will stain skin and clothing.
FLAMMABLE: Keep away from spark, heat & flame.



Drug Facts

Active Ingredients
Iodine 2%, Sodium Iodide 2.4%,
Alcohol 47%.....Antiseptic

Purpose

USES: To help prevent infection in minor cuts, scrapes and burns.

WARNINGS: For external use only.
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns.
Stop use ask a doctor if ■ the condition persists or gets worse, or if using this product for longer than 1 week.
When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. ■ do not apply over large areas of the body.
Keep out of the reach of children. In case of accidental ingestion, give milk, then give a starch solution made by mixing two tablespoons of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.
DIRECTIONS: Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.
Inactive ingredient: Purified Water.
Other information: Will stain skin and clothing.
FLAMMABLE: Keep away from spark, heat & flame.

Premier Value Label



Drug Facts

Active Ingredients
Iodine 2%, Sodium Iodide 2.4%,
Alcohol 47%.....Antiseptic

Purpose

USES: To help prevent infection in minor cuts, scrapes and burns.

Warnings: For external use only.
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns
Stop use, ask a doctor if ■ the condition persists or gets worse, or if using this product for longer than 1 week.
When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. ■ do not apply over large areas of the body.
Keep out of the reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing two tablespoons of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.
Directions: Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.
Inactive ingredient: Purified Water.
Other information: Will stain skin and clothing. NET 050412.RUG





Purpose
Active ingredients
 Iodine 2%, Sodium Iodide 2.4%
 Alcohol 47%.....Antiseptic
Uses: To help prevent infection in minor cuts, scrapes and burns.

Warnings: For external use only.

Ask a doctor before use if you have

■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use, ask a doctor if ■ the condition persists or gets worse, or if using this product for longer than 1 week.

When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. ■ do not apply over large areas of the body.

Keep out of the reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing two tablespoons of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.

Directions: Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Inactive ingredient: Purified Water.

Other information: Will stain skin and clothing. REV.050412.RLG



Distributed by: Chain Drug Consortium, LLC.
 3301 NW Boca Raton Blvd., Suite 101 • Boca Raton, FL 33431

DDM Label

Drug Facts Active ingredients Purpose Iodine 2%, Sodium Iodide 2.4%.....Antiseptic Uses : To help prevent infection in minor cuts, scrapes and burns. Warnings: For external use only. Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns. Stop use and ask a doctor if ■ the condition persists or gets worse, or if using for longer than one week. When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. ■ do not apply over large areas of the body. Continued ►	DISCOUNT drug mart FOOD FAIR DANGER POISON ALCOHOL 47% IODINE TINCTURE 2% MILD USP First Aid Antiseptic Helps prevent infection in minor cuts, scrapes & burns Flammable: Keep from spark, heat or flame. DISTRIBUTED BY: DRUG MART-FOOD FAIR 211 Commerce Dr. MEDINA, OHIO Zip 44256 Questions or Comments? 1-800-833-6278 www.DISCOUNT-DRUGMART.COM 1 FL OZ (30mL)	(Drug facts continued) Keep out of reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing 2 tablespoons of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately. Directions ■ clean the affected area. ■ apply a small amount to the affected area 1 to 3 times daily. May be covered with sterile bandage. If bandaged let dry first. Other information ■ will stain skin or clothing. Inactive ingredients ■ Alcohol, Purified Water. Questions or Comments? ☎1-800-662-3435 R053013.RLG 0 93351 01329 4
--	--	--

De La Cruz Label

Drug Facts

Active ingredients

Iodine 2%, Sodium Iodide 2.4%

Purpose

First aid antiseptic

Uses First aid antiseptic to help prevent infection in minor: ■ cuts ■ scrapes ■ burns

Warnings For external use only

Flammable. Keep away from sparks, heat and fire.

Consult a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not use in or near the eyes. If eye contact occurs, flush with large amounts of water while lifting upper and lower lids.
- do not apply over large areas of the body

Stop use and consult a doctor if

- the condition persists or gets worse. Do not use this product longer than 1 week unless directed by a doctor.

Keep out of reach of children.

If swallowed, give milk then give a starch solution made by mixing 2 tablespoons of corn starch or flour to a pint of water. Contact a Poison Control Center immediately.

Directions

- clean the affected area
- apply a small amount of this product to the area 1 to 3 times daily
- may be covered with a sterile bandage. If bandaged, let dry first.

Other information

- will stain skin and clothing
- store at room temperature

Inactive ingredients

alcohol, purified water

Tincture of Iodine Tintura de Yodo

USP 2% • Alcohol 47%

First Aid Antiseptic
Antiséptico Para
Primeros Auxilios

For External Use Only
Para Uso Externo Únicamente

POISON / DANGER



VENENO / PELIGRO

1 FL OZ
(30 mL)



Distributed by / Distribuido por:

De La Cruz Products

A Division of DLC Laboratories, Inc.

Paramount, CA 90723 USA

Questions / Preguntas: 1-800-858-3889

www.dlclabs.com © 2013 DLC

P0950-HZX



3 24286 15301 5

WARNING: FLAMMABLE; KEEP AWAY FROM SPARKS, HEAT AND FIRE.

ADVERTENCIA: INFLAMABLE. MANTÉNGASE ALEJADO DE CHISPAS, CALOR Y FUEGO.

Drug Facts
Datos Medicinales

Peel Here
Levante Aquí



Tincture of Iodine Tintura de Yodo

USP 2% • Alcohol 47%

First Aid Antiseptic
Antiséptico Para
Primeros Auxilios

For External Use Only
Para Uso Externo Únicamente

POISON / DANGER



VENENO / PELIGRO

1 FL OZ
(30 mL)



Distributed by / Distribuido por:
De La Cruz Products
A Division of DLC Laboratories, Inc.
Paramount, CA 90723 USA
Questions / Preguntas: 1-800-858-3889
www.dlclabs.com © 2013 DLC

P0950-DZS



3 24286 15301 5

WARNING: FLAMMABLE; KEEP AWAY FROM SPARKS, HEAT AND FIRE.
ADVERTENCIA: INFLAMABLE. MANTÉNGASE ALEJADO DE CHISPAS, CALOR Y FUEGO.

A31709 05 2022

Drug Facts
Datos Medicinales

Peel Here
Levante Aquí



Datos Medicinales

Ingredientes activos

Propósito

Antiséptico para
Yodo 2%, Yoduro de sodio 2.4%... primeros auxilios

Usos Antiséptico para primeros auxilios; ayuda a
prevenir infecciones en: ■ cortaduras menores
■ abrasiones menores ■ quemaduras menores

Advertencias Para uso externo únicamente
Inflamable. Manténgase alejado de chispas, calor
y fuego.

Consulte con un médico antes de usar si tiene
■ heridas profundas o punzantes ■ mordeduras de
animales ■ quemaduras graves

Cuando use este producto ■ no usar en los ojos ni
cerca de ellos. En caso de contacto con los ojos,
enjuague con abundante agua mientras levanta los
párpados superiores e inferiores. ■ no aplicar en
áreas grandes del cuerpo

Deje de usar y consulte con un médico si
■ la condición persiste o empeora. No usar por más
de 1 semana a menos que sea recomendado por un
médico.

Manténgase fuera del alcance de los niños. En
caso de ingestión, se debe tomar leche y luego una
solución de 2 cucharadas de fécula de maíz o harina
en medio litro de agua. Comuníquese con un Centro
de Control de Envenenamientos inmediatamente.

Instrucciones ■ limpie el área afectada
■ aplique este producto en cantidades pequeñas de
1 a 3 veces al día ■ puede cubrir el área afectada
con una venda esterilizada. Antes de vendar, deje que
el producto se seque.

Otra información ■ manchará la piel y la
ropa ■ manténgase a temperatura ambiente

Ingredientes inactivos alcohol, agua
purificada

CVS Label

Drug Facts

Active ingredients **Purpose**
Iodine 2%, Sodium Iodide 2.4%
Alcohol 47%.....Antiseptic

Uses: To help prevent infection in minor
cuts, scrapes and burns.

Warnings:

**For external use only. Ask a doctor before
use if you have** ■ deep or puncture wounds
■ animal bites ■ serious burns

Stop use and ask a doctor if ■ the
condition persists or gets worse, or if using for
longer than one week

When using this product ■ do not use
in the eyes. If contact occurs, flush with large
amounts of water while lifting upper and lower
lids ■ do not apply over large areas of the
body **Continued** ►



NDC 69842-213-91

Iodine Tincture USP

ALCOHOL 47%

FIRST AID ANTISEPTIC

For external use only
Helps prevent infection
in minor cuts, scrapes
& burns

CAUTION ☠ POISON

Flammable: Keep from
spark, heat or flame.

1 FL OZ (30 mL)



Distributed by: CVS Pharmacy, Inc. One CVS Drive,
Woonsocket, RI 02895 © 2021 CVS/pharmacy V-17624

Drug Facts (continued)

Keep out of reach of children. In case
of accidental ingestion, give milk then give a
starch solution made by mixing 2
tablespoons of cornstarch or flour to a pint of
water. Contact a Poison Control Center
immediately.

Directions ■ clean the affected area
■ apply a small amount to the affected area
1 to 3 times daily. May be covered with
sterile bandage. If bandaged let dry first

Other information ■ will stain skin or clothing

Inactive ingredients ■ Purified Water

#602441 R052421



0 50428 10677 8

Drug Facts	
Active ingredients	Purpose
Iodine 2%, Sodium Iodide 2.4%	Antiseptic
Alcohol 47%.....	
Uses : To help prevent infection in minor cuts, scrapes and burns.	
Warnings For external use only. Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns	
Stop use and ask a doctor if ■ the condition persists or gets worse, or if using for longer than one week	
When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids ■ do not apply over large areas of the body	
Continued ▶	



Iodine Tincture USP

ALCOHOL 47%

FIRST AID ANTISEPTIC

For external use only
Helps prevent infection in minor cuts, scrapes and burns

CAUTION POISON



Flammable: Keep from spark, heat or flame.

1 FL OZ (30 mL)

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2021 CVS/pharmacy V-17624

Drug Facts (continued)

Keep out of reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing 2 tablespoons of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.

Directions ■ clean the affected area ■ apply a small amount to the affected area 1 to 3 times daily. May be covered with sterile bandage. If bandaged let dry first

Other information ■ will stain skin or clothing

Inactive ingredients ■ Purified Water

#602441



R042321

Drug Facts	
Active Ingredients	Purpose
Iodine 2%, Sodium Iodide 2.4%	Antiseptic
Alcohol 47%.....	
Uses : To help prevent infection in minor cuts, scrapes and burns.	
Warnings For external use only. Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns.	
Stop use and ask a doctor if ■ the condition persists or gets worse, or if using for longer than one week.	
When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. ■ do not apply over large areas of the body.	
Continued ▶	



Iodine Tincture USP

ALCOHOL 47%

FIRST AID ANTISEPTIC

For external use only
Helps prevent infection in minor cuts, scrapes and burns

CAUTION POISON



Flammable: Keep from spark, heat or flame.

1 FL OZ (30 mL)

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2017 CVS/pharmacy V-17624

(Drug facts continued)

Keep out of reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing 2 tablespoons of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.

Directions ■ clean the affected area. ■ apply a small amount to the affected area 1 to 3 times daily. May be covered with sterile bandage. If bandaged let dry first.

Other information ■ will stain skin or clothing.

Inactive ingredients ■ Purified Water.

#602441



R011016



IODINE TINCTURE USP

FIRST AID ANTISEPTIC

Alcohol 47% By Vol.

FOR EXTERNAL USE ONLY

• Helps prevent infection in minor cuts, scrapes and burns

1 FL OZ (30 mL)

"CAUTION" "POISON"

Distributed by:
CVS Pharmacy, Inc.
One CVS Drive
Woonsocket, RI 02895
© 2010 CVS/pharmacy
1-800-Shop-CVS
www.cvs.com



Drug Facts

Purpose

Antiseptic

Active ingredients
Iodine 2%, Sodium Iodide 2.4%,
Alcohol 47%.....

Uses: To help prevent infection in minor cuts, scrapes and burns.

Warnings: For external use only. Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns.

Stop use and ask a doctor if ■ the condition persists or gets worse, or if using this product for longer than 1 week.

When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. ■ do not apply over large areas of the body.

Keep out of the reach of children. In case of accidental ingestion, Give milk, then give a starch solution made by mixing two tablespoons of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.

Directions: Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Inactive ingredient: Purified Water.

Other information: Will stain skin and clothing.

602441

0 50428 10677 8

Harris Teeter Label

Drug Facts	
Active ingredients	Purpose
Iodine 2%.....	First aid antiseptic
Uses: To help prevent infection in minor cuts, scrapes and burns.	
Warnings: <i>For external use only. Ask a doctor before use if you have</i> ■ deep or puncture wounds ■ animal bites ■ serious burns	
Stop use and ask a doctor if ■ the condition persists or gets worse, or if using for longer than one week	
When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids ■ do not apply over large areas of the body	
<i>Continued ►</i>	



Iodine Tincture

2% Mild USP

ALCOHOL 47%

First Aid Antiseptic

Flammable: Keep from spark, heat or flame.

1 FL OZ (30 mL)

PROUDLY DISTRIBUTED BY: HARRIS TEETER®
MATTHEWS, NC 28105

your^{plus}guarantee.

1-800-432-6111 or harristeeter.com

Drug Facts (continued)	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.	
Directions ■ clean the affected area ■ apply a small amount to the affected area 1 to 3 times daily ■ may be covered with sterile bandage ■ If bandaged, let dry first	
Other information will stain skin or clothing	
Inactive ingredients alcohol (47% v/v), purified water, sodium iodide	
Comments? 1-800-432-6111	



Drug Facts	
Active ingredients	Purpose
Iodine 2%, Sodium Iodide 2.4% Alcohol 47%.....	Antiseptic
Uses : To help prevent infection in minor cuts, scrapes and burns.	
Warnings: <i>For external use only. Ask a doctor before use if you have</i> ■ deep or puncture wounds ■ animal bites ■ serious burns.	
Stop use and ask a doctor if ■ the condition persists or gets worse, or if using for longer than one week.	
When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. ■ do not apply over large areas of the body.	
<i>Continued ►</i>	



Iodine Tincture

2% Mild USP

ALCOHOL 47%

First Aid Antiseptic

Flammable: Keep from spark, heat or flame.

1 FL OZ (30 mL)

PROUDLY DISTRIBUTED BY: HARRIS TEETER®
MATTHEWS, NC 28105

your^{plus}guarantee.

1-800-432-6111 or harristeeter.com

(Drug facts continued)	
Keep out of reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing 2 tablespoons of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.	
Directions ■ clean the affected area. ■ apply a small amount to the affected area 1 to 3 times daily. May be covered with sterile bandage. If bandaged let dry first.	
Other information ■ will stain skin or clothing	
Inactive ingredients ■ Purified Water.	

REV.021911.RLG



0
72036 98724
2

Kroger Label



Iodine Tincture USP

First Aid Antiseptic

For External Use Only

CAUTION POISON

1 FL OZ (30mL)

Drug Facts

Active ingredient Iodine 2%
Purpose First aid antiseptic

Use first aid to help prevent skin infection in
■ minor cuts ■ scrapes ■ burns

Warnings
For external use only
Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns
When using this product ■ do not use in eyes or apply over large areas of the body ■ do not use longer than 1 week unless directed by a doctor

Drug Facts (continued)
Stop use and ask a doctor if condition persists or gets worse
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first

Other information product will stain skin and clothing

Inactive Ingredients alcohol (47% v/v), purified water, sodium iodide

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202
QUALITY GUARANTEE | www.kroger.com
L001349258



0 11110 35549 2

FIRST AID ANTISEPTIC



FROM OUR FAMILY TO YOURS

iodine tincture USP

For External Use Only

CAUTION: POISON

1 FL OZ (30 mL)

Safeway Label

FOR EXTERNAL USE ONLY



Iodine
Tincture U.S.P.

► First Aid Antiseptic

CAUTION  POISON

1 FL OZ (30 mL)

Drug Facts

Active ingredient
Iodine tincture U.S.P. 100%
(2% iodine).....First aid antiseptic

Use first aid to help prevent skin infection in
■ minor cuts ■ scrapes ■ burns

Warnings For external use only
Ask a doctor before use if you have deep or puncture
wounds, animal bites or serious burns

When using this product ■ do not use in eyes or
apply over large areas of the body ■ do not use
longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse
Keep out of reach of children. If swallowed, get medical
help or contact a Poison Control Center right away.

Directions ■ clean the affected area ■ apply a small
amount on the area 1 to 3 times daily ■ may be covered
with a sterile bandage ■ if bandaged, let dry first

Other information product will stain skin and clothing

VI-Jon • One Swan Drive • Smyrna, TN 37167



3 08693 85110 8

L0010621SA

Good Sense Label

GOODSENSE[®]

Iodine

Tincture U.S.P.
First Aid Antiseptic

For External Use Only

CAUTION  **POISON**

1 FL OZ (30 mL)

Drug Facts	
Active ingredient	Purpose
Iodine tincture U.S.P. 100% (2% iodine)	First aid antiseptic
Use	first aid to help prevent skin infection in minor cuts ■ scrapes ■ burns
Warnings	For external use only Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns When using this product ■ do not use in eyes or apply over large areas of the body ■ do not use longer than 1 week unless directed by a doctor Stop use and ask a doctor if condition persists or gets worse Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions	■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first
Other information	product will stain skin and clothing

Distributed By: Galiss, Deslin & Dunn, Inc.
Peachtree City, GA 30269

0 79068 00086 4

L0017380SB

NDC 0869-0088-10

GOODSENSE[®]

Iodine

Tincture U.S.P.
First Aid Antiseptic

For External Use Only

CAUTION  **POISON**

1 FL OZ (30 mL)

Drug Facts	
Active ingredient	Purpose
Iodine tincture U.S.P. 100% (2% iodine)	First aid antiseptic
Use	first aid to help prevent skin infection in minor cuts ■ scrapes ■ burns
Warnings	For external use only Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns When using this product ■ do not use in eyes or apply over large areas of the body ■ do not use longer than 1 week unless directed by a doctor Stop use and ask a doctor if condition persists or gets worse Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions	■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first
Other information	product will stain skin and clothing

Distributed by:
CUMBERLAND SWAN Smyrna, TN 37167

0 79068 00086 4

08810 C2 F.

Walgreen Label

Walgreens

Iodine Tincture USP

FIRST AID ANTISEPTIC

- For external use only
- Helps to prevent skin infection in minor cuts, scrapes, burns

CAUTION  **POISON**

1 FL OZ (30 mL)

Drug Facts	
Active ingredient	Purpose
Iodine 2%.....	First aid antiseptic
Use	first aid to help prevent skin infection in minor cuts ■ scrapes ■ burns
Warnings	For external use only Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns When using this product ■ do not use in eyes or apply over large areas of the body ■ do not use longer than 1 week unless directed by a doctor
Drug Facts (continued)	
Stop use and ask a doctor if condition persists or gets worse	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first
Other information	product will stain skin and clothing
Inactive ingredients	alcohol (47% v/v), purified water, sodium iodide

Walgreens Pharmacist Recommended.
Our pharmacists recommend the Walgreens brand.
DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015
1-800-925-4733 ©2021 Walgreen Co.
100% SATISFACTION GUARANTEED walgreens.com

ITEM 436157 W10979 MMY F
W3ORG0821-F L0012061SE

3 11917 13111 5

Walgreens

Iodine Tincture USP

FIRST AID ANTISEPTIC

• For external use only

CAUTION  **POISON**

1 FL OZ (30 mL)

Drug Facts	
Active ingredient Iodine 2%.....	Purpose First aid antiseptic
Use first aid to help prevent skin infection in ■ minor cuts ■ scrapes ■ burns	
Warnings For external use only	
Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns	
When using this product ■ do not use in eyes or apply over large areas of the body ■ do not use longer than 1 week unless directed by a doctor	

Drug Facts (continued)	
Stop use and ask a doctor if condition persists or gets worse	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first	
Other information product will stain skin and clothing	
Inactive ingredients alcohol (47% v/v), purified water, sodium iodide	

Questions or comments? 1-800-925-4733
 DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015
 100% SATISFACTION GUARANTEED
 walgreens.com ©2019 Walgreen Co.
 ITEM 436157 W10253-1019-F
 ORC0517-F2 REV-0319 L012061SD

Well at
Walgreens

Iodine Tincture USP

First Aid Antiseptic

• For external use only

CAUTION  **POISON**

1 FL OZ (30 mL)

Health Mart Label

Drug Facts	
Active ingredients Iodine 2%, Sodium Iodide 2.4%	Purpose First Aid Antiseptic
Indications ■ First aid to help prevent infection in minor cuts, scrapes and burns	
Warnings ■ For external use only	
Flammable: Keep away from spark, heat or flame	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns	
Stop use and ask a doctor if ■ the condition persists or gets worse, or if using for longer than one week.	
When using this product ■ If contact occurs with eyes, flush with large amounts of water while lifting upper and lower lids.	
Continued ►	

NDC 62011-0117-1

 **HealthMart.**

Iodine Tincture USP

2% Mild
Alcohol 47%

First Aid Antiseptic to help prevent infection in cuts, scrapes and burns

Flammable: Keep away from spark, heat or flame.

1 Fl oz (30 mL)

(Drug facts continued)	
Keep out of reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing 2 tablespoonfuls of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.	
Directions ■ clean the affected area. ■ apply a small amount to the affected area 1 to 3 times daily. May be covered with sterile bandage. If bandaged let dry first.	
Other information ■ will stain skin or clothing.	
Inactive Ingredients ■ Alcohol 47%, Purified Water	

Distributed by McKesson
 One Post Street, San Francisco, CA 94104

0 52569 13502 0

R092217

Equaline Label

NDC 41163-088-10

EQUALINE®

iodine tincture

USP
first aid antiseptic
for external use only

CAUTION: POISON

1 FL OZ (30mL)

Drug Facts A46654 02 2023

Active ingredient
Iodine tincture U.S.P. 100%
(2% iodine).....First aid antiseptic

Purpose
Use first aid to help prevent skin infection in
■ minor cuts ■ scrapes ■ burns

Warnings For external use only
Ask a doctor before use if you have deep or puncture
wounds, animal bites or serious burns

When using this product ■ do not use if eyes or apply
over large areas of the body ■ do not use longer than
1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical
help or contact a Poison Control Center right away.

Directions ■ clean the affected area ■ apply a small
amount on the area 1 to 3 times daily ■ may be covered
with a sterile bandage ■ if bandaged, let dry first

Other information product will stain skin and clothing

Distributed by SUPERVALU INC., Eden Prairie, MN 55344 USA
Contact us at 1-877-933-7948 or www.supervalu-brand.com

0 41163 26364 2
L0015003SA

EQUALINE®

iodine tincture

USP
first aid antiseptic
for external use only

CAUTION: POISON

1 OZ (30mL)

TopCare Iodine Tincture

+TopCare®
health

Iodine Tincture USP

FIRST AID ANTISEPTIC
For External Use Only

CAUTION POISON

1 FL OZ (30 mL)

Drug Facts Active ingredient Iodine 2%.....First aid antiseptic Purpose Use first aid to help prevent skin infection in ■ minor cuts ■ scrapes ■ burns Warnings For external use only Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns When using this product ■ do not use in eyes or apply over large areas of the body ■ do not use longer than 1 week unless directed by a doctor	Drug Facts (continued) Stop use and ask a doctor if condition persists or gets worse Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions ■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first Other information product will stain skin and clothing Inactive ingredients alcohol (47% v/v), purified water, sodium iodide
---	--

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007
© TOPCO VJA0622 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com
Visit here for more information: <http://topbrnds.com/4901ji>

L0020579SA

0 36800 50077 8

IODINE TINCTURE MILD

iodine and sodium iodide and alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82645-911
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	20 mg in 1 mL
SODIUM IODIDE (UNII: F5WR8N145C) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	20.4 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	470 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82645-911-91	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/14/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/01/1979	

Labeler - Pharma Nobis, LLC (118564114)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(82645-911) , analysis(82645-911) , pack(82645-911) , label(82645-911)

Revised: 12/2023

Pharma Nobis, LLC