

ANTISEPTIC INSTANT PAIN RELIEF- camphor 10.8% and phenol 4.7% liquid
Pharma Nobis, LLC

Private Label Antiseptic Instant Pain Relief

Drug Facts

Active Ingredients

Camphor 10.8%, Phenol 4.7 %

Purpose

Pain Reliever, Antiseptic

Uses:

Helps prevent infection and temporarily relieves pain and itching in minor burns, cuts, insect bites, scrapes, sunburn and other minor skin irritations.

Warnings:

For External Use Only. Do not induce vomiting. If vomiting occurs give fluids again. Do not use in or near the eyes: In case of eye contact, flush eyes with running water for 15 minutes, get medical attention immediately. Do not use on: deep puncture wounds, animal bites, serious burns.

When using this product:

Do not bandage. Do not use over large areas of the body.

Stop use and consult a doctor if:

Condition worsens. Symptoms last more than 7 days or clear up and occur again in a few days.

Keep out of the reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions:

Adult and children 2 yrs and older: apply to affected area 1 to 3 times daily.

Children under 2 yrs of age: Consult a doctor before use.

Inactive ingredients:

Citric acid, Eucalyptus Oil, Light Mineral Oil

Label

Drug Facts

Active Ingredients

Camphor 10.8% Pain Relief

Phenol 4.7% Pain Relief

Uses • first aid to help reduce the risk of infection associated with minor cuts, scrapes, and minor burns • for the temporary relief of pain and itching associated with minor burns, sunburn, minor cuts, scrapes, insect bites, fever blisters and cold sores

Warnings • for external use only • if pregnant or breastfeeding, ask a healthcare professional before use. **Do not use** • in the eyes • over large areas of the body • with a heating pad or other heating device **Ask a doctor before use if you have** • deep or puncture wounds • animal bites • serious burns

Distributed By: Fred's, Inc., Memphis, TN 38118

Purpose

Pain Relief

Pain Relief



Drug Facts (continued)

When using this product • avoid contact with the eyes • do not bandage **Stop use and ask doctor if** • condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days • redness is present • irritation develops **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions** • clean the affected area • adults and children 2 years of age or older: apply a small amount of this product on the area 1 to 3 times daily • children under 2 years of age: do not use, consult a doctor
305464
70703

Label

12
12



Drug Facts

Active ingredients	Purpose
Alcohol 95% in 5% Anhydrous Glycerin.....	Ear drying aid

Uses

- Dries water in the ears.

Warnings

- **Flammable:** Keep away from spark, heat or flame.
- Do not use in the eyes

Ask a doctor before use if you have

- ear drainage or discharge
- pain, irritation, or rash in the ear
- have had ear surgery
- dizziness.

Stop use and ask a doctor if

- irritation (too much burning) or pain occurs.

If pregnant or breast feeding, ask a health professional before use.

Keep out of the reach of children. In case of accidental ingestion seek professional assistance or contact a Poison Control Center immediately.

Directions

Apply 4 to 5 drops in each ear.

Other information:

- Store at room temperature.
- Keep tightly closed.
- Avoid contact with eyes.

Inactive ingredient: purified water.

Compare to Active
Ingredients in Auto-Drill®

H-E-B
Water Drying Aid
Ear Drops

For drying
water
clogged
ears after
swimming,
bathing, or
showering.

NET 1 FL OZ
(29mL)

Compare to Active Ingredients in Auto-Drill®

H-E-B
Water Drying Aid
Ear Drops

For drying
water clogged
ears after
swimming,
bathing, or
showering.

NET 1 FL OZ (29mL)

Compare to Active
Ingredients in Auto-Drill®

H-E-B
Water Drying Aid
Ear Drops

MADE WITH PRIDE
AND CARE FOR H-E-B®.
SAN ANTONIO, TX
78204 • MADE IN USA.
Questions or comments?
1-800-662-3435
*This product is not
manufactured or distributed
by Del Pharmaceuticals,
distributor of Auto-Drill.

H-E-B
**100%
GUARANTEE
promise**

If you aren't completely
pleased with this product,
we'll be happy to replace it
or refund your money.
You have our word on it.

Coating Knockout



8011710P

Label



Antiséptico Instantáneo para Alivio de Dolor

• ANTISEPTIC FIRST AID •
• ANTISÉPTICO PARA PRIMEROS AUXILIOS •
PAIN RELIEVING ANTISEPTIC LIQUID
Alivio de Dolor

1.5 FL. OZ. (45 mL) • 1.5 ONZA FL. (45 mL)

Drug Facts	Purpose
Active Ingredients Camphor 10.8%, Phenol 4.7%,.....Analgesic / Antiséptico Alcanfor 10.8 %, Fenol 4,7%.....	Purpose Pain reliever/Antiseptic
Uses: Helps prevent infection and temporarily relieves pain and itching in minor burns, cuts, insect bites, scrapes, sunburn and other minor skin irritations.	Uses: Helps prevent infection and temporarily relieves pain and itching of minor burns, cuts, insect bites, scrapes, sunburn and other minor skin irritations.
Warnings: For External Use Only. ■ Do not induce vomiting. If vomiting occurs give fluids again. ■ Do not use in or near the eyes: In case of eye contact, flush eyes with running water for 15 minutes, get medical attention immediately. Do not use on: ■ deep puncture wounds ■ animal bites ■ serious burns	Warnings: For External Use Only. ■ Do not induce vomiting. If vomiting occurs give fluids again. ■ Do not use in or near the eyes: In case of eye contact, flush eyes with running water for 15 minutes, get medical attention immediately. Do not use on: ■ deep puncture wounds ■ animal bites ■ serious burns
When using this product: ■ Do not bandage ■ Do not use over large areas of the body	When using this product: ■ Do not bandage ■ Do not use over large areas of the body
Stop use if and consult a doctor if: ■ condition worsens ■ symptoms last more than 7 days or clear up and occur again within a few days. ■ Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	Stop use if and consult a doctor if: ■ condition worsens ■ symptoms last more than 7 days or clear up and occur again within a few days. ■ Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.
Directions: ■ Adults and children 2 yrs and older: apply to affected area 1 to 3 times daily. ■ Children under 2 yrs of age: Consult a doctor before use.	Directions: ■ Adults and children 2 yrs and older: apply to affected area 1 to 3 times daily. ■ Children under 2 yrs of age: Consult a doctor before use.
Inactive Ingredients: citric acid, eucalyptus oil, light mineral oil	Inactive Ingredients: citric acid, eucalyptus oil, light mineral oil

R08/1413RLG

TIEDOWN

Antiséptico Instantáneo para Alivio de Dolor
Antiséptico Líquido para Alivio de Dolor
ANTISÉPTICO PARA PRIMEROS AUXILIOS
1.5 ONZA FL. (45 mL)

Dist. by/Dist. por:
MAGELLAN DISTRIBUTION SOLUTIONS
Medley, Florida 33178



Información sobre el Medicamento Ingredientes Activos Propósito

Alcanfor 10.8 %, Fenol 4,7%.....Analgesico / Antiséptico
Indicaciones: Ayuda a prevenir la infección y alivia temporalmente el dolor y la picazón en quemaduras leves, cortadas, picaduras de insectos, raspaduras, quemaduras y otras irritaciones leves de la piel.

Advertencias

Para uso externo solamente ■ No induzca vómito. Si el vómito ocurre, dar líquidos de nuevo ■ No utilice sobre áreas grandes del cuerpo ■ No cubra con vendas

Pregúntele a su médico si usted tiene

No use en: ■ heridas punzantes profundas ■ mordeduras de animales ■ quemaduras graves
Al usar este producto ■ No utilice en o cerca de los ojos. En caso de contacto con los ojos, enjuague los ojos con agua corriente durante 15 minutos y obtenga atención médica de inmediato.

Suspenda el uso de este producto y consulte un médico si ■ La condición empeora ■ Los síntomas duran más de 7 días o desaparecen y aparecen de nuevo en unos pocos días

Mantener fuera del alcance de los niños. En caso de ingestión accidental, busque asistencia profesional o contacte un Centro de Control de Envenenamiento inmediatamente.

Instrucciones ■ Adultos y niños mayores de 2 años: aplique sobre la zona afectada 1 a 3 veces al día. ■ Para niños menores de 2 años de edad: Consulte un médico antes de usar

Ingredientes inactivos ácido cítrico, aceite de eucalipto, aceite mineral liviano

Other Information ■ Guarde a temperatura ambiente ■ evite el calor excesivo ■ cerrar la tapa herméticamente después de cada uso

¿Preguntas o Comentarios? 31-800-662-3435

Label

NDC 63868-0060-45



Instant Antiseptic
Pain Relief

Pain Relieving Antiseptic Liquid

© DISTRIBUTED BY QUALITY CHOICE
NOVI, MI 48376-0995 • QC 95522
(800) 935-2362 • www.qualitychoice.com

1.5 FL. OZ (45 mL)

*Compare to Active
Ingredient in
Campho-phenique®

Drug Facts	Purpose
Active Ingredients Camphor 10.8%, Phenol 4.7%,.....Pain Reliever/Antiseptic	Purpose Pain Reliever/Antiseptic
Uses: Helps prevent infection and temporarily relieves pain and itching in minor burns, cuts, insect bites, scrapes, sunburn and other minor skin irritations.	Uses: Helps prevent infection and temporarily relieves pain and itching in minor burns, cuts, insect bites, scrapes, sunburn and other minor skin irritations.
Warnings: For External Use Only. ■ Do not induce vomiting. If vomiting occurs give fluids again. ■ Do not use in or near the eyes: In case of eye contact, flush eyes with running water for 15 minutes, get medical attention immediately. Do not use on: ■ deep puncture wounds. ■ animal bites. ■ serious burns.	Warnings: For External Use Only. ■ Do not induce vomiting. If vomiting occurs give fluids again. ■ Do not use in or near the eyes: In case of eye contact, flush eyes with running water for 15 minutes, get medical attention immediately. Do not use on: ■ deep puncture wounds. ■ animal bites. ■ serious burns.
When using this product: ■ Do not bandage. ■ Do not use over large areas of the body.	When using this product: ■ Do not bandage. ■ Do not use over large areas of the body.
Stop use if and consult a doctor if: ■ condition worsens. ■ symptoms last more than 7 days or clear up and occur again within a few days. ■ Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	Stop use if and consult a doctor if: ■ condition worsens. ■ symptoms last more than 7 days or clear up and occur again within a few days. ■ Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.
Directions: ■ Adults and children 2 yrs and older: apply to affected area 1 to 3 times daily. ■ Children under 2 yrs of age : Consult a doctor before use.	Directions: ■ Adults and children 2 yrs and older: apply to affected area 1 to 3 times daily. ■ Children under 2 yrs of age : Consult a doctor before use.
Inactive Ingredients: Citric Acid, Eucalyptus Oil, Light Mineral Oil	Inactive Ingredients: Citric Acid, Eucalyptus Oil, Light Mineral Oil

*This product is not manufactured or distributed by Bayer Corporation owner of the registered trademark Campho-Phenique®.

Label

INSTANT ANTISEPTIC PAIN RELIEF



Drug Facts (continued)

Directions

- adults and children 2 years and over:
 - clean the affected area
 - apply directly to the affected area 1 to 3 times daily
- children under 2 years ask a doctor

Inactive Ingredients

Citric Acid, Eucalyptus Oil, Light Mineral Oil

Other Information

- Store at room temperature ■ avoid excessive heat
- close cover tightly after each use.

SATISFACTION GUARANTEED - IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA OHIO 44256

DISTRIBUTED BY:
DRUG MART-FOOD FAIR
211 Commerce Dr.
MEDINA, OHIO Zip 44256
Questions or Comments? 1-800-833-6278
www.DISCOUNT-DRUGMART.COM

INSTANT ANTISEPTIC PAIN RELIEF

Medicated Pain Relieving Antiseptic Liquid

Stops the pain, relieves the itching and fights infection.

Forms a germ-killing shield to soothe itching due to bites from chiggers, mosquitoes, sand fleas, black flies and other insects as well as scrapes, abrasions, razor nicks, chafed irritated skin, minor burns, cuts and blisters.

Also effective on cold sores and fever blisters.

**This product is not manufactured or distributed by Bayer Corporation owner of the registered trademark Campho-Phenique®.*



*Compare to Active Ingredient in Campho-Phenique®

INSTANT ANTISEPTIC PAIN RELIEF

INFECTION PROTECTION Pain Relieving Liquid Antiseptic

Protects against the risk of infection in:

- Insect bites
- Scrapes
- Minor burns
- Minor skin irritations

1.5 FL OZ (45mL)

Drug Facts

Active Ingredients	Purpose
Camphorated phenol (camphor 10.8% and phenol 4.7%)	Pain Reliever/Antiseptic

Uses

for temporary relief of pain and itching associated with ■ cold sores ■ fever blisters ■ sunburn ■ insect bites ■ scrapes ■ minor cuts ■ minor burns ■ first aid to help prevent infection

Warnings

For external use only.

- Do not use over large areas of the body
- Do not bandage

Ask a doctor if you have

- a deep or puncture wound
- animal bites ■ serious burns

When using this product:

- **Do not use in or near the eyes.** In case of eye contact, flush eyes with running water for 15 minutes, get medical attention.

Stop use and ask a doctor if:

- condition worsens,
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center. Do not induce vomiting before contacting a Poison Control Center.

(continued >>)



ANTISEPTIC INSTANT PAIN RELIEF

camphor 10.8% and phenol 4.7% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82645-902	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
CAMPHOR (NATURAL) (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)		CAMPHOR (NATURAL)	108 mg in 1 mL	
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)		PHENOL	47 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
EUCALYPTUS OIL (UNII: 2R04ONI662)				
LIGHT MINERAL OIL (UNII: N6K5787QVP)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82645-902-05	45 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/09/2017	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017		11/09/2017	

Labeler - Pharma Nobis, LLC (118564114)

Registrant - Pharma Nobis, LLC (118564114)

Establishment			
Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	label(82645-902) , manufacture(82645-902) , pack(82645-902) , analysis(82645-902)