

HUMCO HYDROGEN PEROXIDE- hydrogen peroxide 3% liquid
Pharma Nobis, LLC

Private Label Hydrogen Peroxide 3%, USP

Drug Facts

Active Ingredient

Hydrogen Peroxide 3%

Purpose

Antiseptic

Uses

As an antiseptic to help prevent infection in minor cuts, scrapes, burns.

As an oral rinse for temporary use in cleaning of minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury.

Warnings

For external use except when used as an oral rinse.

Do not use in the eyes.

Do not apply over large areas of the body.

Do not use longer than 1 week unless directed by a dentist or doctor.

Ask a doctor before use if you have:

deep or puncture wounds, animal bites, serious burns.

Stop use consult a dentist or doctor if:

condition persists or gets worse, sore mouth symptoms do not improve in 7 days, irritation, pain, redness or fever develop.

Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control

Center immediately.

Directions

For antiseptic use: Clean the affected area, apply a small amount on the area 1 to 3 times daily.

For oral rinse use: Adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or a doctor.

Children under 2 years of age: consult a doctor.

Other information

Keep tightly closed and at controlled room temperature 15-30C (59-86F).

Do not shake.

Inactive ingredient

Purified water

Good Neighbor Label

Drug Facts <table border="1"><thead><tr><th>Active ingredient</th><th>Purpose</th></tr></thead><tbody><tr><td>Hydrogen Peroxide 3%.....</td><td>Antiseptic</td></tr></tbody></table> Indications <p>As an antiseptic to help prevent infection in ■ minor cuts ■ scrapes ■ burns</p> <p>As an oral rinse ■ for temporary use in cleaning minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury</p> Warnings <p>For external use except when used as an oral rinse ■ do not use in the eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week unless directed by a dentist or doctor</p> <p>Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns</p> <p>Stop use consult a dentist or doctor if ■ condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, redness or fever develop</p> <p>Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.</p> <p style="text-align: right;"><i>Continued</i> ▶</p>	Active ingredient	Purpose	Hydrogen Peroxide 3%.....	Antiseptic	 <p>NDC 46122-334-43 <i>*Safety Sealed</i></p> <p>Hydrogen Peroxide Solution 3% USP</p> <p>First Aid Antiseptic</p> <ul style="list-style-type: none">• Oral liquid agent• Oral wound cleanser <p>16 fl oz (1 pt) 473 mL</p>	<p>*Warning: Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring.</p> <table border="1"><tr><td>(Drug Facts continued)</td></tr><tr><td>Directions<p>For antiseptic use ■ clean the affected area, apply a small amount on the area 1 to 3 times daily</p><p>For oral rinse use ■ adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or doctor</p><p>Children under 2 years of age ■ consult a doctor</p></td></tr><tr><td>Other information<p>■ Keep tightly closed and at controlled room temperature 15° - 30° C (59° - 86° F) ■ do not shake</p></td></tr><tr><td>Inactive ingredient<p>■ purified water</p></td></tr></table> <p>R071015DL ABC# 470-346 10158333</p>  <p>0 87701 42732 9 Made in U.S.A.</p>	(Drug Facts continued)	Directions <p>For antiseptic use ■ clean the affected area, apply a small amount on the area 1 to 3 times daily</p> <p>For oral rinse use ■ adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or doctor</p> <p>Children under 2 years of age ■ consult a doctor</p>	Other information <p>■ Keep tightly closed and at controlled room temperature 15° - 30° C (59° - 86° F) ■ do not shake</p>	Inactive ingredient <p>■ purified water</p>
Active ingredient	Purpose									
Hydrogen Peroxide 3%.....	Antiseptic									
(Drug Facts continued)										
Directions <p>For antiseptic use ■ clean the affected area, apply a small amount on the area 1 to 3 times daily</p> <p>For oral rinse use ■ adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or doctor</p> <p>Children under 2 years of age ■ consult a doctor</p>										
Other information <p>■ Keep tightly closed and at controlled room temperature 15° - 30° C (59° - 86° F) ■ do not shake</p>										
Inactive ingredient <p>■ purified water</p>										

Sunmark Label

Drug Facts	
Active ingredient	Purpose
Hydrogen Peroxide 3%	Antiseptic
Indications	
As an antiseptic to help prevent infection in ■ minor cuts ■ scrapes ■ burns	
As an oral rinse ■ for temporary use in cleaning minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury	
Warnings	
For external use except when used as an oral rinse ■ do not use in the eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week unless directed by a dentist or doctor	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns	
Stop use consult a dentist or doctor if ■ condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, redness or fever develop	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
Continued ▶	

sunmark NDC 49348-179-38
*Safety Sealed

hydrogen peroxide

Solution 3% USP

**First aid antiseptic
Oral debriding agent
Oral wound cleanser**

16 FL OZ (1 PT) 473 mL

*WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. THIS PRODUCT IS SEALED WITH EITHER A SHRINK BAND AROUND CAP IMPRINTED "SEALED FOR YOUR PROTECTION" OR A BREAK AWAY CAP RING.

(Drug Facts continued)	
Directions	
For antiseptic use ■ clean the affected area, apply a small amount on the area 1 to 3 times daily	
For oral rinse use ■ adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or doctor	
Children under 2 years of age ■ consult a doctor	
Other information	
■ Keep tightly closed and at controlled room temperature 15° - 30° C (59° - 86° F)	
■ do not shake	
Inactive ingredient ■ purified water	

McKesson

Another Quality Product
Distributed by McKesson
One Post Street, San Francisco, CA 94104
Money Back Guarantee
Please visit us at www.sunmarkbrand.com

A45979
03 2023

R092115DL



0 10939 76244 3
Made in U.S.A.

Drug Facts	
Active ingredient	Purpose
Hydrogen Peroxide 3%	Antiseptic
Indications	
As an antiseptic to help prevent infection in ■ minor cuts ■ scrapes ■ burns	
As an oral rinse ■ for temporary use in cleaning minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury	
Warnings	
For external use except when used as an oral rinse ■ do not use in the eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week unless directed by a dentist or doctor	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns	
Stop use consult a dentist or doctor if ■ condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, redness or fever develop	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
Continued ▶	

sunmark NDC 49348-179-38
*Safety Sealed

hydrogen peroxide

Solution 3% USP

**First aid antiseptic
Oral debriding agent
Oral wound cleanser**

16 FL OZ (1 PT) 473 mL

*WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. THIS PRODUCT IS SEALED WITH EITHER A SHRINK BAND AROUND CAP IMPRINTED "SEALED FOR YOUR PROTECTION" OR A BREAK AWAY CAP RING.

(Drug Facts continued)	
Directions	
For antiseptic use ■ clean the affected area, apply a small amount on the area 1 to 3 times daily	
For oral rinse use ■ adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or doctor	
Children under 2 years of age ■ consult a doctor	
Other information	
■ Keep tightly closed and at controlled room temperature 15° - 30° C (59° - 86° F)	
■ do not shake	
Inactive ingredient ■ purified water	

McKesson

Another Quality Product
Distributed by McKesson
One Post Street, San Francisco, CA 94104
Money Back Guarantee
Please visit us at www.sunmarkbrand.com

R092115DL




0 10939 76244 3
Made in U.S.A.

Health Mart Label

Drug Facts	
Active ingredient	Purpose
Hydrogen Peroxide 3%.....	Antiseptic
Indications	
As an antiseptic to help prevent infection in ■ minor cuts ■ scrapes ■ burns.	
As an oral rinse ■ for temporary use in cleaning minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury.	
Warnings	
For external use except when used as an oral rinse ■ do not use in the eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week unless directed by a dentist or doctor.	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns.	
Stop use consult a dentist or doctor if ■ condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, redness or fever develop.	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
Continued ▶	

A46039
04 2023

NDC 62011-0267-3
* Safety Sealed



Health Mart.

Hydrogen Peroxide

Topical Solution 3% USP

Wound cleanser

- First aid antiseptic
- Oral debriding agent
- Oral wound cleanser

16 Fl oz (473 mL) 1 pt

***Warning:** Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring.

(Drug Facts continued)	
Directions	
For antiseptic use ■ clean the affected area. Apply a small amount on the area 1 to 3 times daily.	
For oral rinse use ■ adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or doctor.	
Children under 2 years of age ■ consult a doctor.	
Other information	
■ keep tightly closed and at controlled room temperature 15° - 30° C (59° - 86° F).	
■ do not shake.	
Inactive ingredient ■ purified water.	

McKesson

Another Quality Product
Distributed by McKesson
6555 State Highway 161, Los Colinas, TX 75039
Money Back Guarantee
healthmart.com



Drug Facts	
Active ingredient	Purpose
Hydrogen Peroxide 3%.....	Antiseptic
Indications	
As an antiseptic to help prevent infection in ■ minor cuts ■ scrapes ■ burns	
As an oral rinse ■ for temporary use in cleaning minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury	
Warnings	
For external use except when used as an oral rinse ■ do not use in the eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week unless directed by a dentist or doctor	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns	
Stop use consult a dentist or doctor if ■ condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, redness or fever develop	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
Cont ▶	

NDC 62011-0267-1
* Safety Sealed



hydrogen peroxide

3% solution usp

first aid antiseptic
oral debriding agent
oral wound cleanser

wound cleanser

4 fl oz (118 mL)

*Warning: Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring or foil seal under cap.

(Drug Facts continued)	
Directions	
For antiseptic use ■ clean the affected area. apply a small amount on the area 1 to 3 times daily	
For oral rinse use ■ adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or doctor	
Children under 2 years of age ■ consult a doctor	
Other information	
■ Keep tightly closed and at controlled room temperature 15° - 30° C (59° - 86° F)	
■ do not shake	
Inactive ingredient ■ purified water	

McKesson R092115DL Made in U.S.A.

Distributed by McKesson
One First Street, San Francisco, CA 94104
Money Back Guarantee
www.healthmart.com/healthmartbrand

HUMCO HYDROGEN PEROXIDE

hydrogen peroxide 3% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82645-916
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82645-916-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/30/2017	
2	NDC:82645-916-94	113 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/30/2017	
3	NDC:82645-916-98	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/30/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	03/25/1998	

Labeler - Pharma Nobis, LLC (118564114)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	label(82645-916) , manufacture(82645-916) , pack(82645-916) , analysis(82645-916)

Revised: 12/2023

Pharma Nobis, LLC