HUMCO CASTOR OIL- castor oil liquid Pharma Nobis, LLC

Private Label Castor Oil, USP (Odorless - Tasteless)

Drug Facts

Active Ingredient

Castor Oil

Purpose

Stimulant Laxative

Use

For the temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.

Warings

Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use

if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.

When using this product

Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.

If pregnant or breast feeding

ask a health professional before use

Keep out of reach of children.

In case of accidental overdose, seek profssional assistance or contact a Poison Control Center immediately.

Directions

Preferably take on an empty stomach. May be taken with juice to improve taste.

Adults and children 12 yrs. of age and older: 15 to 60 milliliters in a single daily dose or as directed by a doctor.

Children 2 to under 12 yrs. of age: 5 to 15 milliliters in a single dose or as directed by a doctor.

Children under 2 yrs. of age: Consult a doctor before use.

WARNINGS:

Do not use if Taper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For your Protection" or foil seal under cap.

Other Information


storage. Keep tightly closed and away from excessive heat.


Inactive Ingredient

None

GNP Label

2 fl oz





Leader Label




Quality Choice Label

Drug Facts Active ingredient Purpose Castor OilStimulant laxative Use For the temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours. Warnings Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor. Image: A socior before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks.	NDC 63868-322-06 *Safety Sealed Castor Oil USP	 *WARNING: Do not use if Tamper Evident Seal is broken or missing. This product is sealed with a foil seal under cap. Drug Facts (CONTINUED) Directions Preferably take on an empty stomach. May be taken with juice to improve taste. Adults and children 12 yrs. of age and older: 1 to 4 tablespoonfuls in a single daily dose or as directed by a doctor. Children 2 to under 12 yrs. of age: 1 to 3 teaspoonfuls in a single daily dose or as directed by a doctor.
Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. Frequent or	Odorless - Tasteless	Children under 2 yrs. of age: Consult a doctor before use.
prolonged use may result in the dependence on laxatives. When using this product Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition. If pregnant or breast feeding ask a health professional before use. Keep out of reach of children. In case of accidental	Stimulant laxative	Other information Storage. Keep tightly closed and away from excessive heat. 6 35515 95496 0 0
overdose, seek professional assistance or contact a Poison Control Center immediately. Continued >	6 fl oz (177mL)	CUARNO CONTROLOGICON CUARNO CONTROLOGICON CUESTION: 248-449-9300


Sunmark Label




Premier Value Label



DDM Label



Rite Aid Label



Harris Teeter Label

Drug Facts Active ingredient Purpose Other Active ingredient	*Safety Sealed	*WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. This product is sealed with either a shrink band around cap imprinted "sealed for your protection" or foil seal under cap.
Castor OilStimulant laxative		Drug Facts (continued)
Use For relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.	Harris Teeter	Directions Preferably take on an empty stomach. May be taken with juice
Warnings	R R	to improve taste.
Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor.		Adults and children 12 yrs. of age and older: 15 to 60 milliliters in a single daily dose or as directed by a doctor.
■ Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer	Castor Oil	Children 2 to under 12 yrs. of age: 5 to 15 milliliters in a single daily dose or as directed by a doctor.
than 1 week unless directed by a doctor. Frequent or	USP	Children under 2 yrs. of age: Consult a doctor before use
prolonged use may result in the dependence on laxatives. When using this product Discontinue use and consult a doctor if you have rectal		Other information Storage. Keep tightly closed and away from excessive heat.
bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition. If pregnant or breast feeding ask a health professional before use.	Odorless - Tasteless Stimulant Laxative	yourplusguarantee. R061021
Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison		PROUDLY DISTRIBUTED BY: HARRIS TEETER®
Control Center immediately. Continued >	6 FL OZ (177mL)	MATTHEWS, NC 28105 0 72036 98727 3
'Safety B		



Odorless - Tasteless Stimulant Laxative

6 FL OZ (177mL)

Drug Facts	
Active ingredient Castor Oil	Purpose Stimulant Laxativo
Use For temporary relief of occasional oc produced in 6 to 12 hours.	USP For temporary relief of occasional constipation, Bowel movement is generally produced in 6 to 12 hours.
Warnings Do not use when abdominal pain, n directed by a doctor. Frequent or prol on laxatives.	Warmings Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.
Ask a doctor before use if you have noticed a sudden change that persists over a period of 2 weeks. Laxative products shou for a period of longer than 1 week unless directed by a doctor.	Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor.
Stop use and consult a doctor if yo a bowel movement after the use of a a serious condition.	Stop use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.
If pregnant or breast feeding ask a health professional before use.	health professional before use.
Keep out of reach of children. In case of accidental overdose, assistance or contact a Poison Control Center immediately.	Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.
Directions Preferably take on an empty stomach. May be taken with juice to Improve taste.	hach. May be taken with juice to
Adults and children 12 yrs of age and older.	1 to 4 tablespoonfuls in a single daily dose.
Children 2 to under 12 yrs of age.	1 to 3 teaspoonfuls in a single daily dose or as directed by a doctor.
Children under 2 yrs of age.	Consult a doctor before use.
Other Information Storage. Keep tightly closed and away from excessive heat	y closed and away from excessive heat.
	LG PROUDY DISTRIBUTED BY: HARRIS TEETER® MATTHEWS, NO 28105 YOULT PLUS GUARTANCEC. 1-800-424-6111 of handledercom

0

Vida Mia Label



Heamth Mart Label

Health Mart.	*WARNING: Do not use if T missing. This product is sealed v cap imprinted *Sealed For Your I
	Drug Facts (CONTINUED)
Castor Oil	Directions Preferably take on an empty stoma improve taste. Adults and children 12 yrs.
USP Odorless - Tasteless Stimulant Laxative	milliters in a single daily dose or as Children 2 to under 12 yrs. single daily dose or as directed by a Children under 2 yrs. of age:
Cold Pressed Contains no Hexanes	Other information Storage. Keep tightly closed and awa
occassional constipation	MSKESSON Anther Stath France Destructive for Mission One Fact Structure Many Back Supervise Memory Back Supervise Memory Back Supervise
	Betty Saver Whe alth Mart. Example 2 A start of the saver Start of the saver Star

Tamper Evident Seal is broken or with either a shrink band around Protection" or foil seal under cap.

nach. May be taken with juice to s. of age and older: 15 to 60 as directed by a doctor.

. of age: 5 to 15 milliliters in a a doctor.

e: Consult a doctor before use.

ay from excessive heat.





Top Care Label

Drug Facts	TopCare. *SAFETY SEALED	WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. This product is sealed with either a shrink band around Cap Imprinted "Sealed for your Protection" or foil seal under Cap.	
Active ingredient Purpose Castor OilStimulant laxative	health	Drug Facts (continued)	
Use For relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.	Castor Oil	Directions Preferably take on an empty stomach. May be taken with juice	
Warnings ■ Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor.	U.S.P.	to improve taste. Adults and children 12 yrs. of age and older: 15 to 60 milliliters in a single daily dose or as directed by a doctor.	
Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer	STIMULANT LAXATIVE ORAL LIQUID	Children 2 to under 12 yrs. of age: 5 to 15 milliliters in a single daily dose or as directed by a doctor.	
than 1 week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.	• For Relief of	Children under 2 yrs. of age: Consult a doctor before use Other information	680
When using this product Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition. If pregnant or breast feeding ask a health professional before use.	• Odorless & Tasteless • Contains no Hexanes	© TOPCO HHGA0521	00 8831
Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. Continued > Continued >	4 FL OZ (118 mL)	QUESTIONS?1-888-423-0139 topcare@topco.com www.topcarebrand.com	9 2

Drug Facts Active ingredient Purpose	TopCare	THIS PRODUCT IS SEALED WITH ETHER A SHRINK BAND AROUND CAP IMPRINTED "SEALED FOR YOUR PROTECTION" OR FOIL SEAL UNDER CAP.	
Castor OIStimulant laxafive	neekana	Drug Facts (continued)	
Use For relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.	Castor Oil	Directions Preferably take on an empty stomach. May be taken with juice to	
Warnings Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor.	U.S.P.	improve taste. Adults and children 12 yrs. of age and older: 15 to 60 milliters in a single daily dose or as directed by a doctor.	
Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer	STIMULANT LAXATIVE	Children 2 to under 12 yrs. of age: 5 to 15 milliters in a single daily dose or as directed by a doctor.	
han 1 week unless directed by a doctor. Frequent or	• For Relief of	Children under 2 yrs. of age: Consult a doctor before use	
prolonged use may result in the dependence on laxatives. When using this product	Occasional Constipation	Other information Storage. Keep lightly closed and away from excessive heat.	
Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.	Odorless & Tasteless Cold Pressed	DISTRIBUTED BY TOPCO ASSOCATES LLC, BLK OROVE VILLAGE, L 60007 (© TOPCO HHGAT119 OUESTIONS? 1-688-423-0139	
If pregnant or breast feeding ask a health professional before use.	 Contains no Hexanes 	topcare@topco.com www.topcarebrand.com R091219 Visit here for more information:	
Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. Continued >	4 FL OZ (118 mL)	http://topbrnds.com/48zuia	

HUMCO CASTOR OIL

castor oil liquid

	roduct Info						
Product Type			HUMAN OTC DRUG	Item Code	ode (Source) NDC:8264		:82645-919
Route of Administration			ORAL				
Ac	tive Ingred	lient/Active	Moiety				
		Ingree	dient Name		Basis of Stre	ngth	Strength
CA	STOR OIL (UNI	I: D5340Y2I9G)	(CASTOR OIL - UNII:D5340Y	219G)	CASTOR OIL		1 mg in 1 mL
In	active Ingr	edients					
		Ing	gredient Name			Stre	ngth
WATER (UNII: 059QF0K00R)							
	ackaging						
Pa	ackaging Item Code	F	Package Description		Marketing Star Date	t Ma	arketing End Date
Pa #			OTTLE, PLASTIC; Type 0: No	at a	-	t Ma	-
Pa #	Item Code NDC:82645-	473 mL in 1 BC Combination P	DTTLE, PLASTIC; Type 0: No roduct DTTLE, PLASTIC; Type 0: No	ota 1	Date	t Ma	-
Pa # 1 2	Item Code NDC:82645- 919-16 NDC:82645-	473 mL in 1 BC Combination P 177 mL in 1 BC Combination P	DTTLE, PLASTIC; Type 0: No roduct DTTLE, PLASTIC; Type 0: No roduct TTLE, PLASTIC; Type 0: Not	ota j	Date	t Ma	-
Pa # 1 2	Item Code NDC:82645- 919-16 NDC:82645- 919-96 NDC:82645-	473 mL in 1 BC Combination P 177 mL in 1 BC Combination P 59 mL in 1 BO	DTTLE, PLASTIC; Type 0: No roduct DTTLE, PLASTIC; Type 0: No roduct TTLE, PLASTIC; Type 0: Not	ota j	Date 11/13/2017 11/13/2017	t Ma	
Pa # 1 2 3	Item Code NDC:82645- 919-16 NDC:82645- 919-96 NDC:82645- 919-92	473 mL in 1 BC Combination P 177 mL in 1 BC Combination P 59 mL in 1 BO	OTTLE, PLASTIC; Type 0: No roduct OTTLE, PLASTIC; Type 0: No roduct ITLE, PLASTIC; Type 0: Not roduct	ota j	Date 11/13/2017 11/13/2017	t Ma	
Pa # 1 2 3	Item Code NDC:82645- 919-16 NDC:82645- 919-96 NDC:82645- 919-92	473 mL in 1 BC Combination P 177 mL in 1 BC Combination P 59 mL in 1 BO Combination P	OTTLE, PLASTIC; Type 0: No roduct OTTLE, PLASTIC; Type 0: No roduct ITLE, PLASTIC; Type 0: Not roduct	ota 1 ota 1 a 1	Date 11/13/2017 11/13/2017		

Labeler - Pharma Nobis, LLC (118564114)

Registrant - Pharma Nobis, LLC (118564114)

Establishment				
Name	Address	ID/FEI	Business Operations	
Pharma Nobis, LLC		118564114	manufacture(82645-919) , analysis(82645-919) , pack(82645-919) , label(82645-919)	

Revised: 12/2023

Pharma Nobis, LLC