

**GENTIAN VIOLET 1%- gentian violet 1% liquid**  
**Pharma Nobis, LLC**

-----  
**Private Label Gentian Violet 1%**

Drug facts

**Active Ingredient**

Gentian Violet 1%

**Purpose**

Antiseptic

**Indications**

First aid to help protect against infection in minor cuts, scrapes, and burns.

**Warnings**

For external use only.

Do not apply to an ulcerative lesion as this may cause tattooing of the skin. Do not use in the eyes or over large areas of the body.

**Ask a doctor before use if**

redness, irritation, swelling or pain persists or increases or if infection occurs.

**Keep out of reach of children.**

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

**Directions**

Clean the affected area and apply directly to the wound or use cotton applicator once or twice daily. Do not bandage.


**Other information**

will stain skin or clothing.

## Inactive ingredients

Ethyl Alcohol 10% and Purified Water.

## DLC 30 mL Label



<b>Datos Medicinales</b>	
<b>Ingrediente activo</b>	<b>Propósito</b>
Violeta de genciana 1%.....	Antiséptico
<b>Usos</b> Primeros auxilios para ayudar a prevenir infecciones en:	
<ul style="list-style-type: none"> <li>■ cortaduras menores ■ abrasiones menores</li> <li>■ quemaduras menores ■ picaduras de insectos</li> </ul>	
<b>Advertencias</b> Para uso externo únicamente	
Consulte con un médico antes de usar si tiene	
<ul style="list-style-type: none"> <li>■ heridas profundas o punzantes ■ mordeduras de animales</li> <li>■ quemaduras graves</li> </ul>	

<b>Drug Facts</b>	
<b>Active ingredient</b>	<b>Purpose</b>
Gentian violet 1%.....	Antiseptic
<b>Uses</b>	
First aid to help prevent infection in minor:	
<ul style="list-style-type: none"> <li>■ cuts ■ scrapes ■ burns ■ insect bites</li> </ul>	
<b>Warnings</b> For external use only	
Consult a doctor before use if you have	
<ul style="list-style-type: none"> <li>■ deep or puncture wounds ■ animal bites ■ serious burns</li> </ul>	

animales ■ quemaduras graves

**Cuando use este producto** ■ no aplicar en los ojos ni cerca de ellos ■ no aplicar en áreas grandes del cuerpo o en grandes cantidades ■ no aplicar en superficies de carne viva o sobre áreas ampolladas ■ no aplicar a lesiones ulcerosas ya que podría tatuar la piel

**Deje de usar y consulte con un médico si** ■ persiste o se incrementa el enrojecimiento, la irritación, la hinchazón o el dolor, o si ocurre infección o salpullido ■ los síntomas persisten por más de 7 días o desaparecen y reaparecen a los pocos días

**MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS.** Si se ingiere accidentalmente, pida ayuda médica o contáctese con un Centro de Control de Envenenamientos inmediatamente.

**Instrucciones** ■ limpie el área afectada ■ aplique este producto en cantidades pequeñas usando el aplicador incluido o un aplicador de algodón de 1 a 2 veces al día ■ no vendar

**Otra información** ■ el medicamento manchará la piel y la ropa

**Ingredientes inactivos** alcohol, agua purificada

**When using this product** ■ do not use in or near the eyes ■ do not apply in large quantities or over large areas of the body ■ do not apply over raw surfaces or blistered areas ■ do not apply to an ulcerative lesion as this may result in tattooing of the skin

**Stop use and consult a doctor if** ■ redness, irritation, swelling or pain persists or increases, or if infection or rash occurs ■ symptoms persist for more than 7 days, or clear up and occur again within a few days

**KEEP OUT OF THE REACH OF CHILDREN.** If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions** ■ clean the affected area ■ apply a small amount of this product to the area using the enclosed applicator or a cotton-tipped applicator 1 to 2 times daily ■ do not bandage

**Other information** ■ medication will stain skin and clothing

**Inactive ingredients** alcohol, purified water

## GNP Label

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Gentian Violet 1%.....	First Aid Antiseptic
<b>Indications</b> First aid to help protect against infection in minor cuts, scrapes and burns.	
<b>Warnings</b>	
For external use only	
■ Do not apply to an ulcerated lesion as this may cause tattooing of the skin. Do not use in the eyes or over large areas of the body.	
Ask a doctor before use if you have ■ deep or puncture wounds ■ serious burns ■ animal bites.	
Stop use and ask a doctor if ■ condition persists or gets worse. Do not use longer than 1 week unless directed by a doctor.	
<b>Continued</b> ▶	

Dist. by: AmerisourceBergen  
1 West First Avenue, Conshohocken, PA 19428



NDC 24385-003-46

**\*Warning:** Do not use if tamper evident seal is broken or missing. This product is sealed with a shrink band around cap imprinted "Sealed For Your Protection".

# Gentian Violet Topical Solution 1% USP

Antiseptic • First Aid

Anti-Infective  
Alcohol 10%

2 FL OZ (59 mL)

### Drug Facts (continued)

**Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

**Directions** ■ clean the affected area and apply directly to the area or use cotton applicator 1 to 3 times daily. Do not bandage.

**Other information** ■ will stain skin or clothing.

**Inactive ingredients** ■ Ethyl Alcohol 10% and Purified Water.

**WARNING:** Cancer - www.P65Warnings.ca.gov

Questions or Comments? ☎1-800-662-3435 • www.mygnp.com





NDC 24385-003-46

# Gentian Violet Topical Solution 1% USP

Antiseptic • First Aid

Anti-Infective  
Alcohol 10%

2 FL OZ (59 mL)

## Drug Facts

### Active Ingredients

Gentian Violet 1%.....Antiseptic  
**Uses**

For external treatment of abrasions, minor cuts, surface injuries, and superficial fungus infections of the skin.  
**Warnings**

■ For external use only. ■ Do not apply to an ulcerative lesion as this may result in "tattooing" of the skin. ■ Do not use in the eyes.

Ask a doctor before use if you have

■ deep or puncture wounds ■ serious burns.  
**Stop use and consult a doctor if**  
■ redness, irritation, swelling or pain persists or increases, or if infection occurs.

**KEEP OUT OF THE REACH OF CHILDREN.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

### Directions

Clean and apply directly to the wound or use a cotton tipped applicator once or twice daily. Do not bandage.

**Inactive ingredients** ■ Ethyl Alcohol 10% (Preservative), and Purified Water.


**Other Information** ■ Medication will stain skin and clothing.



0 87701 40073 5

ABCH 919-581 R051211RLG  
Dist. by: AmersourceBergen • 1300 Morris Dr., Chesterbrook, PA 19087  
Questions or Comments? © 1-800-662-3435 • www.goodneighborpharmacy.com

## DLC Label Arabic



Distributed by:  
De La Cruz Products  
A Division of DLC Laboratories, Inc.  
Paramount, CA 90723 USA

www.dlclabs.com © 2016 DLC

P0946AR-CZU



3 24286 15371 8

كمول 10% بنفسجية البصطان 1%  
مطهر إصابات أولية  
للاستخدام الخارجي فقط

**WARNING: KEEP OUT OF REACH OF CHILDREN.**  
تحذير: يُحفظ بعيداً عن متناول الأطفال



### معلومات عن الدواء

المكون الفعال بنفسجية البصطان 1%

الغرض: مطهر إصابات أولية

الاستخدامات: مطهر إصابات أولية للمساعدة على الشفاء من

الخدوش، في الجروح البسيطة من:

■ الخدوش ■ الجروح البسيطة

تحذيرات

للاستخدام الخارجي فقط

استمر طويلاً قبل الاستخدام إذا كنت تعاني من

■ جروح عميقة أو جروح متدهنة حيوانات

■ جروح خطيرة

عند الاستخدام هذا المنتج

■ لا تستخدمه في أو بالقرب من العينين

■ لا تضعه على قرنية حيث إن هذا قد

تسبب في وشم الجلد

أوقف الاستخدام واستشر الطبيب إذا

■ اسهر أو زاد الاحمرار أو التورم أو

الألم أو إذا حدثت عدوى أو طلع جلدي

يُحفظ بعيداً عن متناول الأطفال

إذا تم ابتلاعه، احصل على مساعدة طبية أو اتصل

بأحد مراكز مراقبة السمية فوراً

التعليمات

■ نظف المنطقة المصابة ■ ضع كمية صغيرة

من هذا المنتج على المنطقة من مرة إلى مرتين يومياً

■ لا تضع عليها ضمادة

معلومات أخرى

■ سوف يتبخر البثور واللبس

المكونات غير الفعالة

كحول، ماء مقطر

## DLC 59 mL Label



JY0



Distributed by De La Cruz Products, A Division of DLC Laboratories, Inc. Paramount, CA 90723 USA Questions: 1-800-858-3889

[dlclabs.com](http://dlclabs.com)

@delacruzproducts

@DCLaboratories

©2020 DLC Laboratories, Inc

**Drug Facts**

**Active ingredient**  
Gentian violet 1%.....First aid antiseptic

**Purpose**  
First aid antiseptic

**Uses** First aid antiseptic to help prevent infection in minor:  
■ cuts ■ scrapes ■ burns

**Warnings** For external use only  
Consult a doctor before use if you have  
■ deep or puncture wounds ■ animal bites ■ serious burns

**When using this product** ■ do not use in or near the eyes ■ do not apply to an ulcerative lesion as this may result in tattooing of the skin

**Stop use and consult a doctor if** ■ redness, irritation, swelling or pain persists or increases, or if infection or rash occurs

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.**

**Directions** ■ clean the affected area ■ apply a small amount of this product to the area 1 to 2 times daily ■ do not bandage

**Other information** ■ will stain skin and clothing

**Inactive ingredients** alcohol, purified water

California Consumers ⚠️ **WARNING: Cancer** - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**GENTIAN VIOLET 1%**

gentian violet 1% liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82645-917
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>GENTIAN VIOLET</b> (UNII: J4Z741D6O5) (GENTIAN VIOLET CATION - UNII:3GVJ31T6YY)	GENTIAN VIOLET	10 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82645-917-92	59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/13/2017	
2	NDC:82645-917-91	30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/13/2017	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/01/2008	

**Labeler** - Pharma Nobis, LLC (118564114)

**Registrant** - Pharma Nobis, LLC (118564114)

### Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(82645-917) , analysis(82645-917) , pack(82645-917) , label(82645-917)

Revised: 12/2023

Pharma Nobis, LLC