

**HUMCO CALAGESIC- calamine and pramoxine hydrochloride lotion**  
**Pharma Nobis, LLC**

-----  
**Private Label Calagesic Lotion**

**Drug Facts**

**Active Ingredients**

Calamine 8%

Pramoxine HCl 1%

**Purpose**

Skin Protectant

External analgesic

**Uses**

Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other skin irritations.

**Warnings**

For external use only. Use only as directed.

When using this product. Avoid contact with eyes and mucous membranes.

**Stop use and ask a doctor if**

condition worsens. Symptoms last for more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children.**

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

**Directions**

Adults and children 2 yr. of age and older. Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.

Children under 2 yrs. of age. Consult a doctor before use.

## Inactive Ingredients

SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methycelulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben and Purified Water.

## Other information

Store at room temperature 15-30C (59-86F)

## Good Neighbor Pharmacy Label



NDC 24385-072-82

# Caldyphen Lotion

**External Analgesic / Skin Protectant**

relieves **ITCHING** due to:

- Poison Ivy • Insect Bites
- Poison Oak • Minor Skin Irritations

6 FL OZS (177 mL)

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredients</b>	Calamine 8%.....Skin protectant Pramoxine HCl 1%.....External analgesic
<b>Use</b>	Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other minor skin irritations.
<b>Warnings For External Use Only.</b>	Use only as directed.
	■ When using this product avoid contact with eyes and mucous membranes.
<b>Stop use and ask a doctor if</b>	■ condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days.
<b>Keep out of reach of children.</b>	In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.
<b>Directions</b>	■ Adults and children 2 yrs. of age and older: Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort. ■ Children under 2 yrs. of age: Consult a doctor.
<b>Other information</b>	■ Store at room temperature 15° - 30°C (59° - 85°F).
<b>Inactive ingredients</b>	■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methycelulose, Methyl Paraben, Polysorbate 80, Propylene Glycol, Propylparaben and Purified Water.


Distributed by: AmerisourceBergen  
1300 Morris Drive, Chesterbrook, PA 19087  
Questions or Comments? ☎1-800-662-3435 • [www.goodneighborpharmacy.com](http://www.goodneighborpharmacy.com)



0 87701 55286 1  
ABC# 552-868 R090513RLG



## Leader Label



NDC 70090-0400-1

# Calamine Plus

External Analgesic | Skin Protectant

Relieves Itching Due to:  
Poison Ivy, Poison Oak, Insect Bites, Minor Skin Irritations

**COMPARE TO CALADRYL® LOTION active ingredients\***

100% Money Back Guarantee

6 FL OZ (177 mL)

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredients</b>	Calamine 8%.....Skin protectant Pramoxine HCl 1%.....External analgesic
<b>Uses</b>	■ temporarily relieves pain and itching associated with: ■ rashes due to poison ivy, poison oak or poison sumac ■ insect bites ■ minor skin irritation ■ minor cuts ■ dries the oozing and weeping of poison ivy, poison oak and poison sumac
<b>Warnings</b>	■ For external use only. Use only as directed. ■ Avoid contact with eyes and mucous membranes. ■ Ask a doctor before using on children under 2 years of age.
	Stop use and ask a doctor if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days.
	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately (1-800-222-1222).
<b>Directions</b>	■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort. ■ Children under 2 years of age: Consult a doctor before use.
<b>Other information</b>	■ Store at room temperature 15-30°C (59-86°F)
<b>Inactive ingredients</b>	■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methycelulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.
<b>Questions or Comments?</b>	1-800-462-3435

\*This product is not manufactured or distributed by Vaneck Pharmaceuticals, owner of the registered trademark "Caladryl" Lotion.

© 2008 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

DISTRIBUTED BY:  
CARDINAL HEALTH  
DUBLIN, OHIO 43007  
[www.myleader.com](http://www.myleader.com)  
1-800-200-6333

CIN 5455-456 REV. 11/18



0 96295 13514 5

100% Money Back Guarantee  
Return to place of purchase.

## Quality Choice Label

Drug Facts	
Active Ingredients	Purpose
Calamine 8%.....	Skin protectant.
Pramoxine HCl 1%.....	External analgesic.
<b>Indication</b> Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.	
<b>Warnings</b>	
■ For external use only. Use only as directed.	
■ Avoid contact with eyes and mucous membranes.	
■ Ask a doctor before using on children under 2 years of age.	
When using this product discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. <i>Continued</i>	

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark Caladryl® Lotion.



**\*Compare to ingredient in Caladryl® Lotion™**

# Anti-Itch Medicated Lotion

**Skin protectant**

**External Analgesic**  
Helps Relieve Pain & Itch Caused by Poison Ivy, Poison Oak & Poison Sumac



**6 fl OZ (177mL)**

Drug Facts (CONTINUED)	
<b>Directions</b>	
■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.	
■ Children under 2 years of age: Consult a doctor before use.	
<b>Other information</b>	
Store at room temperature 15-30°C (59-86°F)	
<b>Inactive ingredients</b>	
SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.	



Distributed by C.D.M.A., Inc.®  
43157 W. Nine Mile  
Novi, MI 48376-0995  
www.qualitychoice.com  
Questions: 248-449-9300

**MADE IN USA**



## Sunmark Label



**COMPARE TO CALADRYL® LOTION™ ACTIVE INGREDIENT\***  
NDC 49348-337-35

# caldyphen lotion

**Skin protectant**  
**External analgesic**



0 10939 14533 8

Distributed by McKesson  
One Post Street, San Francisco, CA 94104  
Money Back Guarantee

**6 FL OZ (177 mL)**

Drug Facts	
Active Ingredients	Purpose
Pramoxine HCl 1% and Calamine 8%.....	External Analgesic/Skin Protectant
<b>Uses</b> Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac and other minor skin irritations.	
<b>Warnings</b> For External Use Only. Use only as directed.	
■ Avoid contact with eye and mucous membranes. ■ Ask a doctor before using on children under 2 years of age.	
<b>When using this product</b> Discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days or clear up and occur again within a few days, and consult a doctor.	
<b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b>	
Adults and children 2 yrs. of age and older	Shake well before using. Cleanse the skin with soap and water. Let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.
Children under 2 yrs. of age	Consult a doctor before use.
<b>Inactive ingredients</b> SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, and Purified Water.	
<b>Other information</b> Store at room temperature 15° - 30° (59°-86°F).	

\*Caladryl® Lotion™ is the registered trade mark of Warner-Lambert Co.

## Publix Label

Publix

# calamine

MEDICATED LOTION

skin protectant • external analgesic

For the temporary relief of pain and itching associated with minor skin irritations.

Compare to the active ingredient of Caladryl Lotion®\*

NET WT. 6 FLOZ (177 mL)

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredients</b>	Calamine 8% ..... Skin protectant Pramoxine HCl 1% ..... External analgesic
<b>Use</b>	Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other minor skin irritations.
<b>Warnings For External Use Only.</b>	Use only as directed.
	■ When using this product avoid contact with eyes.
<b>Stop use and ask a doctor if</b>	■ condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days.
<b>Keep out of reach of children.</b>	In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.
<b>Directions</b>	■ <b>Adults and children 2 yrs. of age and older:</b> Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort. ■ <b>Children under 2 yrs. of age:</b> Consult a doctor.
<b>Other information</b>	■ Store at room temperature 15° - 30°C (59° - 85°F).
<b>Inactive ingredients</b>	■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hypromellose, Methylparaben, Polysorbate 80, Propylene Glycol Propylparaben and Purified Water.

\* This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Caladryl®.  
 R05231RLC  
 DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.  
 3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811  
 800-943-1227 • publix.com  
 PUBLIX GUARANTEE  
 COMPLETE SATISFACTION OR YOUR MONEY BACK 0 41415 06675 5

## Premier Value

\* Compare to the active ingredients in Caladryl®



# CALAGESIC™

## LOTION

For the Temporary Relief of Pain and Itching Associated with Minor Skin Irritations.

NET 6 FL OZ (177mL)



<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredients</b>	Calamine 8% ..... Skin protectant Pramoxine HCl 1% ..... External analgesic
<b>Use</b>	Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other minor skin irritations.
<b>Warnings For External Use Only.</b>	Use only as directed.
	■ When using this product avoid contact with eyes.
<b>Stop use and ask a doctor if</b>	■ condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days.
<b>Keep out of reach of children.</b>	In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.
<b>Directions</b>	■ <b>Adults and children 2 yrs. of age and older:</b> Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort. ■ <b>Children under 2 yrs. of age:</b> Consult a doctor.
<b>Other information</b>	■ Store at room temperature 15° - 30°C (59° - 85°F).
<b>Inactive ingredients</b>	■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hypromellose, Methylparaben, Polysorbate 80, Propylene Glycol Propylparaben and Purified Water.

\* This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Caladryl®.  
 Distributed by  
 Chain Drug Consortium, LLC.  
 2300 NW Corporate Blvd., Suite 115  
 Boca Raton, FL 33431  
 8 40986 02460 3

## CVS Label



Compare to the active ingredients in Caladryl®\*

# Calamine Plus

## ITCH RELIEF

Topical analgesic  
Skin protectant  
Calamine plus  
Itch reliever



6 FL OZ (177 mL)

### Drug Facts

#### Active Ingredients

Calamine 8%.....Skin protectant  
Pramoxine HCl 1%.....External analgesic

#### Purpose

**Use** Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other minor skin irritations.

**Warnings For External Use Only.** Use only as directed.

■ **When using this product** avoid contact with eyes.

■ **Stop use and ask a doctor if** condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days.

■ **Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

#### Directions

■ **Adults and children 2 yrs. of age and older:** Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort.

■ **Children under 2 yrs. of age:** Consult a doctor.

**Other information** ■ Store at room temperature 15° - 30°C (59° - 85°F).

**Inactive ingredients** ■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hypromellose, Methylparaben, Polysorbate 80, Propylene Glycol Propylparaben and Purified Water.

\* This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Caladryl®. #109405

#### Distributed by:

CVS Pharmacy, Inc.  
One CVS Drive,  
Woonsocket, RI 02895  
© 2015 CVS/pharmacy  
CVS.com® 1-800-SHOP-CVS

V-17624



0 150428 27840 6



Vida Mia Label

**Drug Facts**

Active ingredients	Purpose
Calamine 8%.....	Skin protectant
Pramoxine HCl 1%.....	External analgesic

**Uses** Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.

**Warnings**

- For external use only. Use only as directed.
- Avoid contact with eyes and mucous membranes.
- Ask a doctor before using on children under 2 years of age.

When using this product discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.

Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. **Continued** ▶

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark Caladryl® Lotion

Compare to Caladryl® Lotion\*



Compare con Caladryl® Lotion\*

# Calagesic™ Lotion

## LOCIÓN CALAGESIC™

External analgesic • Skin protectant  
 • Drying agent & itch relief  
 Analgésico externo • Protector de la piel  
 • Seca y alivia la picazón

6 FL. OZ. (177 mL) • 6 ONZAS FL. (177 mL)

**Drug Facts (CONTINUED)****Directions**

■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.

■ Children under 2 years of age: Consult a doctor before use.

**Other information**

Store at room temperature 15-30°C (50-86°F)

**Inactive ingredients**

SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.

Distributed by/Distribuido por:

**MAGEJAN**  
DISTRIBUTION SOLUTIONS  
Medley, Florida 33178

Questions or Comments? ☎1-800-662-3435

ROT1213.RLG



Levante etiqueta para información

**Información sobre el Medicamento**

Ingredientes Activos	Propósito
Calamina 8%.....	Protector de la Piel
Pramoxina HCl 1%.....	Analgésico externo

**Usos** Seca la supuración y el lagrimeo y alivia temporalmente el dolor y la picazón de la hiedra venenosa, el roble venenoso y el zumaque así como otras irritaciones leves de la piel.

**Advertencias**

- Para uso externo solamente. Utilice únicamente según las indicaciones.
- Evite el contacto con los ojos y las membranas mucosas
- Consulte un médico antes de usar en niños menores de 2 años de edad.

**Al utilizar este producto** Suspenda el uso de este producto y consulte un médico si la condición empeora, no mejora o si los síntomas persisten durante más de 7 días o desaparecen y vuelven a ocurrir de nuevo dentro de pocos días.

**Mantener fuera del alcance de los niños.** En caso de ingestión accidental, busque asistencia profesional o contacte un Centro de Control de Envenenamiento inmediatamente. **Continuación** ▶

\*Este producto no es fabricado ni distribuido por Johnson & Johnson Consumer Products Company, propietario de la marca registrada Caladryl® Lotion



Compare con Caladryl® Lotion\*

# LOCIÓN CALAGESIC™

Analgésico externo • Protector de la piel  
 • Seca y alivia la picazón

6 ONZAS FL. (177 mL)

**Información sobre el Medicamento (CONTINUACIÓN)****Instrucciones**

■ **Adultos y niños de 2 años de edad o mayores:** Agite bien antes de usar. Limpie la piel con agua y jabón y deje secar antes de cada uso. Aplique la loción en el área afectada usando algodón o un paño suave, no más de 3 a 4 veces al día según sea necesario.

■ **Para niños menores de 2 años de edad:** Consulte un médico antes de usar.

**Otra información**

Almacene a una temperatura de 15-30°C (50-86°F)

**Ingredientes inactivos**

SD Alcohol 38B 2.5%, Alcanfor, Diazolidinilurea, Fragancias, Glicerina, Hidroxipropil Metilcelulosa, Metilparabeno, Polisorbato 80, Propilenglicol, Propilparabeno, Agua Purificada.


Distributed by/Distribuido por:

**MAGEJAN**  
DISTRIBUTION SOLUTIONS  
Medley, Florida 33178

¿Preguntas o comentarios? ☎1-800-662-3435

TIEDOWN

Best Choice Label



Topical Analgesic • Skin Protectant  
 • Medicated Pain & Itch Relief Lotion  
 6 fl oz (177 mL)

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredients</b> Calamine 8%.....Skin protectant Pramoxine HCl 1%.....External analgesic	
<b>Indication</b> Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.	
<b>Warnings For External Use Only.</b> Use only as directed. ■ When using this product avoid contact with eyes.	
<b>Stop use and ask a doctor if</b> ■ condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days.	
<b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> ■ <b>Adults and children 2 yrs. of age and older:</b> Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort. ■ <b>Children under 2 yrs. of age:</b> Consult a doctor.	
<b>Other information</b> ■ Store at room temperature.	
<b>Inactive ingredients</b> ■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hypromellose, Methylparaben, Polysorbate 80, Propylene Glycol Propylparaben and Purified Water.	

\*This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Caladryl®.  
 RD41013RLG  
 BEST CHOICE  
 0 70038 59260 0  
**Best Choice**  
 100% Guaranteed  
 www.bestchoicebrand.com  
 PROUDLY DISTRIBUTED BY:  
 VALLI MERCHANTSERS. CO.  
 5000 KANSAS AVE  
 KANSAS CITY, KS 66106

**HEB Label**

**For use on poison ivy,  
poison oak, chicken pox  
& other minor skin ailments**

**6 FL OZ (177mL)**

**Drug Facts**

<b>Active ingredients</b> Calamine 8%.....Skin protectant Pramoxine 1%.....External analgesic	<b>Purpose</b>
<b>Uses</b> Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other minor skin irritations.	
<b>Warnings:</b> For External Use Only. Use only as directed. ■ <b>Avoid contact with eyes and mucous membranes</b> ■ <b>Ask a doctor before using</b> on children under 2 yrs. of age	
<b>When using this product</b> ■ <b>Discontinue use if</b> condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days and consult a doctor.	
<b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> ■ <b>Adults and children 2 yrs. and older:</b> Shake well before using. Wash the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort. ■ <b>Children under 2 yrs. of age:</b> Consult a doctor.	
■ <b>Other information</b> ■ Store at room temperature 15° - 30°C (59° - 85°F)	
<b>Inactive ingredients</b> ■ SD alcohol 38B 2.5%, camphor, diazolidinyl urea, fragrances, glycerin, hydroxypropyl methylcellulose, methylparaben, polysorbate 80, propylene glycol, propylparaben and purified water.	

**MADE WITH PRIDE AND CARE FOR H-E-B, SAN ANTONIO, TX 78204**  
 Questions or Comments? Call 1-800-662-3435

We believe the high quality of this H-E-B product makes it an outstanding value. We hope you'll agree. If not, we'll cheerfully refund your money.

1104

 0 41220 66068 1

**DrugMart Label**



# Calamine Lotion Medicated



Topical Analgesic • Skin Protectant  
• Medicated Pain & Itch Relief Lotion

\*Compare to the Active Ingredients of Caladryl® Lotion

6 fl oz (177 mL)

<b>Drug Facts</b>	<b>Purpose</b> Calamine 8%.....Skin protectant Pramoxine HCl 1%.....External analgesic
<b>Active Ingredients</b>	<b>Use</b> Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other minor skin irritations.
<b>Warnings For External Use Only.</b> Use only as directed.	<b>When using this product</b> avoid contact with eyes. <b>Stop use and ask a doctor if</b> condition worsens or symptoms last for more than 7 days or clear up and occur again within a few days. <b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.
<b>Directions</b>	<b>Adults and children 2 yrs. of age and older:</b> Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort. <b>Children under 2 yrs. of age:</b> Consult a doctor.
<b>Other information</b>	Store at room temperature.
<b>Inactive ingredients</b>	SD Alcohol 388 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hypromellose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben and Purified Water.

\* This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Caladryl®.

**Satisfaction guaranteed** - If dissatisfied, return unused portion and package to store where purchased. If unable to return to store, send reason for dissatisfaction, name, address and empty package to: Discount Drug Mart, 211 Commerce Drive, Medina, Ohio 44136

**DISTRIBUTED BY:**  
DRUG MART-FOOD FAIR  
211 Commerce Dr.  
MEDINA, OHIO Zip 44136  
Questions or Comments? 1-800-833-8278  
www.DISCOUNT-DRUGMART.COM



0 93351 01302 7

## Top care Label

NDC 36800-268-06



COMPARE TO CALADRYL® LOTION ACTIVE INGREDIENT\*

# Calagesic Lotion

EXTERNAL ANALGESIC SKIN PROTECTANT

Relieves Itching Due to:

- Poison Ivy
- Poison Oak
- Insect Bites
- Minor Skin Irritations



6 FL OZ (177 mL)

<b>Drug Facts</b>	<b>Purpose</b> Calamine 8%.....Skin protectant Pramoxine HCl 1%.....External analgesic
<b>Uses</b> Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.	
<b>Warnings</b> For external use only. Use only as directed. Avoid contact with eyes and mucous membranes. Ask a doctor before using on children under 2 years of age.	
<b>Stop use and ask a doctor if</b> condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 immediately.	
<b>Directions</b> Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort. Children under 2 years of age: Consult a doctor before use.	
<b>Other information</b>	Store at room temperature 15-30°C (59-86°F)
<b>Inactive ingredients</b>	SD Alcohol 388 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water

\* This product is not manufactured or distributed by Valiant Pharmaceuticals, owner of the registered trademark Caladryl® Lotion.

**DISTRIBUTED BY:** TOPCO ASSOCIATES, LLC  
ELK GLEN VILLAGE, IL 62407 © 2010 HEB 40810  
QUESTIONS? 1-888-423-0119  
topcare@topco.com www.topcarebrand.com  
Visit here for more information:  
http://topbrands.com/48auit  
✓ QUALITY GUARANTEED



0 36800 44341 9

## HUMCO CALAGESIC

calamine and pramoxine hydrochloride lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82645-922
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	80 mg in 1 mL



**PRAMOXINE HYDROCHLORIDE** (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)

PRAMOXINE  
HYDROCHLORIDE

10 mg  
in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82645-922-96	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/13/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	03/25/1998	

**Labeler** - Pharma Nobis, LLC (118564114)

**Registrant** - Pharma Nobis, LLC (118564114)

## Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(82645-922) , analysis(82645-922) , pack(82645-922) , label(82645-922)

Revised: 12/2023

Pharma Nobis, LLC