

FEXOFENADINE HCL - fexofenadine hcl tablet
Camber Consumer Care

Fexofenadine Hydrochloride Tablets USP, 180 mg

ACTIVE INGREDIENT(S), in each tablet

Fexofenadine hydrochloride USP, 180 mg

PURPOSE

Antihistamine

USE(S)

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

§ runny nose

§ sneezing

§ itchy, watery eyes

§ itching of the nose or throat

WARNINGS

DO NOT USE

if you have ever had an allergic reaction to this product or any of its ingredients.

ASK A DOCTOR BEFORE USE IF

you have kidney disease. Your doctor should determine if you need a different dose.

WHEN USING THIS PRODUCT

§ do not take more than directed

§ do not take at the same time as aluminum or magnesium antacids

§ do not take with fruit juices (see Directions)

STOP USE AND ASK A DOCTOR IF

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS

60 mg

adults and children 12 years of age and over	take one 60 mg tablet with water every 12 hours; do not take more than 2 tablets in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

180 mg

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

OTHER INFORMATION

- □ Safety Sealed: do not use if carton is opened or if printed foil inner seal on the bottle is torn or missing.
- □ store between 20° and 25°C (68° and 77°F)
- □ protect from excessive moisture

INACTIVE INGREDIENTS

Colloidal silicon dioxide, hypromellose, light liquid paraffin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, pregelatinized starch, red iron oxide, sodium starch glycolate, talc, titanium dioxide and yellow iron oxide.

QUESTIONS OR COMMENTS

call toll-free weekdays 9 AM to 5 PM EST at **1-888-588-1418**

PRINCIPAL DISPLAY PANEL

Fexofenadine Hydrochloride Tablets, USP 180 mg 30s Container Label

CAMBER
 Non-Drowsy
ALLERGY RELIEF
 Fexofenadine Hydrochloride Tablets USP, 180 mg/Antihistamine
 Indoor and Outdoor Allergies
 24 Hour Relief of:
 Runny Nose ■ Sneezing
 Itchy, Watery Eyes
 Itchy Nose or Throat
30 Tablets

Drug Facts
Active ingredient (in each tablet) Purpose
 Fexofenadine hydrochloride USP, 180 mg Antihistamine
Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.
When using this product ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) ▶

UNVARNISH AREA
 32 x 15mm

LOT: see above
 EXP: MM/YYYY
 Each coding requirement will be coded online along with cut and back details and Data matrix

Mfg. Lic. No.: 509WAP/2009/5/R
 *This product is not manufactured or distributed by Chatham, Inc. distributor of Allegra® Allergy 24 Hour
 Distributed by:
 Camber Consumer Care, Inc.
 Piscataway, NJ 08854, USA.

20251028

Drug Facts (continued)
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 adults and children 12 years of age and over take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
 children under 12 years of age do not use
 adults 65 years of age and older ask a doctor
 consumers with kidney disease ask a doctor

Other information ■ Safety Sealed: do not use if carton is opened or if printed foil inner seal on the bottle is torn or missing.
 ■ store between 20° and 25°C (68° and 77°F) ■ protect from excessive moisture

Inactive ingredients colloidal silicon dioxide, hypromellose, light liquid paraffin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyisobutyl methacrylate, pregelatinized starch, red iron oxide, sodium starch glycolate, talc, titanium dioxide and yellow iron oxide.

Questions or comments? call toll-free weekdays 9 AM to 5 PM EST at 1-888-588-1418.

Fexofenadine Hydrochloride Tablets, USP 180 mg 30s Carton Label

CAMBER
 Non-Drowsy
ALLERGY RELIEF
 Fexofenadine Hydrochloride Tablets USP, 180 mg/Antihistamine
 Indoor and Outdoor Allergies
 24 Hour Relief of:
 Runny Nose ■ Sneezing
 Itchy, Watery Eyes
 Itchy Nose or Throat
30 Tablets


Drug Facts
Active ingredient (in each tablet) Purpose
 Fexofenadine hydrochloride USP, 180 mg Antihistamine
Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.
When using this product ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) ▶

UNVARNISH AREA

Mfg. Lic. No.: 509WAP/2009/5/R
 *This product is not manufactured or distributed by Chatham, Inc. distributor of Allegra® Allergy 24 Hour
 Distributed by:
 Camber Consumer Care, Inc.
 Piscataway, NJ 08854, USA.

20251028

Fexofenadine Hydrochloride Tablets, USP 180 mg 100s Container Label



ALLERGY RELIEF
Fexofenadine Hydrochloride Tablets USP,
100 mg/Antihistamine
Indoor and Outdoor Allergies

24 Hr. Relief of:
✓ Runny Nose
✓ Sneezing
✓ Itchy, Watery Eyes
✓ Itchy Nose or Throat

100 Tablets

Drug Facts

Active Ingredient (in each tablet): Fexofenadine Hydrochloride USP, 180 mg

Other Ingredients: [illegible]

Uses: To relieve or lessen the symptoms due to hay fever or other upper respiratory allergies, such as sneezing, runny nose, watery eyes, or itching of the nose or throat.

Warnings: Do not use if you have ever had a severe allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product: do not take more than directed; do not take at the same time as sedatives or respiratory aids; do not take with fruit juices (see Directions).

Directions: See and ask a doctor if on a prescription for this product. See medical help if you see.

UNVARNISH AREA
42 x 22mm

LOT: none over
EXP: MM/YYYY
Batch coding information will be coded on line along with retail batch check and Dolo marks.

Mfg. Lic. No.: 50100/AF/2009/FR
*This product is not manufactured or distributed by Chatterton, Inc. distributor of Allegra® Allergy 24 Hour

Distributed by:
Camber Consumer Care, Inc.
Piscataway, NJ 08854, USA.

2051606

Drug Facts (continued)

If pregnant or breast feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions	
adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with history of sinus	ask a doctor

Other Information: Safety Seal: do not use if carton is opened or if printed seal over the bottle is torn or missing; do store between 20° and 25° C (68° and 77° F) in protection from moisture.

Contains ingredients that may cause drowsiness: hydrocodone, light sedatives, cough suppressants, or central nervous system depressants, such as alcohol, tranquilizers, sedatives, or other drugs.

Questions or comments? Call toll-free weekdays 9 AM to 5 PM EST at 1-800-888-3436.


Fexofenadine Hydrochloride Tablets, USP 180 mg 100s Carton Label



This image shows the flat layout of the carton label for Camber Allergy Relief 180 mg 100s Tablets. The layout includes the front panel, side panels, and back panel, all featuring the product name, logo, and key information. The front panel prominently displays "ALLERGY RELIEF" and "Fexofenadine Hydrochloride Tablets USP, 180 mg/Antihistamine". The side panels include the "Drug Facts" section and the "Directions" table. The back panel features a barcode and additional contact information. A central "Unvarnish Area" is clearly marked.

Fexofenadine Hydrochloride Tablets, USP 180 mg 500s Container Label

LOT.: xxxxxxxx
 EXP.: MM/YYYY
 Batch coding expressions will be coded online along with actual batch details and Data-matrix.



NDC 69230-300-05
* Compare to the active ingredient in Allegra® Allergy 24 Hour

Non-Drowsy
ALLERGY RELIEF
 Fexofenadine Hydrochloride Tablets USP, 180 mg/Antihistamine
Indoor and Outdoor Allergies
24 Hour Relief of:
 ■ Runny Nose ■ Sneezing
 ■ Itchy, Watery Eyes
 ■ Itchy Nose or Throat

500 Tablets

Drug Facts


Active ingredient (in each tablet)	Purpose
Fexofenadine hydrochloride USP, 180 mg.....	Antihistamine

Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.
When using this product ■ do not take more than directed
 ■ do not take at the same time as aluminum or magnesium antacids
 ■ do not take with fruit juices (see Directions)
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

UNVARNISH AREA FOR BATCH CODING

2050412



Mfg. Lic. No.: 50MNAP/2009/FR
*This product is not manufactured or distributed by Chattem, Inc. distributor of Allegra® Allergy 24 Hour
 Distributed by:
 Camber Consumer Care, Inc.
 Piscataway, NJ 08854, USA.

TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP PRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information ■ Safety Sealed: do not use if printed foil inner seal on the bottle is torn or missing. ■ store between 20° and 25°C (68° and 77°F) ■ protect from excessive moisture

Inactive ingredients colloidal silicon dioxide, hypromellose, light liquid paraffin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, pregelatinized starch, red iron oxide, sodium starch glycolate, talc, titanium dioxide and yellow iron oxide.

Questions or comments? call toll-free weekdays 9 AM to 5 PM EST at 1-888-588-1418.

FEXOFENADINE HCL

fexofenadine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69230-300
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXO FENADINE HYDRO CHLO RIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	180 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSE 2910 (6 MPAS) (UNII: 0WZ8WG20P6)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	

POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
STARCH, CORN (UNII: O8232NY3SJ)	
FERRIC O XIDE RED (UNII: 1K09F3G675)	
FERRIC O XIDE YELLOW (UNII: EX438O2MRT)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
TALC (UNII: 7SEV7J4RIU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYETHYLENE GLYCOL 6000 (UNII: 30IQX730WE)	

Product Characteristics

Color	PINK	Score	no score
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	J;44
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69230-300-30	1 in 1 CARTON	08/19/2016	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69230-300-01	1 in 1 CARTON	08/19/2016	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:69230-300-05	500 in 1 BOTTLE; Type 0: Not a Combination Product	08/19/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA204097	08/19/2016	

FEXOFENADINE HCL

fexofenadine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69230-301
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	60 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

STARCH, CORN (UNII: O8232NY3SJ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYETHYLENE GLYCOL 6000 (UNII: 30IQX730WE)	

Product Characteristics

Color	PINK	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	J;43
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69230-30 1-30	1 in 1 CARTON	08/19/2016	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69230-30 1-01	1 in 1 CARTON	08/19/2016	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA204097	08/19/2016	

Labeler - Camber Consumer Care (079539968)

Establishment

Name	Address	ID/FEI	Business Operations
Hetero Labs Limited Unit V		650452530	ANALYSIS(69230-300, 69230-301) , MANUFACTURE(69230-300, 69230-301)

Revised: 3/2019

Camber Consumer Care