

**STOOL SOFTENER EXTRA STRENGTH- docusate sodium capsule, liquid filled  
MEIJER, INC.**

-----  
**Drug Facts**

**Active ingredient (in each softgel)**

Docusate sodium 250 mg

**Purpose**

Stool softener laxative

**Uses**

- for relief of occasional constipation
- this product generally produces a bowel movement within 12 to 72 hours

**Warnings**

**Do not use**

if you are presently taking mineral oil, unless directed by a doctor.

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that last over 2 weeks

**Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years of age and over: take 1 softgel daily or as directed by a doctor
- children under 12 years of age: ask a doctor

## **Other information**

- **each softgel contains:** sodium 15 mg
- store between 20°-25°C(68°-77°F); excursions permitted between 15°-30°C (59°-86°F)

## **Inactive Ingredients**

edible white ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, mannitol, polyethylene glycol, propylene glycol, purified water, sorbitol special

## **Questions or comments?**

Call **1-877-753-3935** Monday- Friday 9AM-5PM EST

## **Principal Display Panel**

EXTRA STRENGTH

Stool Softener

Docusate Sodium | 250 mg

Stool Softener Laxative

Stimulant-Free, Relief of Constipation

Softgels

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING.**

**DIST. BY MEIJER**

**DISTRIBUTION, INC. GRAND RAPIDS, MI 49544**

[www.meijer.com](http://www.meijer.com)

## **Product Label**



**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredient (in each softgel)</b> Docusate sodium 250 mg.....Stool softener laxative	
<b>Uses</b> ■ for relief of occasional constipation ■ this product generally produces a bowel movement within 12 to 72 hours	
<b>Warnings</b> Do not use if you are presently taking mineral oil, unless directed by a doctor. <b>Ask a doctor before use if you have</b> ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over 2 weeks <b>Stop use and ask a doctor if</b> ■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week <b>If pregnant or breast-feeding, ask a health professional before use.</b> <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ adults and children 12 years of age and over: take 1 softgel daily or as directed by a doctor ■ children under 12 years of age: ask a doctor	
<b>Other information</b> ■ each softgel contains: sodium 15 mg ■ store between 20-25°C (68-77°F); excursions permitted between 15-30°C (59-86°F)	
<b>Inactive ingredients</b> edible white ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, mannitol, polyethylene glycol, propylene glycol, purified water, sorbitol, sorbitan, sorbitol	
<b>Questions or comments?</b> Call 1-877-753-3838 Monday-Friday 9AM-5PM EST	

**DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544**  
www.meijer.com  
PID 4443658



PLD-B610A  
LB007286

Lot No.:

Exp. Date:

### MEIJER Extra Strength Stool Softener

## STOOL SOFTENER EXTRA STRENGTH

docusate sodium capsule, liquid filled

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-859
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	250 mg

### Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
MANNITOL (UNII: 3OWL53L36A)	

### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	20mm
<b>Flavor</b>		<b>Imprint Code</b>	P20
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-859-10	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/27/2019	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/27/2019	

**Labeler** - MEIJER, INC. (006959555)

Revised: 10/2023

MEIJER, INC.