

CUROLOGY THE SUNSCREEN BROAD SPECTRUM SPF 30- zinc oxide cream
Curology Inc.

Curology the sunscreen broad spectrum SPF 30

Drug Facts

Active Ingredient

Zinc Oxide 9.4%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see), decreases the risk of skin cancer and early aging caused by sun **Directions**

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure.
- reapply:
- immediately after towel drying
- at least every 2 hours
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or

higher and other sun protection measures including: **Sun Protection Measures.**

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

Protect this product from excessive heat and direct sun

Inactive Ingredients

Water, Dimethicone, Propylene Glycol, C12-15 Alkyl Benzoate, Sorbitan Oleate Decylglucoside Crosspolymer, Cetearyl Alcohol, Argania Spinosa Kernel Oil, Ammonium Acryloyldimethyltaurate/VP Copolymer, Tocopheryl Acetate, Glycerin, Squalane, Butyrospermum Parkii (Shea Butter) Extract, Polyester-5, Caprylyl/Capryl Glucoside, Coco-Glucoside, C14-22 Alcohols, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Triethoxycaprylylsilane, Ethyl Ferulate, C12-20 Alkyl Glucoside, Bisabolol, Sodium Chloride, Phospholipids, Gluconolactone, Benzyl Alcohol, Sodium Benzoate, Chlorophensin, Sorbic Acid, Urea, Phenoxyethanol, Ethylhexylglycerin

Package Labeling:20ml



Drug Facts

Active ingredient **Purpose**
Zinc Oxide 9.4%.....Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early aging caused by sun

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure.
- reapply:
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.

Drug Facts (continued)

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

Protect this product from excessive heat and direct sun

Inactive ingredients

Water, Dimethicone, Propylene Glycol, C12-15 Alkyl Benzoate, Sorbitan Oleate Decylglucoside Crosspolymer, Cetearyl Alcohol, Argania Spinosa Kernel Oil, Ammonium Acryloyldimethyltaurate/VP Copolymer, Tocopheryl Acetate, Glycerin, Squalane, Butyrospermum Parkii (Shea Butter) Extract, Polyester-5, Caprylyl/Capryl Glucoside, Coco-Glucoside, C14-22 Alcohols, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Triethoxycaprylylsilane, Ethyl Ferulate, C12-20 Alkyl Glucoside, Bisabolol, Sodium Chloride, Phospholipids, Gluconolactone, Benzyl Alcohol, Sodium Benzoate, Chlorphenesin, Sorbic Acid, Urea, Phenoxyethanol, Ethylhexylglycerin

MANUFACTURED FOR CUROLOGY, INC.
SAN DIEGO, CA 92121
MADE IN USA WITH GLOBAL INGREDIENTS
CUROLOGY.COM

Curology



the sunscreen
broad-spectrum SPF 30

20 ml / 0.7 fl oz

Kind to
acne-prone skin,
tough on UV rays.
Our grease-free,
no-clog SPF 30
sunscreen.

Sunscreen should
always feel this good.
Our invisible, mineral-
powered formula melts
into every skin tone,
quick-drying to a
natural, fresh finish.

Your daily sunscreen ritual:

1. Shake well
2. Spread over face
and neck 15 minutes
before ☀ exposure
3. Reapply every
2 hours for all-day
UV defense



Curology



Kind to acne-prone skin, tough on UV rays. Our grease-free, no-clog SPF 30.

Directions: Shake well. Apply liberally 15 minutes before sun exposure. Reapply every 2 hours. Children under 6 months of age: ask a doctor. Use a water-resistant sunscreen if swimming or sweating.

See Drug Facts for complete directions.

Uses: Helps prevent sunburn.

ACTIVE INGREDIENTS

ZINC OXIDE 9.4%.....

PURPOSE

.....SUNSCREEN

WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE ON DAMAGED OR BROKEN SKIN. WHEN USING THIS PRODUCT, KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. STOP USE AND ASK A DOCTOR IF RASH OCCURS. KEEP OUT OF REACH OF CHILDREN. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

the sunscreen

broad-spectrum SPF 30

20 ml / 0.7 fl oz

MANUFACTURED FOR CUROLOGY, INC.
SAN DIEGO, CA 92121
MADE IN USA | CUROLOGY.COM



Package Labeling:40ml



Drug Facts

Active ingredient	Purpose
Zinc Oxide 9.4%.....	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early aging caused by sun

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure.
- reapply:
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Drug Facts (continued)

Other information

Protect this product from excessive heat and direct sun

Inactive ingredients

Water, Dimethicone, Propylene Glycol, C12-15 Alkyl Benzoate, Sorbitan Oleate Decylglucoside Crosspolymer, Cetearyl Alcohol, Argania Spinosa Kernel Oil, Ammonium Acryloyldimethyltaurate/VP Copolymer, Tocopheryl Acetate, Glycerin, Squalane, Butyrospermum Parkii (Shea Butter) Extract, Polyester-5, Caprylyl/Capryl Glucoside, Coco-Glucoside, C14-22 Alcohols, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Triethoxycaprylylsilane, Ethyl Ferulate, C12-20 Alkyl Glucoside, Bisabolol, Sodium Chloride, Phospholipids, Gluconolactone, Benzyl Alcohol, Sodium Benzoate, Chlorphenesin, Sorbic Acid, Urea, Phenoxyethanol, Ethylhexylglycerin

MANUFACTURED FOR CUROLOGY, INC.
SAN DIEGO, CA 92121

MADE IN USA WITH GLOBAL INGREDIENTS
CUROLOGY.COM

Curology



Kind to
acne-prone skin,
tough on UV rays.
Our grease-free,
no-clog SPF 30
sunscreen.

Sunscreen should
always feel this good.
Our invisible, mineral-
powered formula melts
into every skin tone,
quick-drying to a
natural, fresh finish.

Your daily sunscreen ritual:

1. Shake well
2. Spread over face and neck 15 minutes before ☀️ exposure
3. Reapply every 2 hours for all-day UV defense

the sunscreen
broad-spectrum SPF 30



40 ml / 1.4 fl oz

Curology



Kind to acne-prone skin, tough on UV rays. Our grease-free, no-clog SPF 30.



Directions: Shake well. Apply liberally 15 minutes before sun exposure. Reapply every 2 hours. Children under 6 months of age: ask a doctor. Use a water-resistant sunscreen if swimming or sweating. See Drug Facts for complete directions.

Uses: Helps prevent sunburn.

ACTIVE INGREDIENTS	PURPOSE
ZINC OXIDE 9.4%.....	SUNSCREEN

WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE ON DAMAGED OR BROKEN SKIN. WHEN USING THIS PRODUCT, KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. STOP USE AND ASK A DOCTOR IF RASH OCCURS. KEEP OUT OF REACH OF CHILDREN. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

the sunscreen

broad-spectrum SPF 30

40 ml / 1.4 fl oz

MANUFACTURED FOR CUROLOGY, INC.
SAN DIEGO, CA 92121
MADE IN USA
CUROLOGY.COM



CUROLOGY THE SUNSCREEN BROAD SPECTRUM SPF 30

zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82575-032
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	94 mg in 1 mL
--	-------------	---------------

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
ARGAN OIL (UNII: 4V59G5UW9X)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
GLYCERIN (UNII: PDC6A3C0OX)	
SQUALANE (UNII: GW89575KF9)	
SHEA BUTTER (UNII: K49155WL9Y)	
CAPRYLYL/CAPRYL OLIGOGLUCOSIDE (UNII: E00JL9G9K0)	
COCO GLUCOSIDE (UNII: ICS790225B)	
C14-22 ALCOHOLS (UNII: B1K89384R)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYL FERULATE (UNII: 5B8915UELW)	
C12-20 ALKYL GLUCOSIDE (UNII: K67N5Z1RUA)	
LEVOMENOL (UNII: 24WE03BX2T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SORBIC ACID (UNII: X045WJ989B)	
UREA (UNII: 8W8T17847W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82575-032-01	1 in 1 CARTON	07/16/2022	
1		20 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:82575-032-00	1 in 1 CARTON	07/16/2022	
2		40 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug M020

07/16/2022

Labeler - Curology Inc. (104103284)

Revised: 11/2023

Curology Inc.