MOUTH SORE RELIEF APPLICATOR- benzocaine liquid Swabplus Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Mouth Sore Relief Applicator

Drug fact

Active Ingredient

Benzocaine 20%

Purpose

Pain Reliever

Uses

temporarily relieves these symptoms. cold sores. scanker sores. fever blisters. minor irritation or injury of the mouth and gums.

Warning Allergy Alert

Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics.

When using this product

avoid eye contact. do not exceed recommended dosage. do not use more than 7 days unless told to do so by a dentist or doctor.

Stop use and ask a doctor if

swelling, rash or fever develops, irritation, pain, or redness persists or worsen.

Do not use on children under 2 years except underteh advice and supervision of a doctor.

Keep out of the reach of children

if swallowed get medical help or contact a Poison Contro;mCenter right away.

Directions

Snap the tip at the color ring. Allow formula to flow down to the opposite tip. Apply formula with the saturated tip to affected area

Other Information

Avoid storaging at excessive heat.

Inactive Ingredient

Polyethylene glycol 400 (PEG-8), Glycerin, Saccharin sodium, water, pina Colada Image of carton label



Drug Facts	
Active Ingredient Beszecsine 20%	Purpose Pain Relewe
Uses - temporarily misses these s - fever blishers - minor irritation or	ymptoms: • cold sores • canker sores injury of the mouth and gums
	this product if you have a history of allergy to acaino, become ins, or other "corre" arenthetic
	d eye contact • de set exceed recommended. 7 days unless hold to do se by a dentist
Stop use and ask a dector if - swell pain, or redness persists or worse	ing, rash or fever develops • irritation, ns
	ers of age except under the advice and of the reach of children. If swellowed get control Conter right away.
	olor ring • Allow formula to flow down to ith the saturated tip to affected area
Other Information + Avoid storing	g at excessive heat
Inactive Ingredients Diazoldin PEG-8, Pina Colada Havor, Progrit	d Uras, Ethorydiglycol, Methylparaben, me Glycol, Propylparaben
The COLOR RING is experighted by Swel	c. Ranche Ciscamongs. CA 91738 USA. Hade in US plus Inc. 62008 Swelpton Inc. www.codopton.com Boowelon Colp. See Incide For More Details
	LOT

MOUTH SORE RELIEF APPLICATOR

benzocaine liquid

-	1 .	T C		. •
Pro	duct	Into	rma	tıon

Product Type HUMAN OTC DRUG Item Code (Source) NDC:65734-867

Route of Administration

ORAL

Active Ingredient/Active Moiety

- 1	retive ingredient/retive inforcety		
	Ingredient Name	Basis of Strength	Strength
	BENZO CAINE (UNII: U3RS Y48 JW5) (BENZO CAINE - UNII: U3RS Y48 JW5)	BENZOCAINE	200 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
GLYCERIN (UNII: PDC6A3C0OX)	
SACCHARIN SO DIUM (UNII: SB8 ZUX40 TY)	
WATER (UNII: 059QF0KO0R)	

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65734-867-24	3.6 mL in 1 PACKET		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	06/01/2005	

Labeler - Swabplus Inc. (876441549)

Registrant - Swabplus Inc. (876441549)

Establishment			
Name	Address	ID/FEI	Business Operations
Swabplus Inc.		876441549	manufacture(65734-867), relabel(65734-867), repack(65734-867)

Revised: 2/2013 Swabplus Inc.