

**NEOSPORIN PLUS LIDOCAINE- bacitracin, neomycin, polymyxin b, lidocaine ointment**

**Johnson & Johnson Consumer Inc.**

-----  
**Neosporin + Lidocaine**

***Drug Facts***

---

<b><i>Active ingredients (in each gram)</i></b>	<b><i>Purpose</i></b>
Bacitracin Zinc (500 units)	First aid antibiotic
Lidocaine (40 mg)	External analgesic
Neomycin Sulfate (3.5 mg)	First aid antibiotic
Polymyxin B sulfate (10,000 units)	First aid antibiotic

---

**Uses**

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only**

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body
- in large quantities, particularly over raw surfaces or blistered areas

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison

Control Centre right away.

### **Directions**

- adults and children 2 years of age and older:
  - clean the affected area
  - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
  - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

### **Other information**

- store at 20° to 25°C (68° to 77°F)

### **Inactive ingredient**

Petrolatum

### **Questions?**

Call **800-223-0182** or **215-273-8755** (collect)

Distributed by:

**JOHNSON & JOHNSON CONSUMER INC.**

Skillman, NJ 08558

**PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton**

**#1**

**DOCTOR**

**RECOMMENDED**

**BRAND**

**NEOSPORIN®**

**+ MAXIMUM STRENGTH**

**LIDOCAINE**

With Fast-Acting Lidocaine

For Pain Relief\*

Numbs Away the Pain

24-Hour Infection

Protection

# NUMBING OINTMENT

## FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT

Bacitracin Zinc - Lidocaine - Neomycin Sulfate - Polymyxin B Sulfate

NET WT. 0.5 OZ (14.2 g)



### NEOSPORIN PLUS LIDOCAINE

bacitracin, neomycin, polymyxin b, lidocaine ointment

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0731
<b>Route of Administration</b>	TOPICAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [iU] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	10000 [iU] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0731-1	1 in 1 CARTON	01/30/2023	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	01/30/2023	

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)

Revised: 6/2024

Johnson & Johnson Consumer Inc.