

NEOSPORIN PLUS LIDOCAINE- bacitracin, neomycin, polymyxin b, lidocaine ointment
Johnson & Johnson Consumer Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Neosporin + Lidocaine

Drug Facts

Active ingredients (in each gram)	Purpose
Bacitracin Zinc (500 units)	First aid antibiotic
Lidocaine (40 mg)	External analgesic
Neomycin Sulfate (3.5 mg)	First aid antibiotic
Polymyxin B sulfate (10,000 units)	First aid antibiotic

Uses

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body
- in large quantities, particularly over raw surfaces or blistered areas

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few

days

- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Centre right away.

Directions

- adults and children 2 years of age and older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20° to 25°C (68° to 77°F)

Inactive ingredient

Petrolatum

Questions?

Call **800-223-0182** or **215-273-8755** (collect)

Distributed by:

JOHNSON & JOHNSON CONSUMER INC.

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton

#1

DOCTOR

RECOMMENDED

BRAND

NEOSPORIN®

+ MAXIMUM STRENGTH

LIDOCAINE

With Fast-Acting Lidocaine

For Pain Relief*

Numbs Away the Pain

24-Hour Infection
Protection

NUMBING

OINTMENT

FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT

Bacitracin Zinc – Lidocaine – Neomycin Sulfate – Polymyxin
B Sulfate

NET WT. 0.5 OZ (14.2 g)



NEOSPORIN PLUS LIDOCAINE
bacitracin, neomycin, polymyxin b, lidocaine ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0731
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)			LIDOCAINE	40 mg in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)			BACITRACIN	500 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)			NEOMYCIN SULFATE	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)			POLYMYXIN B	10000 [iU] in 1 g
Inactive Ingredients				
Ingredient Name				Strength
PETROLATUM (UNII: 4T6H12BN9U)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0731-1	1 in 1 CARTON	01/30/2023	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final		part333B	01/30/2023	

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023

Johnson & Johnson Consumer Inc.