

**COPPERTONE SPORT SUNSCREEN SPF 70- avobenzene 3%, homosalate 13%, octisalate 5%, octocrylene 10%, oxybenzone 6% lotion**  
**Beiersdorf Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Coppertone Sport Lotion SPF 70**

***Drug Facts***

***Active ingredients***

Avobenzene 3%, Homosalate 13%, Octisalate 5%, Octocrylene 10%, Oxybenzone 6%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure

- reapply:

- after 80 minutes of swimming or sweating

- immediately after towel drying

- at least every 2 hours

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### **Other information**

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

water, butyloctyl salicylate, butylene glycol, styrene/acrylates copolymer, bis-stearyl ethylenediamine/neopentyl glycol/stearyl hydrogenated dimer dilinoleate copolymer, benzyl alcohol, tocopherol (vitamin E), diethylhexyl syringylidenemalonate, retinyl palmitate (vitamin A palmitate), sodium ascorbyl phosphate, triethanolamine, chlorphenesin, acrylates/C10-30 alkyl acrylate crosspolymer, oleth-3, fragrance, disodium EDTA

### ***Questions?***

1-866-288-3330

Coppertone® Sunscreen Lotion

Sport

70


Stays on Strong When You Sweat

No Dyes PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 70

7 FL OZ (207 mL)



The image shows the front of a Coppertone Sport Sunscreen Lotion bottle. The background is a vibrant blue gradient with a sunburst effect at the top. A large, stylized yellow 'S' with a blue outline and a rainbow gradient is the central focus. The word 'SPORT' is written in a bold, white, italicized font with a blue outline, positioned across the middle of the 'S'. The brand name 'Coppertone' is at the top in a large, blue, sans-serif font, with 'SUNSCREEN LOTION' in a smaller font below it. A 'TM' symbol is located to the right of the 'S'.

**Coppertone**<sup>®</sup>  
SUNSCREEN LOTION

**SPORT**<sup>TM</sup>

**Stays on  
Strong When  
You Sweat**

**70**

**No Dyes, PABA**

**Water Resistant (80 Minutes)  
Broad Spectrum SPF 70**

**7 FL OZ (207 mL)**

**P0027901**

**Beiersdorf**

Beiersdorf Inc. Wilton, CT 06897

®=reg. TM. of Beiersdorf AG, Germany

***Drug Facts***

***Active ingredients***

***Purpose***

Avobenzone 3%, Homosalate 13%, Octisalate 5%,  
Octocrylene 10%, Oxybenzone 6% ..... Sunscreen

**Use** ■ helps prevent sunburn

## **Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

## **Other information**

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

**Inactive ingredients** water, butyloctyl salicylate, butylene glycol, styrene/acrylates copolymer, bis-stearyl ethylenediamine/neopentyl glycol/stearyl hydrogenated dimer dilinoleate copolymer, benzyl


alcohol, tocopherol (vitamin E), diethylhexyl  
 syringylidenemalonate,  
 retinyl palmitate (vitamin A  
 palmitate), sodium ascorbyl  
 phosphate, triethanolamine,  
 chlorphenesin,  
 acrylates/C10-30 alkyl  
 acrylate crosspolymer,  
 oleth-3, fragrance, disodium  
 EDTA

**Questions?**

1-866-288-3330



P0027903



## COPPERTONE SPORT SUNSCREEN SPF 70

avobenzone 3%, homosalate 13%, octisalate 5%, octocrylene 10%, oxybenzone 6% lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-2461
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	13 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	6 g in 100 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>CARBOMER INTERPOLYMER TYPE A (55000 CPS)</b> (UNII: 59TL3WG5CO)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>OLETH-3</b> (UNII: BQZ26235UC)
<b>STYRENE/ACRYLAMIDE COPOLYMER (MW 500000)</b> (UNII: 5Z4DPO246A)
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)
<b>DISODIUM EDTA-COPPER</b> (UNII: 6V475AX06U)
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)
<b>FRAGRANCE FLORAL ORC0902236</b> (UNII: R66Z4YW3X0)
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)

### Product Characteristics

<b>Color</b>	white (White to off-white)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-2461-7	207 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/02/2000	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/02/2000	

**Labeler** - Beiersdorf Inc (001177906)

Revised: 2/2023

Beiersdorf Inc