

**EQUALINE KIDS SPF 50- avobenzene, homosalate, octisalate,
octocrylene spray
SUPERVALU INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

EQUALINE KIDS SUNSCREEN CONTINUOUS SPRAY SPF 50

Active ingredients

Avobenzene 3.0%

Homosalate 10.0%

Octisalate 5.0%

Octocrylene 4.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions

Use in a well-ventilated area.

Reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Children under 6 months of age: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin

OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PANTHENOL (UNII: WW9CM0067Z)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-953-37	156 g in 1 CAN; Type 0: Not a Combination Product	10/15/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/15/2020	

Labeler - SUPERVALU INC. (006961411)

Revised: 7/2022

SUPERVALU INC.