OMEPRAZOLE- omeprazole tablet, delayed release Publix Super Markets Inc

Publix Super Markets, Inc. Omeprazole Delayed Release Tablets 20 mg Drug Facts

Active ingredient (in each tablet)

Omeprazole 20 mg

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- vou need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea

• you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush tablets

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

Inactive ingredients

carnauba wax, ferric oxide red, ferric oxide yellow, hypromellose, hypromellose acetate succinate, lactose monohydrate, monoethanolamine, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, talc, titanium dioxide, triethyl citrate

Principal Display Panel

omeprazole

DELAYED RELEASE TABLETS 20 mg

ACID REDUCER

24HR

Treats FREQUENT heartburn!

See current Drug Facts
ACTUAL SIZE
28 TABLETS
TWO 14-DAY COURSES OF TREATMENT
May take 1 to 4 days for full effect
Compare to Prilosec OTC®

- rods, choc data c affains, alcohol and cartain fruits and vegetades for slowly and a void big meab for werweight, lose weight Unit amoking e Raise freh eartburn-causing toods such as nich, aphoy, fatty orfried ■ Asoidh eartburn-causing toods such as nich, aphoy, fatty orfried

 - Do not wear 1/1914-filting clothin ga round the extonorch Do not eat before bedfine
 - Tips for Managing Hearburn Dorotlieft at orbend over after earing
 - ■you deve b parash or joint pain
 - ■you rhearthurn continues crworsens ■you need to take this product formore than 1 4 days ■you need to take more than 1 course of treatment every4 months
 - Stepuse andaska doctorifi:
 - drug. Acid reduce as mary interact, with certain prescription drug sAsk a doctor or pha massist before use if you are taking a prescription
 - misq rhamnots∎
 - Видушольо везпе и∎
 - condition.

 Trequent wheesing, particularly with hearth um

 unexplained weight loss
 - Ask a doctor before use if you have: This advector form over 3 months. This maybea sign of amore setious
 - These may be estign sof a serious condition. See your doctor. mirequent chestpain
 - Incombine and with high theaded ne se, sweating or dizzine se ■ch eat poin or shoulder poin with shortn essorb reath; sweating; parin ch eath point or shouldes; or lighth eadedness to sading born as ne close shouldes; or lighth eadedness transpart disetheria.
 - Do not use if you have: It couls to replace wellowing bod, womiting with blood, or bloody or black stoole black stoole are seen seen and the seen seen and the seen are seen and the seen are bearing to an in the seen are bearing to an in the seen are bearing to an in the seen are seen as the seen are s
 - Warnings Alle rgy a lert: Do not useif you are allergic to omeprazale

- mitreats frequent heartburn (occurs <u>2 or more</u> days a week) m n ot intended for im me date relief of he artburn; this d u g may tak el to 4 days for hill effect əsŋ

Active ingredient (in each tablet) Omeraale 20mg.......pm05 ekasapem0 ə so dınd

gund ya ca

This product is not manufactured or distributed by Procter & Gamble, distributor of Prilosec OTC®.

wowsethanolamh e, propylene glycol, sod ir miaury suffab, sodumstarch βycolab, sodumstaarab, so dumstaaryllu marab, talc, tifanium dib xide, I nactive ingredients canau ba wax, feric oxde red, feric oxde Jellow, hypromèlose,hyprometoee acetate succinate, lactosemonohydrat

- store at 20-25°C (68-17°F) and protect from moisture меер гре сатоп, исопланте търогалинт опъятногъ
 - mead in e die alons and warnings beforeu æ потьятот пэнто

sometimes be caused by aserious condition. ■ children un der 18 yearsof age: aska doctor. Heartbu min children may

4 months unless directed by a doctor Repeate of 14-Day Courses (if nee de of wound, repeata 14-day course every4 months on not take for more than 14 days or more often than every

- aswallow whole. Do not chew orcrush tablets.
- Maximum 1 tablet with a glass of waterbefore eading in the morning
 Maximum 1 days or 14 days
 Maximum 1 days or 14 days
 Maximum 1 days or 14 days
 Maximum 1 days or 15 days or 16 days
 Maximum 1 days or 17 days
 Maximum 1 days or 17 days
 Maximum 1 days or 17 days
 Maximum 1 days
- 14-D ay Course of Treatment a world A nittiw amodymys The observation of many control of the control of t

2 noit as vii a contacta. Po ison Control Centerright away (1-800-222-1223).

It pregnantor breast-feeding, ask a health profess braibefore use. Ke epout of reach of children. In case of overdose, get me dicalhelp or

Drug Facts (continued)

DELAYED RELEASE TABLETS 20 mg

ACID REDUCER

DISTRBUTED BY PUBLIX SUPER MARKETS, INC., 23311 put 1-2320 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33311 put 1-3320-9031-7-3037 MADE IN ISRAEL. PUBLIX BULKARATEE. COMPLETE SATISFACTION OR YOUR MONEY BACK PUBLIX BULKARATEE.

91530 63 C10

publix,com

O omeprazole

DELAYED RELEASE TABLETS 20 mg ACID REDUCER





NDC 56062-915-30

omeprazole

DELAYED RELEASE TABLETS 20 mg ACID REDUCER



Treats FREQUENT heartburn! See current Drug Facts

28 TABLETS
TWO 14-DAY COURSES OF TREATMENT May take 1 to 4 days for full effect

*Compare to Prilosec OTC®





OMEPRAZOLE

omeprazole tablet, delayed release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56062-915
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OMEPRAZOLE (UNII: KG60484QX9) (OMEPRAZOLE - U	JNII:KG60484QX9)	OMEPRAZOLE	20 mg

Inactive Ingredients		
Ingredient Name	Strength	
CARNAUBA WAX (UNII: R12CBM0EIZ)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)		
HYPROMELLOSES (UNII: 3NXW29V3WO)		
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)		
MONO ETHANO LAMINE (UNII: 5KV86114PT)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
SODIUM LAURYL SULFATE (UNII: 368GB5141J)		
SODIUM STEARATE (UNII: QU7E2XA9TG)		
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)		
TALC (UNII: 7SEV7J4R1U)		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)		
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)		

Product Characteristics				
Color	BROWN	Score	no score	
Shape	OVAL	Size	12mm	
Flavor		Imprint Code	20	
Contains				

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56062-915-55	3 in 1 CARTON	05/14/2008	
1		14 in 1 CARTON		
1		$1\ \text{in}\ 1\ \text{BLISTER}$ PACK; Type $0\colon \text{Not}\ a\ \text{Combination}$ Product		
2	NDC:56062-915-74	14 in 1 CARTON	05/12/2008	
2		$1\ \text{in}\ 1\ \text{BLISTER}$ PACK; Type $0\colon \text{Not}\ a\ \text{Combination}$ Product		
3	NDC:56062-915-30	2 in 1 CARTON	05/15/2008	
3		14 in 1 CARTON		
3		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA022032	05/12/2008		

Labeler - Publix Super Markets Inc (006922009)

Revised: 4/2019 Publix Super Markets Inc