

**NEUTROGENA MINERAL BEACH DEFENSE ACTIVE PERFORMANCE SUNSCREEN
BROAD SPECTRUM SPF 30- titanium dioxide, zinc oxide lotion
Johnson & Johnson Consumer Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Neutrogena Mineral Beach Defense Active Performance Sunscreen Broad Spectrum SPF 30

Drug Facts

Active ingredients

Titanium Dioxide (6.5%), Zinc Oxide (18.7%)

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- May stain some fabrics

Inactive ingredients

Water, Isohexadecane, C12-15 Alkyl Benzoate, Ethylhexyl methoxycrylene, Behenyl Alcohol, Steareth-21, Glyceryl Stearate, PEG-100 Stearate, Calcium Aluminum Borosilicate, Euphorbia Cerifera (Candelilla) Wax, Polyhydroxystearic Acid, Cetyl Alcohol, Triethoxycaprylylsilane, Aluminum Hydroxide, Xanthan Gum, Stearic Acid, Phenoxyethanol, Ethylhexylglycerin, Chlorphenesin, Tocopheryl Acetate, Disodium EDTA, Fragrance, Glycerin, Aloe Barbadensis Leaf Extract

Questions?

Call toll-free **800-299-4786** or **215-273-8755** (collect) or visit www.neutrogena.com

Distributed by:

JOHNSON & JOHNSON

CONSUMER INC.

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 88 mL Tube

NEW

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

PURESCREEN+™

MINERAL

BEACH

DEFENSE®

ACTIVE PERFORMANCE

BODY LOTION

30

SUNSCREEN

BROAD SPECTRUM SPF 30

UVA/UVB PROTECTION

100% mineral actives + aloe

water + sun ● water resistant (80 minutes)

3.0 FL OZ (88 mL)

lacquer free area

NEW

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

**NEUTROGENA®
MINERAL
BEACH DEFENSE® SPF 30**

Beach-strength UVA/UVB protection • Zinc Oxide and Titanium Dioxide broad-spectrum protection • With moisturizing Aloe & Vitamin E

- Tear free • Quick drying • Non-greasy & Non-sticky • Blends well on skin



how2recycle.info
PLASTIC TUBE
30049207

PURESCREEN+™

MINERAL BEACH DEFENSE®

ACTIVE PERFORMANCE BODY LOTION

30 SUNSCREEN
BROAD SPECTRUM SPF 30
UVA/UVB PROTECTION

100% mineral actives + aloe
water + sun • water resistant (80 minutes)

3.0 FL OZ (88 mL)

Drug Facts

Active Ingredients
Titanium Dioxide (6.5%), Zinc Oxide (18.7%).....Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
■ For external use only ■ Do not use on damaged or broken skin ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions ■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age: Ask a doctor

Other information ■ protect this product from excessive heat and direct sun ■ may stain some fabrics

Inactive Ingredients Water, Isohexadecane, C12-15 Alkyl Benzoate, Ethylhexyl methoxycrylate, Behenyl Alcohol, Steareth-21, Glyceryl Stearate, PEG-100 Stearate, Calcium Aluminum Borosilicate, Euphorbia Cerifera (Candelilla) Wax, Polyhydroxybutyric Acid, Cetyl Alcohol, Triethoxypropylsilane, Aluminum Hydroxide, Xanthan Gum, Stearic Acid, Phenoxethanol, Ethylhexylglycerin, Citronellol, Tocopheryl Acetate, Disodium EDTA, Fragrance, Glycerin, Aloe Barbadensis Leaf Extract

Questions?
Call toll-free 800-299-4766 or 215-273-6755 (collect) or visit www.neutrogena.com

Free of: chemical actives (including no oxybenzone), parabens & dyes

Vegan. Formula Not Tested on animals.

PURESCREEN+™ Technology: 100% mineral actives + aloe



9 6 86800 19456 0

NEUTROGENA MINERAL BEACH DEFENSE ACTIVE PERFORMANCE SUNSCREEN BROAD SPECTRUM SPF 30

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0773
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	65 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	187 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
DOCOSANOL (UNII: 9G1OE216XY)	
STEARETH-21 (UNII: 53J3F32P58)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CANDELILLA WAX (UNII: WL0328HX19)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
XANTHAN GUM (UNII: TTV12P4NEE)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
ISOHEXADECANE (UNII: 918X1OUF1E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0773-3	88 mL in 1 TUBE; Type 0: Not a Combination Product	10/04/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/04/2022	

Labeler - Johnson & Johnson Consumer Inc. (118772437)