

ROHTO MAX STRENGTH- naphazoline hydrochloride, polysorbate 80 liquid
The Mentholatum Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Naphazoline hydrochloride 0.03%

Polysorbate 80 0.2%

Purpose

Naphazoline hydrochloride - Redness reliever

Polysorbate 80 - Lubricant

Uses

- relieves redness of the eye due to minor eye irritations
- temporarily relieves burning and irritation due to dryness of the eye
- for protection against further irritation

Warnings

For external use only

Ask a doctor before use if you have

narrow angle glaucoma

When using this product

- do not touch tip of container to any surface to avoid contamination
- replace cap after each use
- do not use if solution changes color or becomes cloudy
- overuse may cause more eye redness
- pupils may become enlarged temporarily
- remove contact lenses before using

Stop use and ask a doctor if

- you feel eye pain
- changes in vision occur
- redness or irritation of the eyes lasts
- condition worsens or lasts more than 72 hours

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- put 1 or 2 drops in the affected eye(s) up to 4 times daily
- tightly snap on cap to seal

Other information

- do not store above 25°C (77°F)

Inactive ingredients

alcohol (0.1%), benzalkonium chloride, boric acid, chlorobutanol, edetate disodium, menthol, potassium aspartate, purified water, sodium borate

Questions?

1-877-636-2677 MON-FRI 9 AM - 5 PM (EST)

Package/Label Principal Display Panel

Drug Facts Outline of bottle is actual size.

Active ingredients	Purpose
Naphazoline hydrochloride 0.03%	Redness reliever
Polysorbate 80 0.2%	Lubricant

Uses

- relieves redness of the eye due to minor eye irritations
- temporarily relieves burning and irritation due to dryness of the eye
- for protection against further irritation

Warnings

For external use only

Ask a doctor before use if you have narrow angle glaucoma

When using this product

- do not touch tip of container to any surface to avoid contamination
- replace cap after each use
- do not use if solution changes color or becomes cloudy
- overuse may cause more eye redness
- pupils may become enlarged temporarily
- remove contact lenses before using

Stop use and ask a doctor if

- you feel eye pain
- changes in vision occur
- redness or irritation of the eyes lasts
- condition worsens or lasts more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- put 1 or 2 drops in the affected eye(s) up to 4 times daily
- tightly snap on cap to seal

Other information

- do not store above 25°C (77°F)

Inactive ingredients alcohol (0.1%), benzalkonium chloride, boric acid, chlorbutanol, edetate disodium, menthol, potassium aspartate, purified water, sodium borate

Questions? 1-877-636-2677 MON-FRI 9AM-5PM (EST)



ROHTO®
Cooling Eye Drops
MAX STRENGTH

MAX STRENGTH
Redness Reliever, Lubricant Eye Drops

MAXIMUM REDNESS RELIEF

Fast Acting
STERILE
0.4 FL OZ (13mL)

Exp Lot

3 10742 01101 2

CA454006

ROHTO®
MAX STRENGTH

Global OTC Eye Care Brand

Proprietary formula cools and soothes eyes instantly for added comfort.

Rohto® - Feel It Working!
Oily-resistant cap. Retain contact for complete information.

Use only if **ROHTO®** imprinted inner pouch is intact at time of purchase.

Distributed by:
The Menzies Company
Orchard Park, NY 14127
Made in Vietnam 602021

ROHTO MAX STRENGTH

naphazoline hydrochloride, polysorbate 80 liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10742-8158
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NAPHAZOLINE HYDROCHLORIDE (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	0.3 mg in 1 mL
POLYSORBATE 80 (UNII: 6OZP39ZG8H) (POLYSORBATE 80 - UNII:6OZP39ZG8H)	POLYSORBATE 80	2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

ALCOHOL (UNII: 3K9958V90M)	1 mg in 1 mL
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BORIC ACID (UNII: R57ZHV85D4)	
CHLOROBUTANOL (UNII: HM4YQM8WRC)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
POTASSIUM ASPARTATE (UNII: OC4598NZEQ)	
WATER (UNII: 059QF0K00R)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10742-8158-1	1 in 1 CARTON	05/12/2021	
1		13 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		
2	NDC:10742-8158-2	2 in 1 CARTON	05/12/2021	
2		13 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	05/12/2021	

Labeler - The Mentholatum Company (002105757)

Registrant - The Mentholatum Company (002105757)

Establishment

Name	Address	ID/FEI	Business Operations
The Mentholatum Company		002105757	label(10742-8158)

Establishment

Name	Address	ID/FEI	Business Operations
Rohto-Mentholatum (Vietnam) Co. Ltd.		555347535	manufacture(10742-8158)