MECLIZINE HYDROCHLORIDE- meclizine hydrochloride tablet APNAR PHARMA LP

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meclizine Hydrochloride Tablets

Active Ingredient (in each tablet)

12.5mg tablet: Meclizine HCL.... 12.5 mg

25mg tablet : Meclizine HCL25 mg

Purpose

Antiemetic

Uses

Prevents and treats nausea, vomiting or dizziness associated with motion sickness

Directions

Meclizine HCL 12.5mg tablet:

Dosage should be taken one hour before travel starts -adults & children 12 years and over: take 2 or 4 tablets once daily or as directed by a doctor

Meclizine HCL 25mg tablet:

Dosage should be taken one hour before travel starts -adults & children 12 years and over: take 1 or 2 tablets once daily or as directed by a doctor

Inactive Ingredients

Magnesium stearate, microcrystalline cellulose, silicon dioxide, lactose monohydrate

Other Information:

store at 20° to 25°C (68° to 77°F), excursions permitted between 15° to 30°C (59° to 86°F) [see USP controlled room temperature]

Do not use in children under 12 years of age unless directed by a doctor

Do not take this product, unless directed by a doctor, if you have

- Glaucoma
- A breathing problem such as emphysema or chronic bronchitis
- Trouble urination due to an enlarged prostate gland

Do not take this product if you are taking

Sedatives or tranquilizers, without first consulting your doctor.

When using this product,

- Do not exceed recommended dosage
- may cause drowsiness

- alcohol, sedatives and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Questions or Comments?

Call 1-855-642-2594

Rev.: 05/2022

Made in USA

Manufactured by:

APNAR PHARMA LLP

East Windsor, NJ 08520


TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING

NDC: 24689-138-01

Meclizine Hydrochloride Tablets 12.5 mg

Antiemetic

100 Tablets



NDC: 24689-139-01

Meclizine Hydrochloride Tablets 25 mg

Antiemetic



each tablet) Ē leclizine HCI 25 ma. ctive Ingredient

vomiting associated with motion sickness nausea, ses prevents and treats

dosage should be taken one hour before travel starts take 1 or 2 tablets once daily or as directed by a doctor dults and children years and over

to 25°C (68° lactose monohydrate Room Temperature 15° to 3 nactive Ingredients magnesium stearate. at 20° silicon dioxide, Store Information o 77°F); excursions p 59° to 86°F) [see USP crystalline cellulose,

Do not use in children under 12 years of age

f pregnant or breast-feeding, ask a health

keep out of reach of children. orofessional

Questions or Commen Call 1-855-642-2594 Rev.: 05/2022

medical help or contact t away (1-800-222-1222

Unvarnished Area/ Coding Area (1.5 x 0.4 inches)

MECLIZINE HYDROCHLORIDE

meclizine hydrochloride tablet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:24689-138

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE -UNII:3L5TQ84570)

MECLIZ INE 12.5 mg **HYDROCHLORIDE**

Inactive Ingredients

Ingredient Name Strength MAGNESIUM STEARATE (UNII: 70097M6I30)

LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)

Product Characteristics

Color white Score 2 pieces **ROUND** 7_mm Shape Size Flavor **Imprint Code** A;C4 **Contains**

		-
Da.	kag	mac
rat	Kau	

Marketing Start Marketing End **Item Code Package Description Date Date**

1 NDC:24689-138- 100 in 1 BOTTLE; Type 0: Not a Combination Product 07/29/2022

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M009	07/29/2022	

MECLIZINE HYDROCHLORIDE

meclizine hydrochloride tablet

Product Information

HUMAN OTC DRUG Item Code (Source) NDC:24689-139 **Product Type**

ORAL **Route of Administration**

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength

MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE -**MECLIZ INE** 25 mg **HYDROCHLORIDE** UNII:3L5TQ84570)

Inactive Ingredients Ingredient Name Strength SILICON DIOXIDE (UNII: ETJ7Z6XBU4) MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) MAGNESIUM STEARATE (UNII: 70097M6I30) LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)

Product Characteristics			
Color	white (White to off white)	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	AM7
Contains			

ı	P	ackaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:24689-139- 01	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/29/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M009	07/29/2022	

Labeler - APNAR PHARMA LP (079568229)

Establishment			
Name	Address		Business Operations
APNAR PHARMA LLP		118530917	manufacture(24689-138, 24689-139) , analysis(24689-138, 24689-139) , pack(24689-138, 24689-139)

Establishment			
Name	Address	ID/FEI	Business Operations
INVAHEALTH INC		116840615	label(24689-138, 24689-139), pack(24689-138, 24689-139)

Revised: 7/2022 APNAR PHARMA LP