

**DIPHENHYDRAMINE HCL- diphenhydramine hcl tablet, film coated
INVAHEALTH INC**

Diphenhydramine HCl 25 mg

Antihistamine

Do not use • to make a child sleepy • with any other product containing diphenhydramine, even one used on skin

a breathing problem such as emphysema or chronic bronchitis • glaucoma • trouble urinating due to an enlarged prostate gland

taking sedatives or tranquilizers

ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

609-642-6380

Colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, D&C Red No. 3, magnesium stearate, microcrystalline cellulose, polyethylene glycol, hydroxy propyl methyl cellulose talc, titanium dioxide

take every 4 to 6 hours do not take more than 6 doses in 24 hours

adults & children 12 years & over 1 to 2 tablets

children 6 to under 12 years 1 tablet

children under 6 years do not use this product in children under 6 years of age

Do not use

to make a child sleepy

with any other product containing diphenhydramine, even one used on skin

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

runny nose

sneezing

itchy, watery eyes

itching of the nose or throat

temporarily relieves these symptoms due to the common cold:

runny nose

sneezing

MedPlus

ALLERGY RELIEF

Antihistamine • Anti Allergy

DIPHENHYDRAMINE HCl

25mg each tablet

For temporary relief of:
Runny Nose • Itchy, Watery Eyes
Sneezing • Itchy Throat

NDC 73376-003-80

1000 tablets
not actual size



†compare to **BENADRYL**® active ingredients.



Drug Facts	Purpose
Active Ingredient (in each caplet) Diphenhydramine HCl 25mg	Antihistamine
Uses: temporarily relieves these symptoms due to hay fever or other upper respiratory allergies; runny nose; sneezing; itchy, watery eyes; temporarily relieves these symptoms due to the common cold; runny nose; sneezing	
Warnings: Do not use: to make a child sleepy; with any other product containing diphenhydramine, even one used on skin.	
Ask a doctor before use if you have: glaucoma; trouble urinating due to an enlarged prostate gland; a breathing problem such as emphysema or chronic bronchitis	
Ask a doctor or pharmacist before use if you are taking: sedatives or tranquilizers.	
When using this product: marked drowsiness may occur; avoid alcoholic drinks; alcohol, sedatives, and tranquilizers may increase drowsiness; be careful when driving a motor vehicle or operating machinery; excitability may occur, especially in children.	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.	
Directions: do not take more than directed; take every 4 - 6 hours, or as directed by a doctor; do not take more than 6 times in 24 hours; adults & children 12 years & over take 1 to 2 tablets; children 6 to under 12 years take 1 tablet; children under 6 years do not use	
Other Information: Each tablet contains: Calcium 24mg; Store between 20-25°C (68-77°F); Avoid high humidity; Protect from moisture and light	
Inactive Ingredients: Microcrystalline Cellulose, Croscarmellose Sodium, Colloidal Silicon Dioxide, Dibasic Calcium Phosphate, Magnesium Stearate, Hydroxy Propyl Methyl Cellulose, Polyethylene Glycol, Titanium Dioxide, Talc, FD&C Red #3.	
Questions or Comments? Call 1 (609) 642-6380 Monday through Friday 9 am to 5 pm EST or www.invahealth.com	

†This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark BENADRYL® tablets.

Distributed by: InvaHealth Inc
Cranbury, NJ 08512

TAMPER EVIDENT Do not use if safety seal under cap is broken or missing.



Lot No.
Exp. Dt.

DIPHENHYDRAMINE HCL

diphenhydramine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73376-003
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg in 25 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
TALC (UNII: 7SEV7J4R1U)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink	Score	no score
--------------	------	--------------	----------

Shape	OVAL	Size	11mm
Flavor		Imprint Code	I3
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73376-003-80	1000 mg in 1 BOTTLE; Type 0: Not a Combination Product	07/28/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/28/2022	

Labeler - INVAHEALTH INC (116840615)

Revised: 1/2024

INVAHEALTH INC