

TOTY ILUMINA CC CREAM 1N- titanium dioxide, zinc oxide cream  
TOTY ILUMINA CC CREAM 4C- titanium dioxide, zinc oxide cream  
TOTY ILUMINA CC CREAM 1C- titanium dioxide, zinc oxide cream  
TOTY ILUMINA CC CREAM 1W- titanium dioxide, zinc oxide cream  
TOTY ILUMINA CC CREAM 2N- titanium dioxide, zinc oxide cream  
TOTY ILUMINA CC CREAM 3C- titanium dioxide, zinc oxide cream  
TOTY ILUMINA CC CREAM 5W1- titanium dioxide, zinc oxide cream  
TOTY ILUMINA CC CREAM 5W2- titanium dioxide, zinc oxide cream  
TOTY ILUMINA CC CREAM 3W- titanium dioxide, zinc oxide cream  
TOTY ILUMINA CC CREAM 4N- titanium dioxide, zinc oxide cream  
TOTY ILUMINA CC CREAM 5W- titanium dioxide, zinc oxide cream  
TOTY ILUMINA CC CREAM 3N- titanium dioxide, zinc oxide cream  
TOTY ILUMINA CC CREAM 4W- titanium dioxide, zinc oxide cream  
TOTY ILUMINA CC CREAM 2C- titanium dioxide, zinc oxide cream  
TOTY ILUMINA CC CREAM 2W- titanium dioxide, zinc oxide cream  
Chipican LLC

-----  
**toty Ilumina CC Cream**

**Active Ingredients**

Titanium Dioxide 9%

Zinc Oxide 6.3%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** Rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

- Apply liberally 15 minutes before sun exposure

- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m
  - Wear long-sleeved shirts, pants, hats, and sunglasses
  - Children under 6 months of age: Ask a doctor.

### **Other Information**

- Shake well before use
- Do not expose the product to high temperatures
- Protect the product in this container from excessive heat and direct sun

### **Inactive Ingredients**

#### **NDCs 82141-2327-1, 82141-2328-1**

Water, Butylene Glycol Cocoate, Hexylene Glycol, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Butyloctyl Salicylate, Styrene/Acrylates Copolymer, Dicaprylyl Carbonate, Coco Glucoside, Myristyl Alcohol, Cetareth-25, Propylene Glycol, Dipropylene Glycol Dibenzoate, Phenoxyethanol, Silica, Disodium Ethylene Dicocamide PEG-15 Disulfate, Phenylpropanol, Myristyl Glucoside, Panthenol, Calaguala (*Polypodium leucotomos*) Leaf Extract, Sodium Hyaluronate, Caprylyl Glycol, Tea (*Camellia sinensis*) Leaf Extract, Propanediol, PPG-15 Stearyl Ether Benzoate, Stearalkonium Hectorite, Propylene Carbonate, Tocopheryl Acetate, BHT, Citric Acid, Disodium EDTA, Fragrance, Linalool, Synthetic Iron Oxide\* (CI 77491, CI 77492, CI 77499), Titanium Dioxide\* (CI 77891), Bismuth Oxychloride\* (CI 77163).

\* Contains one or more of these ingredients.

#### **NDCs 82141-2329-1, 82141-2330-1, 82141-2331-1, 82141-2332-1, 82141-2333-1**

#### **82141-2334-1, 82141-2336-1 & 82141-2338-1**

Water, Butylene Glycol Cocoate, Hexylene Glycol, C12-15

Alkyl Benzoate, Cetearyl Alcohol, Butyloctyl Salicylate, Styrene/Acrylates Copolymer, Dicaprylyl Carbonate, Coco Glucoside, Myristyl Alcohol, Cetareth-25, Propylene Glycol, Dipropylene Glycol Dibenzoate, Phenoxyethanol, Silica, Disodium Ethylene Dicocamide PEG-15 Disulfate, Phenylpropanol, Myristyl Glucoside, Panthenol, Calaguala (*Polypodium leucotomos*) Leaf Extract, Sodium Hyaluronate, Caprylyl Glycol, Mica, Tea (*Camellia sinensis*) Leaf Extract, Propanediol, PPG-15 Stearyl Ether Benzoate, Stearalkonium Hectorite, Propylene Carbonate, Tocopheryl Acetate, BHT, Citric Acid, Disodium EDTA, Fragrance, Linalool, Synthetic Iron Oxide\* (CI 77491, CI 77492, CI 77499), Titanium Dioxide\* (CI 77891), Bismuth Oxychloride\* (CI 77163).

\* Contains one or more of these ingredients.

**NDCs 82141-2335-1**

Water, Butylene Glycol Cocoate, Hexylene Glycol, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Butyloctyl Salicylate, Styrene/Acrylates Copolymer, Dicaprylyl Carbonate, Coco Glucoside, Myristyl Alcohol, Cetareth-25, Propylene Glycol, Dipropylene Glycol Dibenzoate, Phenoxyethanol, Silica, Disodium Ethylene Dicocamide PEG-15 Disulfate, Phenylpropanol, Myristyl Glucoside, Panthenol, Calaguala (*Polypodium leucotomos*) Leaf Extract, Sodium Hyaluronate, Caprylyl Glycol, Mica, Tea (*Camellia sinensis*) Leaf Extract, Propanediol, PPG-15 Stearyl Ether Benzoate, Stearalkonium Hectorite, Propylene Carbonate, Tocopheryl Acetate, BHT, Citric Acid, Disodium EDTA, Triethoxycaprylylsilane, Fragrance, Linalool, Synthetic Iron Oxide\* (CI 77491, CI 77492, CI 77499), Titanium Dioxide\* (CI 77891), Bismuth Oxychloride\* (CI 77163).

\* Contains one or more of these ingredients.

**NDCs 82141-2337-1 & 82141-2339-1**

Water, Butylene Glycol Cocoate, Hexylene Glycol, C12-15 Alkyl Benzoate, Butyloctyl Salicylate, Styrene/Acrylates Copolymer, Cetareth-25, Glyceril Stearate, PEG-100 Stearate, Propylene Glycol, Dipropylene Glycol Dibenzoate, Silica, Phenoxyethanol, Disodium Ethylene Dicocamide PEG-15 Disulfate, Phenylpropanol, Panthenol, Calaguala (*Polypodium leucotomos*) Leaf Extract, Sodium Hyaluronate, Caprylyl Glycol, Mica, Tea (*Camellia sinensis*) Leaf Extract, Propanediol, PPG-15 Stearyl Ether Benzoate, Tocopheryl Acetate, Steareth-21, Steareth-2, Triethoxycaprylylsilane, BHT, Citric Acid, Disodium EDTA, Fragrance, Linalool, Synthetic Iron Oxide\* (CI 77491, CI 77492, CI 77499).

\* Contains one or more of these ingredients.

**NDCs 82141-2340-1 & 82141-2341-1**

Water, Butylene Glycol Cocoate, Hexylene Glycol, C12-15 Alkyl Benzoate, Butyloctyl Salicylate, Styrene/Acrylates Copolymer, Cetareth-25, Propylene Glycol, Dipropylene Glycol Dibenzoate, Silica, Phenoxyethanol, Phenylpropanol, Disodium Ethylene Dicocamide PEG-15 Disulfate, Panthenol, Calaguala (*Polypodium leucotomos*) Leaf Extract, Sodium Hyaluronate, Caprylyl Glycol, Mica, Tea (*Camellia sinensis*) Leaf Extract, Propanediol, PPG-15 Stearyl Ether Benzoate, Tocopheryl Acetate, Glyceril Stearate, PEG-100 Stearate, Steareth-21, Steareth-2, Triethoxycaprylylsilane, BHT, Citric Acid, Disodium EDTA, Fragrance, Linalool, Synthetic Iron Oxide\* (CI 77491, CI 77492, CI 77499).

\* Contains one or more of these ingredients.

**toty Ilumina CC Cream 1N**

**NDC 82141-2327-1 (toty Ilumina CC Cream 1N)**

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



ClassicColors Orange: 14,5  
 Procces yellow: 17,8  
 Procces Black: 18,9

Sunscreen is the best accessory.  
*El protector solar es el mejor accesorio.*

---

PROTECT FROM THE SUN AND PERFECT YOUR COMPLEXION WITH A UNIQUE BLEND OF MINERAL SUNSCREENS TO HELP SUPPORT SKIN HEALTH. MEDIUM TO HIGH BUILDABLE COVERAGE FOR A NATURALLY LUMINOUS FINISH THAT LEAVES YOU GLOWING IN AND OUT OF THE SUN.

PROTEGE DEL SOL Y PERFECCIONA TU PIEL CON UNA COMBINACIÓN ÚNICA DE FILTROS SOLARES MINERALES QUE AYUDAN A MANTENER UNA PIEL SALUDABLE. SU COBERTURA ADAPTABLE MEDIA-ALTA, PROPORCIONA UN ACABADO LUMINOSO NATURAL PARA QUE LUZCAS RADIANTE BAJO EL SOL O SIN ÉL.

---

DERMATOLOGICALLY TESTED / TESTADO DERMATOLÓGICAMENTE

FOR ALL SKIN TYPES / PARA TODOS LOS TIPOS DE PIEL

NON-COMEDOGENIC / NO COMEDOGÉNICO

100% VEGAN / 100% VEGANO

PARABEN-FREE / LIBRE DE PARABENOS

TALCO-FREE / LIBRE DE TALCO

CRUELTY FREE / NO TESTADO EN ANIMALES

**ILUMINA  
CC CREAM**

SPF 50+

PERFECTING FLUID  
FLUIDO PERFECCIONADOR

---

BROAD SPECTRUM SPF 50+ MINERAL SUNSCREEN  
PROTECTOR SOLAR MINERAL AMPLIO ESPECTRO SPF 50+

1.4 fl. oz. / 40 ml

**Drug Facts**

Active ingredients	Purpose
Titanium dioxide (8.1%) Zinc oxide (6.2%)	Sunscreen

**Uses**

- Helps prevent tanning
- If used as directed with other sun protection measures and (avoided), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only

Do not use on damaged or broken skin

When using this product: ● Keep out of eyes. Rinse with water to remove.  
● Stop use and ask a doctor if ● Rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. – 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses
  - Children under 6 months of age: Ask a doctor

**Other information**

- State will advise use
- Do not expose the product to high temperatures
- Product in product in the canister from excessive heat and dry sun

**Inactive ingredients**  
Water, Sulfonyl Glycol Cocaine, Hexylene Glycol, Citric Acid, Alkyl Dimethyl Sulfonium Methacrylate, Sodium Salicylate, Styrene/Maleic Anhydride Copolymer, Carbonyl Iron, Zinc Oxide, Calcium Hydroxide, Potassium Hydroxide, Propylene Glycol, Dimethyl Methacrylate, Pentaerythrityl Tetra-Diisobutylate, Polypropylene Glycol, Glycerin, Perfumed, Cellulose, Polyethylene Glycol, Ethyl Hexyl Stearate, Sodium Hydroxide, Caprylyl Glycol, Tri-Calcium Phosphate, Lead Extract, Phenoxyethanol, PEG-15 Stearyl Ether Betaine, Stearalkonium Hydroxide, Propylene Carbonate, Tocopheryl Acetate, BHT, Ethylhexyl Triethoxysilane, Caprylate, Linoleyl Synthetic Iron Oxide (CI 77491), CI 77492, CI 77499, Titanium Dioxide (CI 77891), Simethicone Copolymer (CI 77165).

Contains one or more of these ingredients.

**Questions or comments?**  
Call Toll Free 1-833-866-7587  
9 a.m. – 4 p.m. EST, Monday-Friday

BATCH / LOT: EXP / CAD: 3 82111 23271 8

22327-202-01

**NDC 82141-2328-1 (toty Ilumina CC Cream 1W)**

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml

1W

ClassicColors Orange: 22,0  
 Procces yellow: 26,0  
 Procces Black: 18,4



**toty Illumina CC Cream 1C**  
**NDC 82141-2329-1 (toty Illumina CC Cream 1C)**  
 toty.  
 ILLUMINA  
 CC CREAM



SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



ClassicColors Orange: 34,5  
 Procces yellow: 20,9  
 Procces Black: 31,4



**toty Ilumina CC Cream 2N**

**NDC 82141-2330-1 (toty Ilumina CC Cream 2N)**

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



ClassicColors Orange: 33,4  
 Proces yellow: 29,9  
 Proces Black: 34,2

2N

Sunscreen is the best accessory.  
*El protector solar es el mejor accesorio.*

PROTECT FROM THE SUN AND PERFECT YOUR COMPLEXION WITH A UNIQUE BLEND OF MINERAL SUNSCREENS TO HELP SUPPORT SKIN HEALTH. MEDUML TO HIGH BUILDABLE COVERAGE FOR A NATURALLY LUMINOUS FINISH THAT LEAVES YOU GLOWING IN AND OUT OF THE SUN.

PROTEGE DEL SOL Y PERFECCIONA TU PIEL CON UNA COMBINACIÓN ÚNICA DE FILTROS SOLARES MINERALES QUE AYUDAN A MANTENER UNA PIEL SALUDABLE. SU COBERTURA ADAPTARTE A MEDIA-A LTA. PROPORCIONA UN ACABADO LUMINOSO NATURAL PARA QUE LUZZAS RADIANTE BAJO EL SOL O SIN EL.

DERMATOLOGICALLY TESTED / TESTADO DERMATOLÓGICAMENTE

FOR ALL SKIN TYPES / PARA TODOS LOS TIPOS DE PIEL

NON-COMEDOGENIC / NO COMEDOGÉNICO

100% VEGAN / 100% VEGANO

PARABEN-FREE / LIBRE DE PARABENOS

TALCO-FREE / LIBRE DE TALCO

CRUELTY FREE / NO TESTADO EN ANIMALES

toty.

**ILUMINA CC CREAM**

SPF 50+

PERFECTING FLUID  
**FLUIDO PERFECCIONADOR**

BROAD SPECTRUM SPF 50+ MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL AMPLIO ESPECTRO SPF 50+

1.4 fl. oz. / 40 ml

**Drug Facts**

<b>Active Ingredients</b>	<b>Purpose</b>
Titanium Dioxide (8%) Zinc Oxide (2%)	Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and skin aging caused by the sun.

**Warnings**

For external use only.

Do not use on or around or broken skin.

When using this product:      • Keep out of eyes. Rinse with water if contact.

Stop use and ask a doctor if:      • Rash occurs  
Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Use Protection Measures. Staying (in) the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regular use is necessary with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. – 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.
  - Children under 6 months of age. Ask a doctor.

**Other Information**

- Shake well before use.
- Do not expose the product to high temperatures.
- Avoid the product in its container from excessive heat and direct sun.

**Inactive Ingredients**

Water, Isobutyl Alcohol, Cocaine, Hexylene Glycol, C12-15 Alkyl Benzoate, Calcium Diethyl Sulfonate, Salicylate, Stearalkonium Chloride, Stearyl Dimethyl Carboxylate, Copolymer, Methyl Methacrylate, Carbomer, PEG-40, Dimethyl Siloxane, Dimethyl Methacrylate, Carbomer, PEG-40, Dimethyl Siloxane, Dipropylene Glycol Dimethyl Ether, Phenoxyethanol, Silica, Dimethyl Methacrylate, Dimethyl Siloxane, PEG-40, Dimethyl Siloxane, Phenoxyethanol, Isobutyl Alcohol, Cocaine, Hexylene Glycol, C12-15 Alkyl Benzoate, Calcium Diethyl Sulfonate, Salicylate, Stearalkonium Chloride, Stearyl Dimethyl Carboxylate, Copolymer, Methyl Methacrylate, Carbomer, PEG-40, Dimethyl Siloxane, Dipropylene Glycol Dimethyl Ether, Phenoxyethanol, Silica.

Contains one or more of these ingredients.

**Questions or comments?**  
 Call 1-800-459-9927  
 9 a.m. – 4 p.m. EST, Monday-Friday

**Información Sobre el Fármaco**

<b>Ingredientes activos</b>	<b>Función</b>
Dioóxido de Titanio (8%) Óxido de Zinc (2%)	Protector Solar

**Usos**

- Ayuda a prevenir las quemaduras solares.
- Si se usa como se indica junto con otras medidas de protección solar (consulte el Modo de empleo), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol.

**Advertencias**

Solo para uso externo.

No usar en piel dañada o irritada.

Cuando use este producto:      • Evite el contacto con los ojos. Aclarar con agua si esto ocurre.

Deje de usarlo y consulte a un médico si:      • Ocurre irritación de la piel.

Manténgase fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o póngase en contacto inmediatamente con el Centro de Toxicología.

**Modo de empleo**

- Aplique generosamente 15 minutos antes de exponerse al sol.
- Reaplique al menos cada 2 horas.
- Utilice un protector solar resistente al agua si nada o mucha agua.
- Medidas de Protección Solares. Pase tiempo bajo el sol aumenta el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, use regularmente un protector solar con un FPS de amplio espectro de 15 o más y otras medidas de protección solar que incluyen:
  - Limite el tiempo bajo el sol, especialmente de 10 a.m. - 2 p.m.
  - Use camisas de manga larga, pantalones, sombreros y lentes de sol.
  - Niños menores de 6 meses de edad, consulte a un médico.

**Otra información**

- Agitar bien antes de usar.
- No exponga el producto a altas temperaturas.
- Proteja el producto en este envase contra el calor excesivo y la luz directa del sol.

**Ingredientes inactivos**

Consultar tabla Drug Facts.

**¿Preguntas o comentarios?**  
 Llámame Gratuito, 1-800-459-9927  
 9 a.m. – 4 p.m. EST, Lunes-Viernes

BATCH / LOT: 22330141-23301  
 EXP / CAD: 2025-01-01

22330-202-01

**NDC 82141-2331-1 (toty Ilumina CC Cream 2W)**

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml

2W

ClassicColors Orange: 33,3  
Procces yellow: 42,1  
Procces Black: 35,7

2W

Sunscreen is the best accessory.  
*El protector solar es el mejor accesorio.*

**toty.**

PROTECT FROM THE SUN AND PERFECT YOUR COMPLEXION WITH A UNIQUE BLEND OF MINERAL SUNSCREENS TO HELP SUPPORT SKIN HEALTH. MEDIUM TO HIGH BUILDABLE COVERAGE FOR A NATURALLY LUMINOUS FINISH THAT LEAVES YOU GLOWING IN AND OUT OF THE SUN.

PROTEGE DEL SOL Y PERFECCIONA TU PIEL CON UNA COMBINACION ÚNICA DE FILTROS SOLARES MINERALES QUE AYUDAN A MANTENER UNA PIEL SALUDABLE. SU COBERTURA ADAPTABLE MEDIA-ALTA, PROPORCIONA UN ACABADO LUMINOSO NATURAL, PARA QUE LUCZAS RADIANTE BAJO EL SOL O SIN EL.

DERMATOLOGICALLY TESTED / TESTADO DERMATOLÓGICAMENTE

FOR ALL SKIN TYPES / PARA TODOS LOS TIPOS DE PIEL

NON-COMEDOGENIC / NO COMEDOGENICO

100% VEGAN / 100% VEGANO

PARABEN-FREE / LIBRE DE PARABENOS

TALCO-FREE / LIBRE DE TALCO

CRUELTY FREE / NO TESTADO EN ANIMALES

ILUMINA CC CREAM

SPF 50+

PERFECTING FLUID  
FLUIDO PERFECCIONADOR

BROAD SPECTRUM SPF 50+ MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL AMPLIO ESPECTRO SPF 50+

1.4 fl. oz. / 40 ml



BATCH / LOT...  
EXP / CAD...

22331-202-01

**Drug Facts**

**Active Ingredients** Purpose  
Titanium dioxide 9% Sunscreen  
Zinc oxide 4.2%

**Uses**  
• Helps prevent sunburn  
• If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only  
Do not use on damaged or broken skin

**When using this product**  
• Keep out of eyes. Rinses with water if contact.  
• Stop use and ask a doctor if:  
• Rash occurs  
• Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
• Apply liberally 15 minutes before sun exposure  
• Reapply at least every 2 hours  
• Use a water-resistant sunscreen if swimming or sweating  
• Sun-Induced Erythema: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
• Limit time in the sun, especially from 10 a.m. to 4 p.m.  
• Wear long-sleeved shirts, pants, hats, and sunglasses  
• Children under 6 months of age: Ask a doctor

**Other information**  
• Shake well before use  
• Do not expose the product to high temperatures  
• Protect the product in its container from excessive heat and direct sun

**Inactive Ingredients**  
Water, Glycerin, Dimethyl Siloxane, Hexylene Glycol, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Butylglycol, Salicylate, Synthesized Lecithin, Stearic Acid, Cetearyl Olivate, Coco Glucoside, Mineral Oil, Calcium Hydroxide, Propylene Glycol, Dipropylene Glycol Dimaleate, Phenoxyethanol, Silica, Disodium Stearoyl Sulfonate, PEG-40 Stearate, Dimethyl Phosphoryl, Methyl Glucoside, Pectin, Carbopol (Polysodium Acrylate), Lauryl Cetostearyl Sulfonate, Hexamethylene Glycol, Methyl Methacrylate, Cellulose, Carbonyl Diethylamine, Triethyl Citrate, Propylparaben, Potassium Hydroxide, Sodium Hydroxide, Sodium Benzoate, Sodium Chloride, Sodium Citrate, Sodium Dehydroacetate, Sodium Hexafluorophosphate, Sodium Hydroxide, Sodium Lauryl Sulfate, Sodium Stearoyl Sulfonate, Sodium Sulfate, Sodium Sulfite, Sodium Toluene Sulfonate, Sodium Zirconium Oxide, Titanium Dioxide, Titanium Dioxide (CI 7789), Titanium Dioxide (CI 7792), Bismuth Oxychloride (CI 77163).  
Contains one or more of these ingredients.

**Questions or comments?**  
Call toll free: 1-833-866-7587  
8 a.m. - 4 p.m. EST, Monday-Friday

DISTRIBUTED BY /  
DISTRIBUIDOR POR  
Chiplinton LLC, 2851 Little Falls Dr.  
Wilmington, DE 19808  
©2020 toty.com  
MADE IN SPAIN /  
FABRICADO EN ESPAÑA

**Información Sobre el Fármaco**

**Ingredientes activos** Función  
Dioóxido de Titanio 9% Protector Solar  
Óxido de Zinc 4,2%

**Usos**  
• Ayuda a prevenir las quemaduras solares  
• Si se usa como se indica junto con otras medidas de protección solar (consulte Modo de empleo), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol

**Advertencias**  
Solo para uso externo  
No usar en piel dañada o irritada

**Cuando use este producto**  
• Evite el contacto con los ojos. Aclare con agua si esto ocurre.  
**Díe de usarlo y consulte a un médico si**  
• Ocurre irritación de la piel

**Manténgase fuera del alcance de los niños.** En caso de ingestión, busque ayuda médica o póngase en contacto inmediatamente con el Centro de Toxicología.

**Modo de empleo**  
• Aplique generosamente 15 minutos antes de exponerse al sol  
• Reaplique al menos cada 2 horas  
• Utilizar un protector solar resistente al agua si nada o agua  
• Medidas de Protección Solar: Pasar tiempo bajo el sol aumenta el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, use regularmente un protector solar con un FPS de amplio espectro de 15 o más y otras medidas de protección solar que incluyen:  
• Limite el tiempo bajo el sol, especialmente de 10 a.m. a 4 p.m.  
• Use camisas de manga larga, pantalones, sombreros y lentes de sol  
• Niños menores de 6 meses de edad, consulte a un médico

**Otra información**  
• Agitar bien antes de usar  
• No exponga el producto a altas temperaturas  
• Proteja el producto en este envase contra el calor excesivo y la luz directa del sol

**Ingredientes inactivos**  
Consultar tabla Drug Facts

**¿Preguntas o comentarios?**  
Llamada Gratuita: 1-833-866-7587  
8 a.m. - 4 p.m. EST, Lunes-Viernes



ESQANEAME



FSC® C108649

# NDC 82141-2332-1 (toty Ilumina CC Cream 2C)

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



ClassicColors Orange: 37,3  
 Proces yellow: 34,2  
 Proces Black: 40,8



**ILUMINA  
CC CREAM**

SPF 50+

**PERFECTING FLUID  
FLUIDO  
PERFECCIONADOR**

BROAD SPECTRUM SPF 50+  
MINERAL SUNSCREEN  
PROTECTOR SOLAR MINERAL  
AMPLIO ESPECTRO SPF 50+

1.4 fl. oz. / 40 ml

**Drug Facts**

**Active Ingredients**

**Uses**

**Warnings**

**Directions**

**Other information**

**Ingredients**

**Contains or comments?**

Sunscreen is the best accessory.  
El protector solar es el mejor accesorio.

PROTECT FROM THE SUN AND PERFECT YOUR COMPLEXION WITH A UNIQUE BLEND OF MINERAL SUNSCREENS TO HELP SUPPORT SKIN HEALTH. MEDIUM TO HIGH BUILDABLE COVERAGE FOR NATURALLY LUMINOUS FINISH THAT LEAVES YOU GLOWING IN AND OUT OF THE SUN.

PROTEGE DEL SOL PROFESIONAL Y PERFECCIONA TU PIEL CON UNA COMBINACION UNICA DE FILTROS SOLARES MINERALES QUE AYUDAN A MANTENER UNA PIEL SALUDABLE. E SU COBERTURA ADAPTABLE Y MEDIANA ALTA, PROPORCIONA UN ACABADO LUMINOSO NATURAL PARA QUE LUCES RADIANTE BAJO EL SOL O SIN ELL.

DERMATOLOGICALLY TESTED / TESTADO DERMATOLÓGICAMENTE

FOR ALL SKIN TYPES / PARA TODOS LOS TIPOS DE PIEL

NON-COMEDOGENIC / NO COMEDOGÉNICO

100% VEGAN / 100% VEGANO

PARABEN-FREE / LIBRE DE PARABENOS

TALCO-FREE / LIBRE DE TALCO

CRUELTY FREE / NO TESTADO EN ANIMALES

**Información Sobre el Fármaco**

**Ingredientes activos**

**Usos**

**Advertencias**

**Modo de empleo**

**Otra información**

**Ingredientes inactivos**

**¿Preguntas o comentarios?**



2332-202-03

**toty Ilumina CC Cream 3N**

**NDC 82141-2333-1 (toty Ilumina CC Cream 3N)**

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....  
BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml





**NDC 82141-2334-1 (toty Ilumina CC Cream 3W)**

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



**NDC 82141-2335-1 (toty Ilumina CC Cream 3C)**

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



**NDC 82141-2336-1 (toty Ilumina CC Cream 4N)**

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml

4N

ClassicColors Orange: 52,8  
 Procces yellow: 36,2  
 Procces Black: 57,8

4N

Sunscreen is the best accessory.  
*El protector solar es el mejor accesorio.*

PROTECT FROM THE SUN AND PERFECT YOUR COMPLEXION WITH A UNIQUE BLEND OF MINERAL SUNSCREENS TO HELP SUPPORT SKIN HEALTH. MEDIUM TO HIGH BUILDABLE COVERAGE FOR A NATURALLY LUMINOUS FINISH THAT LEAVES YOU GLOWING IN AND OUT OF THE SUN.

PROTEGE DEL SOL Y PERFECCIONA TU PIEL CON UNA COMBINACIÓN ÚNICA DE FILTROS SOLARES MINERALES QUE AYUDAN A MANTENER UNA PIEL SALUDABLE. SU COBERTURA ADAPTABLE MEDIA-ALTA, PROPORCIONA UN ACABADO LUMINOSO NATURAL PARA QUE LUZCAS RADIANTE BAJO EL SOL O SIN ÉL.

DERMATOLOGICALLY TESTED / TESTADO DERMATOLÓGICAMENTE

FOR ALL SKIN TYPES / PARA TODOS LOS TIPOS DE PIEL

NON-COMEDOGENIC / NO COMEDOGENICO

100% VEGAN / 100% VEGANO

PARABEN-FREE / LIBRE DE PARABENOS

TALCO-FREE / LIBRE DE TALCO

CRUELTY FREE / NO TESTADO EN ANIMALES

*toty.*

ILUMINA  
 CC CREAM

SPF 50+

PERFECTING FLUID  
 FLUIDO PERFECCIONADOR

BROAD SPECTRUM SPF 50+  
 MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL  
 AMPLIO ESPECTRO SPF 50+

1.4 fl. oz. / 40 ml

BATCH / LOT:  
 EXP / CAD:

22336-202-01

**Drug Facts**

**Active ingredients** Purpose  
 Titanium Dioxide (8.5%) Sunscreen  
 Zinc Oxide (8.5%) Sunscreen

**Use**  
 • High percent sunscreen  
 • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
 For external use only  
 Do not use on damaged or broken skin

**When using this product** • Keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if:  
 • Rash occurs  
 • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 • Apply liberally 15 minutes before sun exposure  
 • Reapply at least every 2 hours  
 • Use a water-resistant sunscreen if swimming or sweating  
 • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.  
 • To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
 • Limit time in the sun, especially from 10 a.m. to 4 p.m.  
 • Wear long-sleeved shirts, pants, hats, and sunglasses  
 • Children under 6 months of age: Ask a doctor

**Other information**  
 • Store well below use  
 • Do not expose the product to high temperatures  
 • Protect the product in its container from excessive heat and direct sun

**Inactive ingredients**  
 Water, Behentriol Glycol Cocaine, Hexylene Glycol, Citric Acid, Benzocaine, Citronellol, Methyl Salicylate, Stearalkonium Chloride, Stearic Acid, Cetyl Alcohol, Glyceryl Stearate, Ceteareth-20, Cetearyl Alcohol, Cetearyl Glycol, Dimethyl Siloxane, Polydimethylsiloxane, Dimethyl Methacrylate, Carbonyl Iron, Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891), Bismuth Oxychloride (CI 77120).  
 Contains one or more of these ingredients.

**Questions or comments?**  
 Call Toll Free 1-833-886-7567  
 9 a.m. - 4 p.m. EST, Monday-Friday

DISTRIBUTED BY /  
 DISTRIBUIDO POR:  
 Chipmunk LLC, 2601 Antler Falls Dr.,  
 Wilmington, DE 19808  
 toty.com

MADE IN SPAIN /  
 FABRICADO EN ESPAÑA

**Información Sobre el Fármaco**

**Ingredientes activos** Función  
 Dióxido de Titanio (8,5%) Protector Solar  
 Óxido de Zinc (8,5%) Protector Solar

**Usos**  
 • Ayuda a prevenir las quemaduras solares  
 • Si se usa como se indica junto con otras medidas de protección solar (consulta Modo de empleo), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol

**Advertencias**  
 Solo para uso externo  
 No usar en piel dañada o irritada

**Cuando use este producto** • Evite el contacto con los ojos. Aclare con agua si esto ocurre.

**Deje de usarlo y consulte a un médico si**  
 • Ocurre irritación de la piel  
 Manténgase fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o póngase en contacto inmediatamente con el Centro de Toxicología.

**Modo de empleo**  
 • Aplique generosamente 15 minutos antes de exponerse al sol  
 • Reaplique al menos cada 2 horas  
 • Utilizar un protector solar resistente al agua si nada o poca  
 • Medidas de Protección Solar: Pasar tiempo bajo el sol aumenta el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, use regularmente un protector solar con un FPS de amplio espectro de 15 o más y otras medidas de protección solar que incluyen:  
 • Limite el tiempo bajo el sol, especialmente de 10 a.m. a 2 p.m.  
 • Use camisas de manga larga, pantalones, sombreros y lentes de sol  
 • Niños menores de 6 meses de edad: consulte a un médico.

**Otra información**  
 • Agitar bien antes de usar  
 • No exponga el producto a altas temperaturas  
 • Proteja el producto en este envase contra el calor excesivo y la luz directa del sol

**Ingredientes inactivos**  
 Consultar tabla Drug Facts

**¿Preguntas o comentarios?**  
 Llamada Gratuita 1-833-886-7567  
 9 a.m. - 4 p.m. EST, Lunes-Viernes



**NDC 82141-2337-1 (toty Ilumina CC Cream 4W)**

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN





CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....  
BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



**NDC 82141-2340-1 (toty Ilumina CC Cream 5W1)**

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



ClassicColors Orange: 70,5  
 Procces yellow: 43,1  
 Procces Black: 63,9



Sunscreen is the best accessory.  
 El protector solar es el mejor accesorio.

*toty.*

PROTECT FROM THE SUN AND PERFECT YOUR COMPLEXION WITH A UNIQUE BLEND OF MINERAL SUNSCREENS TO HELP SUPPORT SKIN HEALTH. MEDIUM TO HIGH BUILDABLE COVERAGE FOR A NATURALLY LUMINOUS FINISH THAT LEAVES YOU GLOWING IN AND OUT OF THE SUN.

PROTEGE DEL SOL Y PERFECCIONA TU PIEL CON UNA COMBINACIÓN ÚNICA DE FILTROS SOLARES MINERALES QUE AYUDAN A MANTENER UNA PIEL SALUDABLE. SU COBERTURA ADAPTABLE MEDIA-ALTA, PROPORCIONA UN ACABADO LUMINOSO NATURAL PARA QUE LUZGAS RADIANTE BAJO EL SOL O SIN EL.

DERMATOLOGICALLY TESTED / TESTADO DERMATOLÓGICAMENTE

FOR ALL SKIN TYPES / PARA TODOS LOS TIPOS DE PIEL

NON-COMEDOGENIC / NO COMEDOGENICO

100% VEGAN / 100% VEGANO

PARABEN-FREE / LIBRE DE PARABENOS

TALO-FREE / LIBRE DE TALCO

CRUELTY FREE / NO TESTADO EN ANIMALES

ILUMINA  
 CC CREAM

SPF 50+

PERFECTING FLUID  
 FLUIDO PERFECCIONADOR

BROAD SPECTRUM SPF 50+  
 MINERAL SUNSCREEN  
 PROTECTOR SOLAR MINERAL  
 AMPLIO ESPECTRO SPF 50+

1.4 fl. oz. / 40 ml



BATCH / LOT: 3 82141 23401 9  
 EXP. / CAD.:

22340-202-01

**Drug Facts**

**Active Ingredients**  
 Titanium dioxide 8%  
 Zinc oxide 5.2%  
 Sunscreen

**Uses**  
 • Helps prevent sunburn  
 • Used as directed with other sun protection measures (i.e. clothing, hats, shade, etc.) to help reduce the risk of skin cancer and other skin aging caused by the sun

**Warnings**  
 For external use only  
 Do not use on damaged or broken skin  
 When using this product • Keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if • Rash occurs  
 Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

**Directions**  
 • Apply liberally 15 minutes before sun exposure  
 • Reapply at least every 2 hours  
 • Use a water-resistant sunscreen if swimming or sweating  
 • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and other skin aging. To decrease this risk, you should use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
 • Limit time in the sun, especially from 10 a.m. - 4 p.m.  
 • Wear long-sleeved shirts, pants, hats, and sunglasses  
 • Children under 6 months of age: Ask a doctor

**Other information**  
 • Shake well before use  
 • Do not expose the product to high temperatures  
 • Protect the product in the container from excessive heat and moisture

**Inactive Ingredients**  
 Water, Salicylic Acid, Caprylyl Glycol, Hexylene Glycol, Citrus 151-15, Allyl Benzoate, Butyl Methoxy Salicylate, Stearic Acid, Cyclopentasiloxane, Cetearyl Alcohol, Propylene Glycol, Cyclopentasiloxane, Ethyl Hexanoate, Silica, Phenoxyethanol, Phenoxyethanol, Dimethyl Siloxane, Dimethyl Siloxane, PEG-15 Dimethyl Siloxane, Polymethylsiloxane, PEG-15 Dimethyl Siloxane, Sodium Myristate, Caprylyl Glycol, Hexylene Glycol, Citrus 151-15, Stearyl Ethylhexanoate, Tocopheryl Acetate, Citric Acid, Stearic Acid, PEG-10 Dimethyl Siloxane, Stearic Acid, Dimethylsiloxane, Stearic Acid, Stearic Acid, Stearic Acid, Fragrance, Limonene, Synthetic Iron Oxide (CI 77489, CI 77490, CI 77491)

**Questions or comments?**  
 Call 1-800-455-7567  
 9 a.m. - 4 p.m. EST, Monday-Friday

**DISTRIBUTED BY /  
 DISTRIBUIDO POR**  
 Chippewa LLC, 2851 Lister Falls Dr.  
 Wilmington, DE 19808  
 toty.com

**MADE IN SPAIN /  
 FABRICADO EN ESPAÑA**

**Información Sobre el Fármaco**

**Ingredientes activos**  
 Dióxido de Titanio 8%  
 Óxido de Zinc 5,2%  
 Protector Solar

**Usos**  
 • Ayuda a prevenir las quemaduras solares  
 • Si se usa como se indica junto con otras medidas de protección solar (consulte Modo de empleo), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol

**Advertencias**  
 Solo para uso externo.  
 No usar en piel dañada o irritada.  
 Cuando use este producto • Evite el contacto con los ojos. Acébralo con agua si esto ocurre.  
 Deje de usarlo y consulte a un médico si  
 • Ocurre irritación de la piel.  
 Manténgase fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o póngase en contacto inmediatamente con el Centro de Toxicología.

**Modo de empleo**  
 • Aplique generosamente 15 minutos antes de exponerse al sol.  
 • Reaplique al menos cada 2 horas.  
 • Utilice un protector solar resistente al agua si nada o toda.  
 • Medidas de Protección Solar: Pasar tiempo bajo el sol aumenta el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, use regularmente un protector solar con un FPS de amplio espectro de 15 o más y otras medidas de protección solar que incluyen:  
 • Limite el tiempo bajo el sol, especialmente de 10 a.m. - 2 p.m.  
 • Use camisas de manga larga, pantalones, sombreros y lentes de sol.  
 • Niños menores de 6 meses de edad: consulte a un médico

**Otra información**  
 • Agitar bien antes de usar  
 • No exponga el producto a altas temperaturas  
 • Proteja el producto en este envase contra el calor excesivo y la luz directa del sol

**Ingredientes inactivos**  
 Consulte tabla Drug Facts

**¿Preguntas o comentarios?**  
 Llámada Gratuita 1-833-866-7567  
 9 a.m. - 4 p.m. EST, Lunes-Viernes

**DISTRIBUIDO POR /  
 DISTRIBUIDO POR**  
 Chippewa LLC, 2851 Lister Falls Dr.  
 Wilmington, DE 19808  
 toty.com

**MADE IN SPAIN /  
 FABRICADO EN ESPAÑA**



**NDC 82141-2341-1 (toty Ilumina CC Cream 5W2)**

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml





titanium dioxide, zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82141-2327
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>1,3-BUTYLENE GLYCOL COCOATE</b> (UNII: B2JUC5N9EH)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>STEARALKONIUM HECTORITE</b> (UNII: O LX698AH5P)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PHLEBODIUM AUREUM LEAF</b> (UNII: BG58BW230G)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CETEARETH-25</b> (UNII: 8FA93U5T67)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>DIPROPYLENE GLYCOL DIBENZOATE</b> (UNII: 6OA5ZDY41O)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE</b> (UNII: QI9A6U005W)	
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)	
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)	
<b>MYRISTYL ALCOHOL</b> (UNII: V42034O9PU)	
<b>MYRISTYL GLUCOSIDE</b> (UNII: 6AK28695LF)	

PANTHENOL (UNII: W9CM0067Z)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2327-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

## TOTY ILUMINA CC CREAM 4C

titanium dioxide, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2338
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
COCO GLUCOSIDE (UNII: ICS790225B)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	

<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>CETEARETH-25</b> (UNII: 8FA93U5T67)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)
<b>DIPROPYLENE GLYCOL DIBENZOATE</b> (UNII: 60A5ZDY41O)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE</b> (UNII: QI9A6U005W)
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)
<b>MYRISTYL ALCOHOL</b> (UNII: V42034O9PU)
<b>MYRISTYL GLUCOSIDE</b> (UNII: 6AK28695LF)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2338-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

## TOTY ILUMINA CC CREAM 1C

titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82141-2329
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>1,3-BUTYLENE GLYCOL COCOATE</b> (UNII: B2JUC5N9EH)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>STEARALKONIUM HECTORITE</b> (UNII: O LX698AH5P)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PHLEBODIUM AUREUM LEAF</b> (UNII: BG58BW230G)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CETEARETH-25</b> (UNII: 8FA93U5T67)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>DIPROPYLENE GLYCOL DIBENZOATE</b> (UNII: 60A5ZDY41O)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE</b> (UNII: QI9A6U005W)	
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)	
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)	
<b>MYRISTYL ALCOHOL</b> (UNII: V42034O9PU)	
<b>MYRISTYL GLUCOSIDE</b> (UNII: 6AK28695LF)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2329-1	1 in 1 CARTON	10/01/2022	

1	40 g in 1 TUBE; Type 0: Not a Combination Product		
---	---	--	--

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

## TOTY ILUMINA CC CREAM 1W

titanium dioxide, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2328
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
COCO GLUCOSIDE (UNII: ICS790225B)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETEARETH-25 (UNII: 8FA93U5T67)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 60A5ZDY41O)	

<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE</b> (UNII: QI9A6U005W)
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)
<b>MYRISTYL ALCOHOL</b> (UNII: V42034O9PU)
<b>MYRISTYL GLUCOSIDE</b> (UNII: 6AK28695LF)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2328-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

## TOTY ILUMINA CC CREAM 2N

titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82141-2330
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	

<b>1,3-BUTYLENE GLYCOL COCOATE</b> (UNII: B2JUC5N9EH)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>STEARALKONIUM HECTORITE</b> (UNII: O LX698AH5P)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>PHLEBODIUM AUREUM LEAF</b> (UNII: BG58BW230G)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>CETEARETH-25</b> (UNII: 8FA93U5T67)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)
<b>DIPROPYLENE GLYCOL DIBENZOATE</b> (UNII: 6OA5ZDY41O)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE</b> (UNII: QI9A6U005W)
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)
<b>MYRISTYL ALCOHOL</b> (UNII: V42034O9PU)
<b>MYRISTYL GLUCOSIDE</b> (UNII: 6AK28695LF)
<b>PANTHENOL</b> (UNII: WW9CM0067Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2330-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	



# TOTY ILUMINA CC CREAM 3C

titanium dioxide, zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82141-2335
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>1,3-BUTYLENE GLYCOL COCOATE</b> (UNII: B2JUC5N9EH)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>STEARALKONIUM HECTORITE</b> (UNII: OLX698AH5P)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PHLEBODIUM AUREUM LEAF</b> (UNII: BG58BW230G)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)	
<b>CETEARETH-25</b> (UNII: 8FA93U5T67)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>DIPROPYLENE GLYCOL DIBENZOATE</b> (UNII: 6OA5ZDY41O)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE</b> (UNII: QI9A6U005W)	
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)	

<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)	
<b>MYRISTYL ALCOHOL</b> (UNII: V42034O9PU)	
<b>MYRISTYL GLUCOSIDE</b> (UNII: 6AK28695LF)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2335-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

## TOTY ILUMINA CC CREAM 5W1

titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82141-2340
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>1,3-BUTYLENE GLYCOL COCOATE</b> (UNII: B2JUC5N9EH)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>STEARETH-21</b> (UNII: 53J3F32P58)	
<b>STEARETH-2</b> (UNII: V56DFE46J5)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>PHLEBODIUM AUREUM LEAF</b> (UNII: BG58BW230G)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>CETEARETH-25</b> (UNII: 8FA93U5T67)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>DIPROPYLENE GLYCOL DIBENZOATE</b> (UNII: 6OA5ZDY41O)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE</b> (UNII: QI9A6U005W)
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)
<b>PANTHENOL</b> (UNII: WW9CM0067Z)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2340-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

## TOTY ILUMINA CC CREAM 5W2

titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82141-2341
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>1,3-BUTYLENE GLYCOL COCOATE</b> (UNII: B2JUC5N9EH)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>STEARETH-21</b> (UNII: 53J3F32P58)	
<b>STEARETH-2</b> (UNII: V56DFE46J5)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PHLEBODIUM AUREUM LEAF</b> (UNII: BG58BW230G)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CETEARETH-25</b> (UNII: 8FA93U5T67)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DIPROPYLENE GLYCOL DIBENZOATE</b> (UNII: 6OA5ZDY41O)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE</b> (UNII: QI9A6U005W)	
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)	
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
----------	------------------	----------------------------	-----------------------------	---------------------------

1	NDC:82141-2341-1	1 in 1 CARTON	10/01/2022
1		40 g in 1 TUBE; Type 0: Not a Combination Product	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

## TOTY ILLUMINA CC CREAM 3W

titanium dioxide, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2334
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
COCO GLUCOSIDE (UNII: ICS790225B)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETEARETH-25 (UNII: 8FA93U5T67)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	

<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)
<b>DIPROPYLENE GLYCOL DIBENZOATE</b> (UNII: 60A5ZDY41O)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>MYRISTYL ALCOHOL</b> (UNII: V42034O9PU)
<b>DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE</b> (UNII: QI9A6U005W)
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)
<b>MYRISTYL GLUCOSIDE</b> (UNII: 6AK28695LF)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2334-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

## TOTY ILUMINA CC CREAM 4N

titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82141-2336
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>1,3-BUTYLENE GLYCOL COCOATE</b> (UNII: B2JUC5N9EH)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>STEARALKONIUM HECTORITE</b> (UNII: O LX698AH5P)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PHLEBODIUM AUREUM LEAF</b> (UNII: BG58BW230G)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CETEARETH-25</b> (UNII: 8FA93U5T67)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>DIPROPYLENE GLYCOL DIBENZOATE</b> (UNII: 60A5ZDY41O)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE</b> (UNII: QI9A6U005W)	
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)	
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)	
<b>MYRISTYL ALCOHOL</b> (UNII: V42034O9PU)	
<b>MYRISTYL GLUCOSIDE</b> (UNII: 6AK28695LF)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2336-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	10/01/2022	

## TOTY ILLUMINA CC CREAM 5W

titanium dioxide, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2339
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
MICA (UNII: V8A1AW0880)	
STEARETH-21 (UNII: 53J3F32P58)	
STEARETH-2 (UNII: V56DFE46J5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETEARETH-25 (UNII: 8FA93U5T67)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 6OA5ZDY41O)	
PROPANEDIOL (UNII: 5965N8W85T)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	



<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE</b> (UNII: QI9A6U005W)
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2339-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

## TOTY ILUMINA CC CREAM 3N

titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82141-2333
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>1,3-BUTYLENE GLYCOL COCOATE</b> (UNII: B2JUC5N9EH)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>STEARALKONIUM HECTORITE</b> (UNII: O LX698AH5P)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	

<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>PHLEBODIUM AUREUM LEAF</b> (UNII: BG58BW230G)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>CETEARETH-25</b> (UNII: 8FA93U5T67)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)
<b>DIPROPYLENE GLYCOL DIBENZOATE</b> (UNII: 6OA5ZDY41O)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE</b> (UNII: QI9A6U005W)
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)
<b>MYRISTYL ALCOHOL</b> (UNII: V42034O9PU)
<b>MYRISTYL GLUCOSIDE</b> (UNII: 6AK28695LF)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2333-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

## TOTY ILUMINA CC CREAM 4W

titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82141-2337
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>1,3-BUTYLENE GLYCOL COCOATE</b> (UNII: B2JUC5N9EH)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>STEARETH-21</b> (UNII: 53J3F32P58)	
<b>STEARETH-2</b> (UNII: V56DFE46J5)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PHLEBODIUM AUREUM LEAF</b> (UNII: BG58BW230G)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CETARETH-25</b> (UNII: 8FA93U5T67)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DIPROPYLENE GLYCOL DIBENZOATE</b> (UNII: 6OA5ZDY41O)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE</b> (UNII: QI9A6U005W)	
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)	
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2337-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

## TOTY ILUMINA CC CREAM 2C

titanium dioxide, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2332
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>1,3-BUTYLENE GLYCOL COCOATE</b> (UNII: B2JUC5N9EH)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>STEARALKONIUM HECTORITE</b> (UNII: OLX698AH5P)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PHLEBODIUM AUREUM LEAF</b> (UNII: BG58BW230G)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CETEARETH-25</b> (UNII: 8FA93U5T67)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	

LINALOOL, (+/-)- (UNII: D81QY6I88E)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 60A5ZDY41O)
PROPANEDIOL (UNII: 5965N8W85T)
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)
PHENYLPROPANOL (UNII: 0F897O3O4M)
MYRISTYL ALCOHOL (UNII: V42034O9PU)
MYRISTYL GLUCOSIDE (UNII: 6AK28695LF)
PANTHENOL (UNII: WW9CM0067Z)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2332-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

## TOTY ILUMINA CC CREAM 2W

titanium dioxide, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2331
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>1,3-BUTYLENE GLYCOL COCOATE</b> (UNII: B2JUC5N9EH)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>STEARALKONIUM HECTORITE</b> (UNII: O LX698AH5P)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PHLEBODIUM AUREUM LEAF</b> (UNII: BG58BW230G)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CETEARETH-25</b> (UNII: 8FA93U5T67)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>DIPROPYLENE GLYCOL DIBENZOATE</b> (UNII: 6OA5ZDY41O)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE</b> (UNII: QI9A6U005W)	
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)	
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)	
<b>MYRISTYL ALCOHOL</b> (UNII: V42034O9PU)	
<b>MYRISTYL GLUCOSIDE</b> (UNII: 6AK28695LF)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2331-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

**Labeler** - Chipican LLC (118132015)

## Establishment

Name	Address	ID/FEI	Business Operations
Industrial Farmaceutica Cantabria SA		470471158	manufacture(82141-2327, 82141-2328, 82141-2329, 82141-2330, 82141-2331, 82141-2332, 82141-2333, 82141-2334, 82141-2335, 82141-2336, 82141-2337, 82141-2338, 82141-2339, 82141-2340, 82141-2341) , pack(82141-2327, 82141-2328, 82141-2329, 82141-2330, 82141-2331, 82141-2332, 82141-2333, 82141-2334, 82141-2335, 82141-2336, 82141-2337, 82141-2338, 82141-2339, 82141-2340, 82141-2341) , label(82141-2327, 82141-2328, 82141-2329, 82141-2330, 82141-2331, 82141-2332, 82141-2333, 82141-2334, 82141-2335, 82141-2336, 82141-2337, 82141-2338, 82141-2339, 82141-2340, 82141-2341)

Revised: 12/2024

Chipican LLC