

**DAYTIME COLD AND FLU RELIEF MULTI-SYMPTOM- acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled**

**United Natural Foods, Inc. dba UNFI**

-----  
**Drug Facts**

**Active ingredients (in each softgel)**

**Acetaminophen 325 mg**

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

**Purpose**

**Pain reliever/fever reducer**

Cough suppressant

Nasal decongestant

**Uses**

- temporarily relieves common cold and flu symptoms
  - minor aches and pains
  - headache
  - sore throat
  - nasal congestion
  - fever
  - cough due to minor throat and bronchial irritation

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- diabetes
- heart disease
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**When using this product,**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occurs
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## Directions

- **do not take more than directed (see Overdose warning)**
- do not take more than 4 doses in 24 hours
- adults and children 12 years and over: take 2 softgels with water every 4 hours
- swallow whole; do not crush, chew, or dissolve
- children under 12 years: do not use
- **when using other Daytime or Nighttime products, carefully read each label to insure correct dosing**

## Other information

- store between 15-30°C (59-86°F)
- avoid excessive heat

## Inactive ingredients

butylated hydroxyanisole, butylated hydroxytoluene, FD&C yellow #6, gelatin, glycerin, mannitol, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, white ink

## Questions or comments?

Call toll free 1-877-932-7948

## Principal Display Panel

compare to Vicks® DayQuil® Cold & Flu LiquiCaps® active ingredients†

Non-Drowsy, multi-symptom

Daytime

Cold & Flu Relief

**acetaminophen** (aches / fever reducer)

Dextromethorphan (cough suppressant)

Phenylephrine (nasal decongestant)

relieves:

- aches, fever & sore throat
- nasal congestion & cough

ALCOHOL & ANTIHISTAMINE FREE

softgels\*\* (\*\*liquid-filled capsules)

†This product is not manufactured or distributed by The Procter & Gamble Company. Vicks®, DayQuil®, LiquiCaps® are registered trademarks of The Procter & Gamble Company.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**DISTRIBUTED BY SUPERVALU INC.,**

**EDEN PRAIRIE, MN 55344 USA**

[supervaluprivatebrands.com](http://supervaluprivatebrands.com)

**Product Label**

# EQUALINE®

NDC 41163-848-24

compare to Vicks®  
DayQuil® Cold & Flu  
LiquiCaps® active  
ingredients†

## non-drowsy, multi-symptom daytime cold & flu relief

acetaminophen (aches/fever reducer)  
dextromethorphan HBr (cough suppressant)  
phenylephrine HCl (nasal decongestant)

relieves:

- aches, fever & sore throat
- nasal congestion & cough

ALCOHOL & ANTIHISTAMINE FREE



TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

† No.  
p. Date:

### Drug Facts

#### Active ingredients (in each softgel)

Acetaminophen 325 mg.....Pain reliever/fever reducer  
Dextromethorphan HBr 10 mg.....Cough suppressant  
Phenylephrine HCl 5 mg.....Nasal decongestant

#### Purposes

■ temporarily relieves common cold and flu symptoms:  
■ minor aches and pains ■ headache ■ sore throat  
■ nasal congestion ■ fever  
■ cough due to minor throat and bronchial irritation

#### Drug Facts (continued)

**Uses** ■ temporarily relieves common cold and flu symptoms:  
■ minor aches and pains ■ headache ■ sore throat  
■ nasal congestion ■ fever  
■ cough due to minor throat and bronchial irritation

### Drug Facts (continued)

#### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash  
**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

■ liver disease ■ diabetes ■ heart disease ■ thyroid disease ■ high blood pressure

■ trouble urinating due to an enlarged prostate gland  
■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema

■ cough that occurs with too much phlegm (mucus)

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**When using this product, do not exceed recommended dosage.**

### Drug Facts (continued)

#### Stop use and ask a doctor if

■ pain, cough, or nasal congestion gets worse or lasts more than 7 days  
■ nervousness, dizziness, or sleepiness occur  
■ fever gets worse or lasts more than 3 days  
■ redness or swelling is present ■ new symptoms occur  
■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.  
**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### Directions

■ do not take more than 4 doses in 24 hours  
■ adults and children 12 years and over: take 2 softgels with water every 4 hours  
■ swallow whole: do not crush, chew, or dissolve  
■ children under 12 years: do not use  
■ when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

#### Other information

■ store between 15-30°C (59-86°F) ■ avoid excessive heat

#### Inactive ingredients

butylated hydroxyanisole, butylated hydroxytoluene, FD&C yellow #6, gelatin, glycerin, mannitol, polyethylene glycol, polyethylene glycol, purified water, sorbitan, sorbitol, white ink

#### Questions or comments?

Call toll free 1-877-932-7948

24 softgels\*\* (\*\*liquid-filled capsules)

actual size

Lot Exp

DISTRIBUTED BY SUPERVALU INC., EDEN PRAIRIE, MN 55344 USA

\*This product is not manufactured or distributed by The Procter & Gamble Company. Vicks®, DayQuil®, and LiquiCaps® are registered trademarks of The Procter & Gamble Company.



Like it or let us make it right. That's our quality promise. 877-932-7948 [supervaluprivatebrands.com](http://supervaluprivatebrands.com)



**EQUALINE Non-Drowsy Multi-Symptom Daytime Cold & Flu Relief**

**DAYTIME COLD AND FLU RELIEF MULTI-SYMPATOM**

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41163-848
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>BUTYLATED HYDROXYANISOLE</b> (UNII: REK4960K2U)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	

**Product Characteristics**

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	20mm

<b>Flavor</b>		<b>Imprint Code</b>	P19	
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-848-24	24 in 1 CARTON	09/30/2019	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	09/30/2019		

**Labeler** - United Natural Foods, Inc. dba UNFI (943556183)

Revised: 5/2024

United Natural Foods, Inc. dba UNFI