

## **BISMATROL - bismuth subsalicylate tablet, chewable**

### **Major Pharmaceuticals**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Major Bismatrol Chewable Tablets**

#### **Active ingredient (in each tablet)**

Bismuth subsalicylate 262 mg

(total salicylate 102 mg per tablet)

#### **Purpose**

Upset stomach reliever and anti-diarrheal

#### **Uses**

relieves:

- diarrhea
- heartburn
- indigestion
- nausea
- upset stomach associated with these symptoms

#### **Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

#### **Do not use if you have**

- bloody or black stools
- an ulcer
- a bleeding problem

#### **Ask a doctor before use if you have**

- fever

- mucus in the stool

**Ask a doctor or pharmacist before use if you are taking any drug for**

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

**When using this product**

a temporary, but harmless darkening of the stool and/or tongue may occur.

**Stop use and ask a doctor if**

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately.

**Directions**

- chew or dissolve in mouth
- adults and children 12 years and over: 2 tablets every 1/2 to 1 hour as needed
- do not take more than 8 doses (16 tablets) in 24 hours
- children under 12 years: ask a doctor
- drink plenty of fluids to help prevent dehydration caused by diarrhea.

**Other information:**

**each tablet contains:**

- sodium less than 1 mg
- salicylate 102 mg
- very low sodium
- avoid excessive heat (over 104°F or 40°C)
- **TAMPER EVIDENT:Do not use if individual compartments are torn or missing.**

**Inactive ingredients**

calcium carbonate, D&C red 27 aluminum lake, flavor, magnesium stearate, mannitol, pregelatinized starch, saccharin sodium.

**Principal Display Panel**

MAJOR

NDC 0904-1315-46

Bismatrol Chewable Tablets

Soothing, coating action provides

fast relief for heartburn, indigestion, nausea, upset stomach and diarrhea

COMPARE TO THE ACTIVE INGREDIENT IN PEPTO-BISMOL®

30 chewable tablets



## BISMATROL

bismuth subsalicylate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0904-1315
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE)		<b>BISMUTH SUBSALICYLATE</b>	262 mg	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>		<b>Strength</b>		
CALCIUM CARBONATE (UNII: H0G9379FGK)				
D&C RED NO. 27 (UNII: 2LRS185U6K)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MANNITOL (UNII: 3OWL53L36A)				
STARCH, CORN (UNII: O8232NY3SJ)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
<b>Product Characteristics</b>				
<b>Color</b>	pink	<b>Score</b>	no score	
<b>Shape</b>	ROUND	<b>Size</b>	17mm	
<b>Flavor</b>		<b>Imprint Code</b>	GDC122	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0904-1315-46	5 in 1 CARTON	01/03/2003	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC monograph final	part335	01/03/2003		

**Labeler** - Major Pharmaceuticals (191427277)

Revised: 1/2022

Major Pharmaceuticals