EXTRA STRENGTH NIGHT TIME PAIN MEDICINE- acetaminophen, diphenhydramine hcl tablet, coated Geri-Care Pharmaceutical Corp

GC 224B (324)

Active Ingredients

Acetaminophen 500 mg
Diphenhydramine HCI 25 mg

Purposes

Pain Reliever

Sleep aid

Uses

for the temporary relief of occasional headaches and minor ache and pains along with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product
- Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include: • skin reddening • blisters • rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • with any other product containing diphenhydramine, even one used on skin • in children under 12 years of age • if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have • liver disease • a breathing problem such as emphysema or chronic bronchitis • glaucoma • difficulty urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking • the blood thinning drug warfarin

• sedatives or tranquilizers

When using this product • drowsiness will occur • do not drive a motor vehicle or operate machinery after use • avoid alcoholic drinks

Stop use and ask a doctor if • sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness. • pain gets worse or lasts for more that 10 days • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- adults and children 12 years and over: take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.
- children under 12 years: do not use

Other information

• store at controlled room temperature 20-25 °C (68-77° F)

Inactive ingredients

cellulose, croscarmellose sodium, FD&C blue #1 lake, FD&C blue #2 lake, hypromellose, magnesium stearate, PEG, polyvinyl alcohol, povidone, purified water, silicon dioxide, sodium starch glycolate, starch, talc, titanium dioxide

Questions or comments?

1-800-540-3765

package Label



TAMPER EVIDENT: Do not use if imprinted seal

Active ingredients (in each caplet) Purposes under cap is missing or broken. **Drug Facts**

neadaches and minor aches and pains along with Uses • for the temporary relief of occasional iphenhydramine HCl 25 mg.

.....Pain Relieve

Acetaminophen 500

accompanying sleeplessness

 more than 4,000 mg of acetaminophen in 24 hours iver warning: This product contains acetaminophen Severe liver damage may occur if you take Narnings

 3 or more alcoholic drinks every day while using with other drugs containing acetaminophen this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include

well as for children even if you do not notice

signs or symptoms

medical attention is critical for adults as

2 caplets at bedtime. Do not take more

adults and children 12 years and over:

Directions • do not take more than

directed (see overdose warning)

han 2 caplets of this product in 24 hours.

children under 12 years: do not use

n**er information •** store at control m temperature 20-25 °C (68-77°F)

Overdose warning: In case of overdose, ge

keep out of reach of children.

present • new symptoms occur These may

be signs of a serious condition. nealth professional before use.

pregnant or breast-feeding, ask a

more than 3 days . redness or swelling

llness. • pain gets worse or lasts for mor

10 days . fever gets worse or

symptom of a serious underlying medica

Center right away (1-800-222-1222). Quick

medical help or contact a Poison Control

 skin reddening
 blisters
 rash If a skin reaction occurs, stop use and seek medical help right away Do not use . with any other drug containing

If you are not sure whether a drug contains Tacetaminophen, ask a doctor or pharmacist acetaminophen (prescription or nonprescription)

diphenhydramine, even one used on skin with any other product containing in children under 12 years of age

 if you have ever had an allergic reaction to this product or any of its ingredients distributed by the owner of the registered This product is not manufactured or

Dist. By: Geri-Care Pharmaceuticals Corp. 295 Towbin Ave, Lakewood, NJ 087 trademark TÝLENOL® PM.

4

ŏ

Questions or comments? 1-800-540-3765 STOP PEELING

purified water, silicon dioxide, sodium starch

ilycolate, starch, talc, titanium dioxide

stearate, PEG, polyvinyl alcohol, povidone

FD&C blue #2 lake, hypromellose, magnes

ose sodium, FD&C blue #1 lake,

When using this product • drowsiness wil drive a motor vehicle or operate machinery Ask a doctor or pharmacist before use i you are taking . the blood thinning drug liver disease • glaucoma • a breathing sleeplessness persists continuously for problem such as emphysema or chronic bronchitis . trouble urinating due to an more than 2 weeks. Insomnia may be a occur • avoid alcoholic drinks • do not Ask a doctor before use if you have warfarin • sedatives or tranquilizers Stop use and ask a doctor if Orug Facts (continued) enlarged prostate gland

EXTRA STRENGTH NIGHT TIME PAIN MEDICINE

acetaminophen, diphenhydramine hcl tablet, coated

Product Information HUMAN OTC DRUG NDC:57896-324 **Product Type** Item Code (Source) **Route of Administration ORAL**

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength **ACETAMINOPHEN** ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) 500 mg **DIPHENHYDRAMINE HYDROCHLORIDE** (UNII: TC2D6IAD40) DIPHENHYDRAMINE 25 mg (DIPHENHYDRAMINE - UNII:8GTS82S83M) **HYDROCHLORIDE**

Inactive Ingredients Ingredient Name Strength TALC (UNII: 7SEV7J4R1U)

POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POVIDONE (UNII: FZ989GH94E)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
WATER (UNII: 059QF0KO0R)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics						
Color	blue	Score	no score			
Shape	CAPSULE	Size	18mm			
Flavor		Imprint Code	P525			
Contains						

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:57896-324- 01	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2022			
2	NDC:57896-324- 05	50 in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2022			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M013	06/01/2022			

Labeler - Geri-Care Pharmaceutical Corp (611196254)

Registrant - Geri-Care Pharmaceutical Corp (611196254)

Revised: 10/2023 Geri-Care Pharmaceutical Corp