

CLE DE PEAU BEAUTE THE FOUNDATION I10- octinoxate and titanium dioxide cream  
CLE DE PEAU BEAUTE THE FOUNDATION O10- octinoxate and titanium dioxide cream  
CLE DE PEAU BEAUTE THE FOUNDATION O20- octinoxate and titanium dioxide cream  
CLE DE PEAU BEAUTE THE FOUNDATION O30- octinoxate and titanium dioxide cream  
CLE DE PEAU BEAUTE THE FOUNDATION O40- octinoxate and titanium dioxide cream  
CLE DE PEAU BEAUTE THE FOUNDATION O50- octinoxate and titanium dioxide cream  
CLE DE PEAU BEAUTE THE FOUNDATION O60- octinoxate and titanium dioxide cream  
CLE DE PEAU BEAUTE THE FOUNDATION B10- octinoxate and titanium dioxide cream  
CLE DE PEAU BEAUTE THE FOUNDATION B20- octinoxate and titanium dioxide cream  
CLE DE PEAU BEAUTE THE FOUNDATION B30- octinoxate and titanium dioxide cream  
CLE DE PEAU BEAUTE THE FOUNDATION BF20- octinoxate and titanium dioxide cream  
CLE DE PEAU BEAUTE THE FOUNDATION WB20- octinoxate and titanium dioxide cream  
SHISEIDO AMERICAS CORPORATION

-----  
**CLÉ DE PEAU BEAUTÉ THE FOUNDATION**

***Drug Facts***

| <b><i>Active ingredients</i></b> | <b><i>Purpose</i></b> |
|----------------------------------|-----------------------|
| OCTINOXATE 3.9%                  | Sunscreen             |
| TITANIUM DIOXIDE 3.3%            | Sunscreen             |

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

## Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

## Inactive Ingredients

WATER•DIMETHICONE•BUTYLENE GLYCOL•GLYCERIN•ISOHEXADECANE•CETYL ETHYLHEXANOATE•CETYL PEG/PPG-10/1 DIMETHICONE•DIPHENYLSILOXY PHENYL TRIMETHICONE•TREHALOSE•TOCOPHERYL ACETATE•SODIUM HYALURONATE•DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER•BUPLEURUM FALCATUM ROOT EXTRACT•SODIUM ACETYLATED HYALURONATE•PEG/PPG-14/7 DIMETHYL ETHER•ROSA ROXBURGHII FRUIT EXTRACT•POLYQUATERNIUM-51•HYDROLYZED CONCHIOLIN PROTEIN•HYDROLYZED SILK•DEXTRIN PALMITATE•PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE•ALUMINUM HYDROXIDE•STEARIC ACID•TRISODIUM EDTA•CELLULOSE GUM•PALMITIC ACID•DISODIUM STEAROYL GLUTAMATE•DISTEARYLDIMONIUM CHLORIDE•SYNTHETIC FLUORPHLOGOPITE•POLYMETHYLSILSESQUIOXANE•ISOPROPYL ALCOHOL•BHT•THEANINE•POLYSILICONE-2•PHENOXYETHANOL•METHYLPARABEN•FRAGRANCE•TITANIUM DIOXIDE•IRON OXIDES•MICA•

## Other information

- protect this product in this container from excessive heat and direct sun.

## Questions or comments?

Call toll free 1-800-906-7503

## PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - I10

clé de peau  
BEAUTÉ

*the foundation*

**BROAD SPECTRUM**

**SPF 21**  
**SUNSCREEN**

27mL NET WT. 1 OZ.

the foundation

110



**clé de peau**  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**


WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISOHEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/ETHYL DIMETHICONE CROSSPOLYMER •  
BUPLEURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE •  
PEG-8 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEAROYL MONIUM CHLORIDE • SYNTHETIC FLUORPHLOGOPITE • POLYMETHYLSILOSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THEAINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

Protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-806-7503



**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - O10**

clé de peau  
BEAUTÉ

*the foundation*

**BROAD SPECTRUM**

**SPF 21**

**SUNSCREEN**

27mL NET WT. 1 OZ.

the foundation  
010



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISOHEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/MIMYL DIMETHICONE CROSSPOLYMER •  
BUPLEURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHILIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEAROYL DIMONIUM CHLORIDE • SYNTHETIC FLUORPHLOGYRITE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THEANINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-908-7503

clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN

O 10

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9% ..... Sunscreen  
TITANIUM DIOXIDE 3.3% ..... Sunscreen

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13691  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



縮小サイズ0.85倍 10mmバー  
16mm×33mm

7 30852 13691 5

13691-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - O20**

clé de peau  
BEAUTÉ

*the foundation*



*BROAD SPECTRUM  
SPF 21  
SUNSCREEN*

27mL NET WT. 1 OZ.

the foundation

020



clé de peau  
BEAUTÉ

the foundation

BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISO HEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/AMYL DIMETHICONE CROSSPOLYMER •  
BUPLEURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEAROYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHLOGOPYTE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THIAMINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
O20

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9%  
TITANIUM DIOXIDE 3.3%

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
G.L.O. 13692  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



最小サイズ0.85倍 10mmバー  
18mm×33mm

7 30852 13692 2

13692-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - O30**

clé de peau  
BEAUTÉ

*the foundation*

*BROAD SPECTRUM  
SPF 21  
SUNSCREEN*

27mL NET WT. 1 OZ.

the foundation

030



clé de peau  
BEAUTÉ

the foundation

BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**


WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISO HEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/MINYL DIMETHICONE CROSSPOLYMER •  
SULFURURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEARYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHLOGYRITE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THYMINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - O40**

clé de peau  
BEAUTÉ

*the foundation*

**BROAD SPECTRUM**

*SPF 21*  
*SUNSCREEN*

27mL NET WT. 1 OZ.

the foundation

040



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISO HEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/AMYL DIMETHICONE CROSSPOLYMER •  
BUPLEURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRAN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEARYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHLOGOPITE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THENANE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
O40

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9%  
TITANIUM DIOXIDE 3.3%

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
G.L.O. 13694  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



縮小サイズ0.85倍 10mmバー  
16mm×33mm

7 30852 13694 6

13694-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - O50**

clé de peau  
BEAUTÉ

*the foundation*

*BROAD SPECTRUM  
SPF 21  
SUNSCREEN*

27mL NET WT. 1 OZ.

the foundation  
050



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISOHEXDECANE • CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE • DIPHEMYSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE • SODIUM HYALURONATE • DIMETHICONE/MN11,0 DIMETHICONE CROSSPOLYMER • BUPLEURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE • DISTEARYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHLOGOPITE • POLYETHYLSILSESQUOXANE • ISOPROPYL ALCOHOL • BHT • THIAMINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
050

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9% ..... Sunscreen  
TITANIUM DIOXIDE 3.3% ..... Sunscreen

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13695  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



縮小サイズ0.85倍 10mmバー  
16mmX33mm

7 30852 13695 3



13695-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - O60**

clé de peau  
BEAUTÉ

*the foundation*

**BROAD SPECTRUM**

**SPF 21**

**SUNSCREEN**

**27mL NET WT. 1 OZ.**

the foundation

O60



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive Ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISOHEXDECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/PHYL DIMETHICONE CROSSPOLYMER •  
BIPLERURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEARYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHOSPHATE • POLYETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THEANINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

Protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
O60

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9%  
TITANIUM DIOXIDE 3.3%

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13696  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



縮小サイズ0.85倍 10mmバー  
16mm×33mm

7 30852 13696 0

13696-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - B10**

clé de peau  
BEAUTÉ

*the foundation*

*BROAD SPECTRUM  
SPF 21  
SUNSCREEN*

27mL NET WT. 1 OZ.



the foundation  
B10



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISO HEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/AMYL DIMETHICONE CROSSPOLYMER •  
BUPLEIURUM FALCATA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRAN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEARYL DIMONIUM CHLORIDE • SYNTHETIC FLUORPHLOGOPITE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THIAMINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
B 10

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9% ..... Sunscreen  
TITANIUM DIOXIDE 3.3% ..... Sunscreen

**Purpose**

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13697  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



縮小サイズ0.85倍 10mmバー  
16mm×33mm

7 30852 13697 7

13697-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - B20**

clé de peau  
BEAUTÉ

*the foundation*

*BROAD SPECTRUM  
SPF 21  
SUNSCREEN*

27mL NET WT. 1 OZ.

the foundation  
B20



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISO HEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/AMYL DIMETHICONE CROSSPOLYMER •  
BUPLEURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRAN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEARYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHLOGOPITE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THENANE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
B20

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9% ..... Sunscreen  
TITANIUM DIOXIDE 3.3% ..... Sunscreen

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
G.L.O. 13698  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



最小サイズ0.85倍 10mmバー  
16mm×33mm

7 30852 13698 4

13698-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - B30**

clé de peau  
BEAUTÉ

*the foundation*

*BROAD SPECTRUM  
SPF 21  
SUNSCREEN*

27mL NET WT. 1 OZ.

the foundation  
B30



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive Ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISOHEXDECANE • CETYL ETHYLHEXANOATE • Cetyl PEG/PPG-10/1 DIMETHICONE • DIPHEMYSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE • SODIUM HYALURONATE • DIMETHICONE/PHYL DIMETHICONE CROSSPOLYMER • BIPLERURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE • DISTEAROYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHLOGOPITE • POLYETHYLSILSESQUOXANE • ISOPROPYL ALCOHOL • BHT • THEANINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

**Other Information**

Protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
B 30

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9% ..... Sunscreen  
TITANIUM DIOXIDE 3.3% ..... Sunscreen

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13699  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



縮小サイズ0.85倍 10mmバー  
16mmX33mm

7 30852 13699 1

13699-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - BF20**

clé de peau  
BEAUTÉ

*the foundation*



*BROAD SPECTRUM  
SPF 21  
SUNSCREEN*

27mL NET WT. 1 OZ.

the foundation  
BF20



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISO HEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/ANIL DIMETHICONE CROSSPOLYMER •  
SULFURIUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEARYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHLOGOPITE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THEBAINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

**Other Information**

Protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
BF20

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9%  
TITANIUM DIOXIDE 3.3%

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
G.L.O. 13700  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



縮小サイズ0.85倍 10mmバー  
18mm×33mm

7 30852 13700 4

13700-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - WB20**

clé de peau  
BEAUTÉ

*the foundation*

**BROAD SPECTRUM**

**SPF 21**

**SUNSCREEN**

**27mL NET WT. 1 OZ.**

the foundation  
WB 20



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISO HEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/AMYL DIMETHICONE CROSSPOLYMER •  
BUPLEURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRAN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEARYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHLOGOPITE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THENANE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
WB20

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9%  
TITANIUM DIOXIDE 3.3%

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13701  
www.cledepeau-beaute.com



最小サイズ0.85g 10mmバー  
16mm×33mm

7 30852 13701 1

13701-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**CLE DE PEAU BEAUTE THE FOUNDATION I10**

octinoxate and titanium dioxide cream

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:58411-315

## Route of Administration

TOPICAL

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE        | 1228 mg in 27 mL |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 1039 mg in 27 mL |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)  |          |
| <b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)   |          |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)   |          |
| <b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)   |          |
| <b>TREHALOSE</b> (UNII: B8WCK70T7I)  |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: VR1WPI7EW8)  |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)                             |          |
| <b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)  |          |
| <b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)  |          |
| <b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)  |          |
| <b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)  |          |
| <b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J) |          |
| <b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)   |          |
| <b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)  |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)   |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |          |
| <b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)  |          |
| <b>PALMITIC ACID</b> (UNII: 2V16EO95H1)  |          |
| <b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)  |          |
| <b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)   |          |
| <b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)   |          |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)  |          |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)   |          |
| <b>THEANINE</b> (UNII: 8021PR16QO)   |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |          |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)  |          |
| <b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)   |          |
| <b>MICA</b> (UNII: V8A1AW0880)   |          |

## Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:58411-315-50 | 1 in 1 CARTON                                     | 08/01/2017           |                    |
| 1 |                  | 27 mL in 1 JAR; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 08/01/2017           |                    |

## CLE DE PEAU BEAUTE THE FOUNDATION O10

octinoxate and titanium dioxide cream

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:58411-316 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE        | 1228 mg in 27 mL |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 1039 mg in 27 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)  |          |
| <b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)                                       |          |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)                     |          |
| <b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)                         |          |
| <b>TREHALOSE</b> (UNII: B8WCK70T7I)  |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)                            |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5) |          |
| <b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)                                    |          |



|  |
|--|
| <b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)  |
| <b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)  |
| <b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)  |
| <b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J) |
| <b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)   |
| <b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)  |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)   |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |
| <b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)  |
| <b>PALMITIC ACID</b> (UNII: 2V16EO95H1)  |
| <b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)  |
| <b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)   |
| <b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)   |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)  |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)   |
| <b>THEANINE</b> (UNII: 8021PR16QO)   |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)  |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)  |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)   |
| <b>MICA</b> (UNII: V8A1AW0880)   |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:58411-316-50 | 1 in 1 CARTON                                     | 08/01/2017           |                    |
| 1 |                  | 27 mL in 1 JAR; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 08/01/2017           |                    |

## CLE DE PEAU BEAUTE THE FOUNDATION O20

octinoxate and titanium dioxide cream

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:58411-317 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b>  |
|---|--------------------------|------------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE               | 1228 mg in 27 mL |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE         | 1039 mg in 27 mL |

**Inactive Ingredients**

| <b>Ingredient Name</b>   | <b>Strength</b> |
|--|-----------------|
| <b>WATER</b> (UNII: 059QF0KO0R)  |                 |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |                 |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)  |                 |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |                 |
| <b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)  |                 |
| <b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)   |                 |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)   |                 |
| <b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)   |                 |
| <b>TREHALOSE</b> (UNII: B8WCK70T7I)  |                 |
| <b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)  |                 |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |                 |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)                             |                 |
| <b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)  |                 |
| <b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)  |                 |
| <b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)  |                 |
| <b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)  |                 |
| <b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J) |                 |
| <b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)   |                 |
| <b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)  |                 |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)   |                 |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |                 |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |                 |
| <b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)  |                 |
| <b>PALMITIC ACID</b> (UNII: 2V16EO95H1)  |                 |
| <b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)  |                 |
| <b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)   |                 |
| <b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)   |                 |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)  |                 |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)   |                 |
| <b>THEANINE</b> (UNII: 8021PR16QO)   |                 |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |                 |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)  |                 |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |                 |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)  |                 |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)   |                 |
| <b>MICA</b> (UNII: V8A1AW0880)   |                 |

**Packaging**

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:58411-317-50 | 1 in 1 CARTON                                     | 08/01/2017           |                    |
| 1 |                  | 27 mL in 1 JAR; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 08/01/2017           |                    |

## CLE DE PEAU BEAUTE THE FOUNDATION O30

octinoxate and titanium dioxide cream

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:58411-318 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE        | 1228 mg in 27 mL |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 1039 mg in 27 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)  |          |
| <b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)                                       |          |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)                     |          |
| <b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)                         |          |
| <b>TREHALOSE</b> (UNII: B8WCK70T7I)  |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)                            |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5) |          |
| <b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)                                    |          |
| <b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)                              |          |
| <b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)                                |          |
| <b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)                                      |          |
| <b>POLYQUATERNIUM 15 (2-METHACRYLOYL OXYETHYL DIMETHYLAMMONIUM CHLORIDE)</b>         |          |

|  |
|--|
| <b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J) |
| <b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)   |
| <b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)  |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)   |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |
| <b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)  |
| <b>PALMITIC ACID</b> (UNII: 2V16EO95H1)  |
| <b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)  |
| <b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)   |
| <b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)   |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)  |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)   |
| <b>THEANINE</b> (UNII: 8021PR16QO)   |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)  |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)  |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)   |
| <b>MICA</b> (UNII: V8A1AW0880)   |

| Packaging |                  |   |                      |                    |
|-----------|------------------|---|----------------------|--------------------|
| #         | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
| 1         | NDC:58411-318-50 | 1 in 1 CARTON                                     | 08/01/2017           |                    |
| 1         |                  | 27 mL in 1 JAR; Type 0: Not a Combination Product |                      |                    |

| Marketing Information |  |                      |                    |
|-----------------------|--|----------------------|--------------------|
| Marketing Category    | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph drug    | M020                                     | 08/01/2017           |                    |

**CLE DE PEAU BEAUTE THE FOUNDATION O40**  
 octinoxate and titanium dioxide cream

| Product Information            |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:58411-319 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

| Active Ingredient/Active Moiety |                   |          |
|---------------------------------|-------------------|----------|
| Ingredient Name                 | Basis of Strength | Strength |

|   |                  |                  |
|---|------------------|------------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE       | 1228 mg in 27 mL |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 1039 mg in 27 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)  |          |
| <b>CETYL ETHYLHEXANOATE</b> (UNII: 134647VMX4)   |          |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)   |          |
| <b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)   |          |
| <b>TREHALOSE</b> (UNII: B8WCK70T7I)  |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)  |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)                             |          |
| <b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)  |          |
| <b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)  |          |
| <b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)  |          |
| <b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)  |          |
| <b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J) |          |
| <b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)   |          |
| <b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)  |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)   |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |          |
| <b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)  |          |
| <b>PALMITIC ACID</b> (UNII: 2V16EO95H1)  |          |
| <b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)  |          |
| <b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573Z X3X)  |          |
| <b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907Z B69)  |          |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)  |          |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)   |          |
| <b>THEANINE</b> (UNII: 8021PR16QO)   |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |          |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)  |          |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)   |          |
| <b>MICA</b> (UNII: V8A1AW0880)   |          |

### Packaging

| # | Item Code      | Package Description | Marketing Start Date | Marketing End Date |
|---|----------------|---------------------|----------------------|--------------------|
| 1 | NDC:58411-319- | 1 in 1 CARTON       | 08/01/2017           |                    |

|   |    |   |            |
|---|----|---|------------|
| 1 | 50 | 1 III 1 CARTON                                    | 08/01/2017 |
| 1 |    | 27 mL in 1 JAR; Type 0: Not a Combination Product |            |

| Marketing Information |  |                      |                    |
|-----------------------|--|----------------------|--------------------|
| Marketing Category    | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph drug    | M020                                     | 08/01/2017           |                    |

## CLE DE PEAU BEAUTE THE FOUNDATION O50

octinoxate and titanium dioxide cream

| Product Information  |                   |                    |               |
|--|-------------------|--------------------|---------------|
| Product Type   | HUMAN OTC DRUG    | Item Code (Source) | NDC:58411-320 |
| Route of Administration  | TOPICAL           |                    |               |
| Active Ingredient/Active Moiety  |                   |                    |               |
| Ingredient Name  | Basis of Strength | Strength           |               |
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)  | OCTINOXATE        | 1228 mg in 27 mL   |               |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)                                  | TITANIUM DIOXIDE  | 1039 mg in 27 mL   |               |
| Inactive Ingredients   |                   |                    |               |
| Ingredient Name  | Strength          |                    |               |
| <b>WATER</b> (UNII: 059QF0KO0R)  |                   |                    |               |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |                   |                    |               |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)  |                   |                    |               |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |                   |                    |               |
| <b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)  |                   |                    |               |
| <b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)   |                   |                    |               |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)   |                   |                    |               |
| <b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)   |                   |                    |               |
| <b>TREHALOSE</b> (UNII: B8WCK70T7I)  |                   |                    |               |
| <b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)  |                   |                    |               |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |                   |                    |               |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)                             |                   |                    |               |
| <b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)  |                   |                    |               |
| <b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)  |                   |                    |               |
| <b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)  |                   |                    |               |
| <b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)  |                   |                    |               |
| <b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J) |                   |                    |               |
| <b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)   |                   |                    |               |
| <b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)  |                   |                    |               |

|   |
|---|
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)                              |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                                    |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)                               |
| <b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311) |
| <b>PALMITIC ACID</b> (UNII: 2V16EO95H1)                                   |
| <b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)                     |
| <b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)                      |
| <b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)          |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)                               |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)                        |
| <b>THEANINE</b> (UNII: 8021PR16QO)  |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)                                  |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                                   |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                                |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                             |
| <b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)                            |
| <b>MICA</b> (UNII: V8A1AW0880)  |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:58411-320-50 | 1 in 1 CARTON                                     | 08/01/2017           |                    |
| 1 |                  | 27 mL in 1 JAR; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 08/01/2017           |                    |

## CLE DE PEAU BEAUTE THE FOUNDATION O60

octinoxate and titanium dioxide cream

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:58411-321 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE        | 1228 mg in 27 mL |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 1039 mg in 27 mL |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0K00R)  |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)  |          |
| <b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)   |          |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)   |          |
| <b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)   |          |
| <b>TREHALOSE</b> (UNII: B8WCK70T7I)  |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)  |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)                             |          |
| <b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)  |          |
| <b>SODIUM ACETYLATED HYALURONATE</b> (UNII: VN66R7GL93)  |          |
| <b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)  |          |
| <b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)  |          |
| <b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J) |          |
| <b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)   |          |
| <b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)  |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)   |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |          |
| <b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)  |          |
| <b>PALMITIC ACID</b> (UNII: 2V16EO95H1)  |          |
| <b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)  |          |
| <b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)   |          |
| <b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)   |          |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)  |          |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)   |          |
| <b>THEANINE</b> (UNII: 8021PR16QO)   |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |          |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)  |          |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)   |          |
| <b>MICA</b> (UNII: V8A1AW0880)   |          |

## Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:58411-321-50 | 1 in 1 CARTON                                     | 08/01/2017           |                    |
| 1 |                  | 27 mL in 1 JAR; Type 0: Not a Combination Product |                      |                    |



## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 08/01/2017           |                    |

## CLE DE PEAU BEAUTE THE FOUNDATION B10

octinoxate and titanium dioxide cream

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:58411-322 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE        | 1228 mg in 27 mL |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 1039 mg in 27 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)  |          |
| <b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)   |          |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)   |          |
| <b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)   |          |
| <b>TREHALOSE</b> (UNII: B8WCK70T7I)  |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)  |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)                             |          |
| <b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)  |          |
| <b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)  |          |
| <b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)  |          |
| <b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)  |          |
| <b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J) |          |
| <b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)   |          |
| <b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)  |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)   |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |          |

|   |
|---|
| <b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311) |
| <b>PALMITIC ACID</b> (UNII: 2V16EO95H1)                                   |
| <b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)                     |
| <b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)                      |
| <b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)          |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)                               |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)                        |
| <b>THEANINE</b> (UNII: 8021PR16QO)  |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)                                  |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                                   |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                                |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                             |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)                              |
| <b>MICA</b> (UNII: V8A1AW0880)  |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:58411-322-50 | 1 in 1 CARTON                                     | 08/01/2017           |                    |
| 1 |                  | 27 mL in 1 JAR; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 08/01/2017           |                    |

## CLE DE PEAU BEAUTE THE FOUNDATION B20

octinoxate and titanium dioxide cream

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:58411-323 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE        | 1228 mg in 27 mL |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 1039 mg in 27 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0K00R)  |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)  |          |
| <b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)   |          |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)   |          |
| <b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)   |          |
| <b>TREHALOSE</b> (UNII: B8WCK70T7I)  |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)  |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)                             |          |
| <b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)  |          |
| <b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)  |          |
| <b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)  |          |
| <b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)  |          |
| <b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J) |          |
| <b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)   |          |
| <b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)  |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)   |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |          |
| <b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)  |          |
| <b>PALMITIC ACID</b> (UNII: 2V16EO95H1)  |          |
| <b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)  |          |
| <b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)   |          |
| <b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)   |          |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)  |          |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)   |          |
| <b>THEANINE</b> (UNII: 8021PR16QO)   |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |          |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)  |          |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)   |          |
| <b>MICA</b> (UNII: V8A1AW0880)   |          |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:58411-323-50 | 1 in 1 CARTON                                     | 08/01/2017           |                    |
| 1 |                  | 27 mL in 1 JAR; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 08/01/2017           |                    |

## CLE DE PEAU BEAUTE THE FOUNDATION B30

octinoxate and titanium dioxide cream

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:58411-324 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE        | 1228 mg in 27 mL |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 1039 mg in 27 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)  |          |
| <b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)   |          |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)   |          |
| <b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)   |          |
| <b>TREHALOSE</b> (UNII: B8WCK70T7I)  |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)  |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)                             |          |
| <b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)  |          |
| <b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)  |          |
| <b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)  |          |
| <b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)  |          |
| <b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J) |          |
| <b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)   |          |
| <b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)  |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)   |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |          |
| <b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)  |          |
| <b>PALMITIC ACID</b> (UNII: 2V16EO95H1)  |          |
| <b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)  |          |

|  |
|--|
| <b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)             |
| <b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69) |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)                      |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)               |
| <b>THEANINE</b> (UNII: 8021PR16QO)                               |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)                         |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                       |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                    |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)                     |
| <b>MICA</b> (UNII: V8A1AW0880)                                   |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:58411-324-50 | 1 in 1 CARTON                                     | 08/01/2017           |                    |
| 1 |                  | 27 mL in 1 JAR; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 08/01/2017           |                    |

## CLE DE PEAU BEAUTE THE FOUNDATION BF20

octinoxate and titanium dioxide cream

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:58411-325 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE        | 1228 mg in 27 mL |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 1039 mg in 27 mL |

### Inactive Ingredients

| Ingredient Name                       | Strength |
|---------------------------------------|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)       |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) |          |

|  |
|--|
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)  |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |
| <b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)  |
| <b>CETYL ETHYLHEXANOATE</b> (UNII: 134647VMX4)   |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)   |
| <b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)   |
| <b>TREHALOSE</b> (UNII: B8WCK70T7I)  |
| <b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)  |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)                             |
| <b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)  |
| <b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)  |
| <b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)  |
| <b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)  |
| <b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J) |
| <b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)   |
| <b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)  |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)   |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |
| <b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)  |
| <b>PALMITIC ACID</b> (UNII: 2V16EO95H1)  |
| <b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)  |
| <b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)   |
| <b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)   |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)  |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)   |
| <b>THEANINE</b> (UNII: 8021PR16QO)   |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)  |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)  |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)   |
| <b>MICA</b> (UNII: V8A1AW0880)   |

## Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:58411-325-50 | 1 in 1 CARTON                                     | 08/01/2017           | 08/01/2023         |
| 1 |                  | 27 mL in 1 JAR; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 08/01/2017           | 08/01/2023         |

# CLE DE PEAU BEAUTE THE FOUNDATION WB20

octinoxate and titanium dioxide cream

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:58411-326 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE        | 1228 mg in 27 mL |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 1039 mg in 27 mL |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)  |          |
| <b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)   |          |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)   |          |
| <b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)   |          |
| <b>TREHALOSE</b> (UNII: B8WCK70T7I)  |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)  |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)                             |          |
| <b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)  |          |
| <b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)  |          |
| <b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)  |          |
| <b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)  |          |
| <b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J) |          |
| <b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)   |          |
| <b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)  |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)   |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |          |
| <b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)  |          |
| <b>PALMITIC ACID</b> (UNII: 2V16EO95H1)  |          |
| <b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)  |          |
| <b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)   |          |
| <b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)   |          |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)  |          |

|  |  |
|--|--|
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K) |  |
| <b>THEANINE</b> (UNII: 8021PR16QO)                 |  |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)           |  |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)            |  |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)         |  |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)      |  |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)       |  |
| <b>MICA</b> (UNII: V8A1AW0880)                     |  |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:58411-326-50 | 1 in 1 CARTON                                     | 08/01/2017           |                    |
| 1 |                  | 27 mL in 1 JAR; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 08/01/2017           |                    |

**Labeler** - SHISEIDO AMERICAS CORPORATION (193691821)

### Establishment

| Name                  | Address | ID/FEI    | Business Operations  |
|-----------------------|---------|-----------|--|
| SHISEIDO AMERICA INC. |         | 782677132 | manufacture(58411-315, 58411-316, 58411-317, 58411-318, 58411-319, 58411-320, 58411-321, 58411-322, 58411-323, 58411-324, 58411-325, 58411-326) , analysis(58411-315, 58411-316, 58411-317, 58411-318, 58411-319, 58411-320, 58411-321, 58411-322, 58411-323, 58411-324, 58411-325, 58411-326) |

Revised: 12/2023

SHISEIDO AMERICAS CORPORATION