FORTICEPT UDDER FORTE SANITIZING TEAT DIP- benzethonium chloride, thymol emulsion

Cosco International, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Facts

Active Ingredient/Purpose

Benzethonium Chloride......0.1%

Thymol......0.1%

Inactive Ingredients

Uses

Teat dip is an aid in reducing the spread of microorganisms which may cause mastitis.

Helps maintain udder hygiene and promote healthy skin

Caution

For external use only * Not for human use * Keep out of reach of children

Directions for use

IMPORTANT: Do not mix FORTICEPTTM UDDER FORTE Teat Dip with water, other teat dips, or any other products. When transferring from this container to any other, make sure that the other container is clean and is the proper container for dipping.

If product in dip cup becomes visibly dirty, discard contents and refill with undiluted product. Do not reuse or return any unused product to the original container.

PRIOR TO MILKING: Wash teats thoroughly right before milking with FORTICEPTTM UDDER WASH solution or pre-milking teat wash to avoid contamination of milk. Teats should be dried with single-service towels. Use proper procedures for udder washing.

POST-MILKING DIPPING: Immediately after each milking, use FORTICEPTTM UDDER FORTE Teat Dip. Submerge each teat full-length into the teat dip cup. Allow to air dry. Do not wipe. Always use fresh, full-strength FORTICEPTTM UDDER FORTE Teat Dip.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

FIRST AID

Eye contact: In case of contact, immediately flush eyes with cool running water.

Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.


Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel.

If large quantities of this material are swallowed, call a poison control center immediately.

For questions, please call:

+1 212 709-8133

1Kg



Benzethonium Chloride	0.1%
Thymol	0.1%

Inactive Ingredients

Uses

Teat dip is an aid in reducing the spread of microorganisms which may cause mastitis. Helps maintain udder hygiene and promote healthy skin

Caution

For external use only * Not for human use * Keep out of reach of children

Directions for use

IMPORTANT: Do not mix FORTICEPT[™] UDDER FORTE Teat Dip with water, other teat dips, or any other products. When transferring from this container to any other, make sure that the other container is clean and is the proper container for dipping.

If product in dip cup becomes visibly dirty, discard contents and refill with undiluted product. Do not reuse or return any unused product to the original container.

PRIOR TO MILKING: Wash teats thoroughly right before milking with FORTICEPT™
UDDER WASH solution or pre-milking teat wash to avoid contamination of milk. Teats
should be dried with single-service towels. Use proper procedures for udder washing.

POST-MILKING DIPPING: Immediately after each milking, use FORTICEPT™ UDDER FORTE Teat Dip. Submerge each teat full-length into the teat dip cup. Allow to air dry. Do not wipe. Always use fresh, full-strength FORTICEPT™ UDDER FORTE Teat Dip.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

FIRST AID

Eye contact: In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel.

If large quantities of this material are swallowed, call a poison control center immediately.

For questions, please call: +1(212)709-8133

MADE IN USA







Batch №: Exp. Date:



For Veterinary Use Only

1 Gal. / 3.785 L

Benzethonium Chloride	0.1%
Thymol	0.1%

Inactive Ingredients

Emollients, botanical extracts, and FD&C color.......99.80%

Uses

Teat dip is an aid in reducing the spread of microorganisms which may cause mastitis. Helps maintain udder hygiene and promote healthy skin

Caution

For external use only * Not for human use * Keep out of reach of children

Directions for use

IMPORTANT: Do not mix FORTICEPT™ UDDER FORTE Teat Dip with water, other teat dips, or any other products. When transferring from this container to any other, make sure that the other container is clean and is the proper container for dipping.

If product in dip cup becomes visibly dirty, discard contents and refill with undiluted product. Do not reuse or return any unused product to the original container.

PRIOR TO MILKING: Wash teats thoroughly right before milking with FORTICEPT™
UDDER WASH solution or pre-milking teat wash to avoid contamination of milk. Teats
should be dried with single-service towels. Use proper procedures for udder washing.

POST-MILKING DIPPING: Immediately after each milking, use FORTICEPT™ UDDER FORTE Teat Dip. Submerge each teat full-length into the teat dip cup. Allow to air dry. Do not wipe. Always use fresh, full-strength FORTICEPT™ UDDER FORTE Teat Dip.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

FIRST AID

Eye contact: In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.
Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel.
If large quantities of this material are swallowed, call a poison control center immediately.

For questions, please call: +1(212)709-8133

MADE IN USA







Batch Ne: Exp. Date;



For Veterinary Use Only

1.32 Gal. / 5L

5Kg Back

Benzethonium Chloride0	.1%
Thymol	.1%

Inactive Ingredients

Emollients, botanical extracts, and FD&C color.......99.80%

Uses

Teat dip is an aid in reducing the spread of microorganisms which may cause mastitis. Helps maintain udder hygiene and promote healthy skin

Caution

For external use only * Not for human use * Keep out of reach of children

Directions for use

IMPORTANT: Do not mix FORTICEPT™ UDDER FORTE Teat Dip with water, other teat dips, or any other products. When transferring from this container to any other, make sure that the other container is clean and is the proper container for dipping.

If product in dip cup becomes visibly dirty, discard contents and refill with undiluted product. Do not reuse or return any unused product to the original container.

PRIOR TO MILKING: Wash teats thoroughly right before milking with FORTICEPT™
UDDER WASH solution or pre-milking teat wash to avoid contamination of milk. Teats
should be dried with single-service towels. Use proper procedures for udder washing.

POST-MILKING DIPPING: Immediately after each milking, use FORTICEPT™ UDDER FORTE Teat Dip. Submerge each teat full-length into the teat dip cup. Allow to air dry. Do not wipe. Always use fresh, full-strength FORTICEPT™ UDDER FORTE Teat Dip.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

FIRST AID

Eye contact: In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.
Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel.
If large quantities of this material are swallowed, call a poison control center immediately.

For questions, please call: +1(212)709-8133


MADE IN USA







Batch No: Exp. Date:



10Kg Back

Benzethonium Chloride	0.1%
Thymol	

Inactive Ingredients

Emollients, botanical extracts, and FD&C color......99.80%

Uses

Teat dip is an aid in reducing the spread of microorganisms which may cause mastitis. Helps maintain udder hygiene and promote healthy skin

Caution

For external use only * Not for human use * Keep out of reach of children

Directions for use

IMPORTANT: Do not mix FORTICEPT™ UDDER FORTE Teat Dip with water, other teat dips, or any other products. When transferring from this container to any other, make sure that the other container is clean and is the proper container for dipping.

If product in dip cup becomes visibly dirty, discard contents and refill with undiluted product. Do not reuse or return any unused product to the original container.

PRIOR TO MILKING: Wash teats thoroughly right before milking with FORTICEPT™
UDDER WASH solution or pre-milking teat wash to avoid contamination of milk. Teats
should be dried with single-service towels. Use proper procedures for udder washing.

POST-MILKING DIPPING: Immediately after each milking, use FORTICEPT™ UDDER FORTE Teat Dip. Submerge each teat full-length into the teat dip cup. Allow to air dry. Do not wipe. Always use fresh, full-strength FORTICEPT™ UDDER FORTE Teat Dip.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

FIRST AID

Eye contact: In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.
Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel.
If large quantities of this material are swallowed, call a poison control center immediately.

For questions, please call: +1(212)709-8133

MADE IN USA







Batch Ne: Exp. Date:



FORTICEPTTM

UDDER FORTE SANITIZING TEAT DIP

IODINE FREE, PHOSPHORUS FREE EMOILENT SYSTEM

With natural extracts of

Chamomile & Yarrow

Teat dip is an aid in reducing the spread of microorganisms which may cause mastitis

For Veterinary Use Only

5 Gal. / 20L

Benzethonium Chloride	0.1%
Thymol	0.1%

Inactive Ingredients

Emollients, botanical extracts, and FD&C color......99.80%

Uses

Teat dip is an aid in reducing the spread of microorganisms which may cause mastitis. Helps maintain udder hygiene and promote healthy skin

Caution

For external use only * Not for human use * Keep out of reach of children

Directions for use

IMPORTANT: Do not mix FORTICEPT™ UDDER FORTE Teat Dip with water, other teat dips, or any other products. When transferring from this container to any other, make sure that the other container is clean and is the proper container for dipping.

If product in dip cup becomes visibly dirty, discard contents and refill with undiluted product. Do not reuse or return any unused product to the original container.

PRIOR TO MILKING: Wash teats thoroughly right before milking with FORTICEPT™ UDDER WASH solution or pre-milking teat wash to avoid contamination of milk. Teats should be dried with single-service towels. Use proper procedures for udder washing.

POST-MILKING DIPPING: Immediately after each milking, use FORTICEPT™ UDDER FORTE Teat Dip. Submerge each teat full-length into the teat dip cup. Allow to air dry. Do not wipe. Always use fresh, full-strength FORTICEPT™ UDDER FORTE Teat Dip.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

FIRST AID

Eye contact: In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse. **Ingestion:** DO NOT induce vomiting unless directed to do so by medical personnel.

If large quantities of this material are swallowed, call a poison control center immediately.

For questions, please call: +1(212)709-8133

MADE IN USA







Batch Ne: Exp. Date:

FORTICEPT™ is registered Trade Mark of Lidan, Inc. all rights reserved 2016

1000Kg



FORTICEPTTM

UDDER FORTE SANITIZING TEAT DIP

IODINE FREE, PHOSPHORUS FREE EMOILENT SYSTEM

With natural extracts of

Chamomile & Yarrow

Teat dip is an aid in reducing the spread of microorganisms which may cause mastitis

For Veterinary Use Only

264 Gal. / 1000 L

1000Kg Back

Benzethonium Chloride	0.1%
Thymol	0.1%

Inactive Ingredients

Uses

Teat dip is an aid in reducing the spread of microorganisms which may cause mastitis. Helps maintain udder hygiene and promote healthy skin

Caution

For external use only * Not for human use * Keep out of reach of children

Directions for use

IMPORTANT: Do not mix FORTICEPT[™] UDDER FORTE Teat Dip with water, other teat dips, or any other products. When transferring from this container to any other, make sure that the other container is clean and is the proper container for dipping.

If product in dip cup becomes visibly dirty, discard contents and refill with undiluted product. Do not reuse or return any unused product to the original container.

PRIOR TO MILKING: Wash teats thoroughly right before milking with FORTICEPT™
UDDER WASH solution or pre-milking teat wash to avoid contamination of milk. Teats
should be dried with single-service towels. Use proper procedures for udder washing.

POST-MILKING DIPPING: Immediately after each milking, use FORTICEPTTM UDDER FORTE Teat Dip. Submerge each teat full-length into the teat dip cup. Allow to air dry. Do not wipe. Always use fresh, full-strength FORTICEPTTM UDDER FORTE Teat Dip.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

FIRST AID

Eye contact: In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse. **Ingestion:** DO NOT induce vomiting unless directed to do so by medical personnel.

If large quantities of this material are swallowed, call a poison control center immediately.

For questions, please call: +1(212)709-8133

MADE IN USA







Batch Ne: Exp. Date:

FORTICEPT[™] is registered Trade Mark of Lidan, Inc. all rights reserved 2016

FORTICEPT UDDER FORTE SANITIZING TEAT DIP

benzethonium chloride, thymol emulsion

Product Information

Product TypeOTC ANIMAL DRUGItem Code (Source)NDC:52261-0209

Route of Administration Topical

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
benzethonium chloride (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	benzethonium chloride	0.001 kg in 1 kg

thymol (UNII: 3J50 XA376E) (THYMOL - UNII:3J50 XA376E)	thymol	0.001 kg in 1 kg
--	--------	------------------

Inactive Ingredients	
Ingredient Name	Strength
glycerin (UNII: PDC6A3C0OX)	0.04 kg in 1 kg
xanthan gum (UNII: TTV12P4NEE)	0.005 kg in 1 kg
SODIUM ACRYLOYLDIMETHYLTAURATE-ACRYLAMIDE COPOLYMER (1:1; 90000-150000 MPA.S) (UNII: 5F4963KLHS)	0.006 kg in 1 kg

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:52261-0209-	3.785 kg in 1 PAIL			
2	NDC:52261-0209-1	20 kg in 1 PAIL			
3	NDC:52261-0209-	5 kg in 1 PAIL			
4	NDC:52261-0209- 0	1 kg in 1 BOTTLE, PUMP			
5	NDC:52261-0209- 2	10 kg in 1 PAIL			
6	NDC:52261-0209- 5	1000 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/29/2016	

Labeler - Cosco International, Inc. (016433141)

Registrant - Cosco International, Inc. (016433141)

Establishment				
Name	Address	ID/FEI	Business Operations	
Cosco International, Inc.		0 16 433141	api manufacture, pack, manufacture, label	

Revised: 9/2017 Cosco International, Inc.