

- store at room temperature
- protect from excessive heat and freezing
- discard unused product within 24 hours of opening

Inactive ingredients

citric acid, flavors, purified water, red 40, blue #1, saccharin sodium, sodium bicarbonate

Questions or comments?

(305) 382-3288

Gadal Laboratories Inc

Miami Fl 33186

Drug Facts (Continued)	
Directions	
adults and children 12 years of age and older	1/2 to 1 bottle (10 fl.oz.) Drink a full 8 oz glass of liquid with each dose. The dose may be taken as a single daily dose or in divided doses
children 6 to under 12 years of age	1/3 to 1/2 bottle with a full 8 oz. glass of liquid.
children under 6 years of age	consult a doctor
Other information	
<ul style="list-style-type: none"> • each fluid ounce contains: sodium 36 mg, magnesium 199 mg • store at room temperature • protect from excessive heat and freezing • discard unused product within 24 hours of opening 	
Inactive ingredients	
citric acid, purified water, saccharin sodium, sodium bicarbonate	
Questions or comments?	
(305) 382-3288	

Manufactured by:
GADAL
Laboratories, Inc.
Miami, FL 33186

MADE IN THE USA



Drug Facts	
Active ingredient	Purpose
Magnesium citrate 1.745g per fl. Oz.....	Saline laxative
Uses	
<ul style="list-style-type: none"> • relieves occasional constipation (irregularity) • generally produces bowel movement in 1/2 to 6 hours 	
Warnings	
Ask a doctor before use if you have	
<ul style="list-style-type: none"> • kidney disease • a magnesium restricted diet • a sodium restricted diet • stomach pain, nausea or vomiting • noticed a sudden change in bowel habits that lasts more than 1 week 	
Ask a doctor or pharmacist before use if you are	
• presently taking a prescription drug.	
When using this product	
<ul style="list-style-type: none"> • do not exceed the maximum recommended daily dosage in a 24 hour period. 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> • you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition • you need to use a laxative for more than 1 week 	
If pregnant or breast-feeding, ask a health professional before use.	
Keep this and all drugs out of the reach of children.	
In case of accidental overdose, seek professional assistance or contact a Poison Control Center (1-800-222-1222) immediately	

GADAVYT

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53113-103
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SACCHARIN SODIUM DIHYDRATE (UNII: SB8ZUX40TY)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	LEMON (Lemon)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53113-103-10	296 mL in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part334	10/01/2012	

Labeler - Gadal Laboratories Inc (841305639)

Revised: 10/2012

Gadal Laboratories Inc