### **BENZALKONIUM CHLORIDE ANTISEPTIC TOWELETTE-** benzalkonium chloride towelette swab

Yangzhou Suxiang Medical Instrument Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Benzalkonium Chloride Towelette

#### **Active Ingredient**

Benzalkonium Chloride, 0.13%

#### **Purpose**

First Aid Antiseptic

#### **Uses**

First Aid Antiseptic

#### Warnings

For External Use Only

#### Do Not Use

For deep puncture wounds, animal bites or serious burns

In the eyes

Over large areas of the body

#### Stop Use and ask a doctor if

if irritation and redness develops and persists for more than 72 hours

#### Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

Open packet and use as a washcloth.

#### As a first aid antiseptic

Clean affected area

Apply 1 to 3 times daily

May be covered with a sterile bandage If bandaged, let dry first

#### Other Information

Store at room temperature

Avoid excessive heat

#### **Inactive Ingredients**

Purified Water

#### **GREIGHT Benzalkonium Chloride Towelette - 1pc**



## BENZALKONIUM CHLORIDE TOWELETTE

**Product Information Product Type HUMAN OTC DRUG Item Code (Source)** NDC:72766-011 **Route of Administration TOPICAL** 

benzalkonium chloride towelette swab

#### BENZALKONIUM CHLORIDE ANTISEPTIC TOWELETTE

---- BABH AABT----

Orug Facts

Benzalkonium Chloride, 0.13% ..... First Aid Antiseptic Active Ingredient ......Purpose

First aid antiseptic to help prevent skin infection in minor cuts, scrapes and burns

Antiseptic Cleaning • Perineal and maternity care

Marnings

For external use only.

 For deep puncture wounds, animal bites or serious burns Do not use

Over large areas of the body

Stop use and ask a doctor • if irritation and redness develop and

persists for more than 72 hours.

Keep out of reach of children. If swallowed, get medical help or

contact a Poison Control Center right away.

Directions

Open packet and use as washcloth.

daily . May be covered with a sterile bandage . If bandaged, let dry first As a first aid antiseptic • Clean affected area • Apply 1 to 3 times

Other information

Store at room temperature • Avoid excessive heat

Inactive Ingredients Purified Water

EXP: :TO1

# Active Ingredient/Active Moiety Ingredient Name BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y) BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y) BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)

Inactive Ingredients			
	Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)			

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

l	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1	NDC:72766-011- 01	1 in 1 PACKET; Type 0: Not a Combination Product	08/31/2022		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part333A	08/31/2022			

#### **Labeler -** Yangzhou Suxiang Medical Instrument Co., Ltd. (543387280)

Revised: 8/2022 Yangzhou Suxiang Medical Instrument Co., Ltd.