

BODYANEW- bodyanew
MediNatura Inc

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

BodyAnew Multipack

ACTIVE INGREDIENTS

BodyAnew Colon & Liver:

Active Ingredients: 30 drops contain:

*Colocynthis 3X 0.3%, *Colocynthis 30X 0.3%, *Colocynthis 200X 0.3%, *Lycopodium clavatum 3X 0.3%, *Lycopodium clavatum 200X 0.3%, *Lycopodium clavatum 1000X 0.3%, *Bryonia 9X 0.22%, Bryonia 29X 0.22%, *Bryonia 3X 0.2%, *Bryonia 15X 0.2%, *Bryonia 200X 0.2%, *Bryonia 1000X 0.2%, *Chelidonium majus 3X 0.2%, *Nux vomica 3X 0.2%, *Nux vomica 10X 0.2%, *Nux vomica 15X 0.2%, *Nux vomica 30X 0.2%, *Nux vomica 200X 0.2%, *Nux vomica 1000X 0.2%, *Colocynthis 9X 0.03%, *Lycopodium clavatum 9X 0.03%, *Lycopodium clavatum 29X 0.03%, *Bryonia 5X 0.02%

***Natural Ingredients**

BodyAnew Kidney:

Active Ingredients: 30 drops contain:

*Berberis vulgaris 3X 10%, *Colocynthis 6X 10%, *Veratrum album 6X 10%, *Colocynthis 3X 3%, *Berberis vulgaris 10X 0.4%, *Berberis vulgaris 30X 0.4%, *Berberis vulgaris 200X 0.4%, *Solidago virgaurea 3X 0.4%, *Solidago virgaurea 10X 0.4%, *Solidago virgaurea 30X 0.4%, *Solidago virgaurea 200X 0.4%, *Colocynthis 30X 0.3%, *Colocynthis 200X 0.3%, *Veratrum album 3X 0.3%, *Veratrum album 30X 0.3%, *Veratrum album 200X 0.3%

***Natural Ingredients**

BodyAnew Lymph & Lungs:

Active Ingredients: 30 drops contain:

*Myosotis arvensis 3X, Natrum sulphuricum 3X, *Scrophularia nodosa 3X, *Teucrium scorodonia 3X, *Veronica officinalis 3X, *Equisetum hyemale 4X, *Fumaria officinalis 4X, *Geranium robertianum 4X, *Nasturtium aquaticum 4X, *Pinus sylvestris 4X, *Gentiana lutea 5X, *Sticta pulmonaria 5X, *Apis mellifica 6X, *Dulcamara 6X, *Sarsaparilla 6X, Kali iodatum 8X, Calcarea phosphorica 12X, Ferrum iodatum 12X, Thyroidinum 12X 5% each

***Natural ingredient**

PURPOSE

For the temporary relief of occasional low energy, minor abdominal bloating, upper

respiratory symptoms such as cough, runny nose, urinary pain.

KEEP OUT OF REACH OF CHILDREN

BodyAnew Rejuveo:

Keep out of reach of children.

BodyAnew Purity:

Keep out of reach of children.

BodyAnew Fatigue:

Keep out of reach of children.

INDICATIONS AND USAGE

For the temporary relief of occasional low energy, minor abdominal bloating, upper respiratory symptoms such as cough, runny nose, urinary pain.

WARNINGS

If pregnant or breast-feeding, ask a healthcare professional before use. **Keep out of reach of children. Do not use** if known hypersensitivity to BodyAnew Colon & Liver™, BodyAnew Kidney™, or BodyAnew Lymph & Lungs™ or any of its ingredients exists. Mild symptoms such as skin outbreaks, and loose stools may occur. **Stop and see a doctor** if these symptoms persist.

DIRECTIONS


Directions:

Use for up to 2 weeks. **Adults** : Add 30 drops or 2 half dropperfuls of each BodyAnew™ formula(Lymph & Lungs, Kidney, Colon & Liver) to water and consume throughout the day. Do not exceed more than 4 half dropperfuls of each formula per day. per day, taking 10 drops every 4 to 6 hours.

For children under 18 years: Consult your health practitioner.

INACTIVE INGREDIENTS

Organic ethanol, Purified water



BODYANEW

bodyanew kit

Product Information

| | | | |
|---------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:62795-2004 |
|---------------------|----------------|---------------------------|----------------|

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:62795-2004-4 | 1 in 1 KIT | 01/01/2018 | |

Quantity of Parts

| Part # | Package Quantity | Total Product Quantity |
|--------|------------------|------------------------|
| Part 1 | 1 BOTTLE | 50 mL |
| Part 2 | 1 BOTTLE | 50 mL |
| Part 3 | 1 BOTTLE | 50 mL |

Part 1 of 3

BODYANEW COLON LIVER

bryonia alba root, chelidonium majus, citrullus colocynthis fruit pulp, lycopodium clavatum spore, and strychnos nux-vomica seed liquid

Product Information

Item Code (Source) NDC:62795-2008

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|----------------------------------|-------------------|
| BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B) | BRYONIA ALBA ROOT | 3 [hp_X] in 50 mL |
| CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN) | CHELIDONIUM MAJUS | 3 [hp_X] in 50 mL |
| CITRULLUS COLOCYNTHIS FRUIT PULP (UNII: 23H32AOH17) (CITRULLUS COLOCYNTHIS FRUIT PULP - UNII:23H32AOH17) | CITRULLUS COLOCYNTHIS FRUIT PULP | 3 [hp_X] in 50 mL |
| LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479) | LYCOPODIUM CLAVATUM SPORE | 9 [hp_X] in 50 mL |
| STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919) | STRYCHNOS NUX-VOMICA SEED | 3 [hp_X] in 50 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------------------------|----------|
| ALCOHOL (UNII: 3K9958V90M) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:62795-2008-4 | 50 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 01/01/2018 | |

Part 2 of 3

BODYANEW KIDNEY

berberis vulgaris root bark, citrullus colocynthis fruit pulp, solidago virgaurea flowering top, and

veratrum album root liquid

Product Information

Item Code (Source) NDC:62795-2009

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|----------------------------------|-------------------|
| BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U) | BERBERIS VULGARIS ROOT BARK | 3 [hp_X] in 50 mL |
| CITRULLUS COLOCYNTHIS FRUIT PULP (UNII: 23H32AOH17) (CITRULLUS COLOCYNTHIS FRUIT PULP - UNII:23H32AOH17) | CITRULLUS COLOCYNTHIS FRUIT PULP | 3 [hp_X] in 50 mL |
| SOLIDAGO VIRGAUREA FLOWERING TOP (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50) | SOLIDAGO VIRGAUREA FLOWERING TOP | 3 [hp_X] in 50 mL |
| VERATRUM ALBUM ROOT (UNII: QNS6W5US1Z) (VERATRUM ALBUM ROOT - UNII:QNS6W5US1Z) | VERATRUM ALBUM ROOT | 3 [hp_X] in 50 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------------------------|----------|
| ALCOHOL (UNII: 3K9958V90M) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:62795-2009-4 | 50 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 01/01/2018 | |

Part 3 of 3

BODYANEW LYMPH LUNGS

apis mellifera, tribasic calcium phosphate, solanum dulcamara top, equisetum hyemale, ferrous iodide, fumaria officinalis flowering top, gentiana lutea root, geranium robertianum, potassium iodide, nasturtium officinale, sodium sulfate, pinus sylvestris leafy twig, smilax regelii root, scrophularia nodosa, lobaria pulmonaria, teucrium scorodonia flowering top, and veronica

officinalis flowering top liquid

Product Information

Item Code (Source) NDC:62795-2007

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|------------------------------------|-----------------------|
| APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z) | APIS MELLIFERA | 6 [hp_X] in 50 mL |
| TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28) (CALCIUM CATION - UNII:2M83C4R6ZB) | CALCIUM CATION | 12 [hp_X] in 50 mL |
| SOLANUM DULCAMARA TOP (UNII: KPS1B1162N) (SOLANUM DULCAMARA TOP - UNII:KPS1B1162N) | SOLANUM DULCAMARA TOP | 6 [hp_X] in 50 mL |
| EQUISETUM HYEMALE (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25) | EQUISETUM HYEMALE | 4 [hp_X] in 50 mL |
| FERROUS IODIDE (UNII: F5452U54PN) (FERROUS IODIDE - UNII:F5452U54PN) | FERROUS IODIDE | 12 [hp_X] in 50 mL |
| FUMARIA OFFICINALIS FLOWERING TOP (UNII: VH659J61ZL) (FUMARIA OFFICINALIS FLOWERING TOP - UNII:VH659J61ZL) | FUMARIA OFFICINALIS FLOWERING TOP | 4 [hp_X] in 50 mL |
| GENTIANA LUTEA ROOT (UNII: S72O3284MS) (GENTIANA LUTEA ROOT - UNII:S72O3284MS) | GENTIANA LUTEA ROOT | 5 [hp_X] in 50 mL |
| GERANIUM ROBERTIANUM (UNII: R5I1HK0UBL) (GERANIUM ROBERTIANUM - UNII:R5I1HK0UBL) | GERANIUM ROBERTIANUM | 4 [hp_X] in 50 mL |
| POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q) | POTASSIUM IODIDE | 8 [hp_X] in 50 mL |
| SODIUM SULFATE (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII:36KCS0R750) | SODIUM SULFATE | 3 [hp_X] in 50 mL |
| PINUS SYLVESTRIS LEAFY TWIG (UNII: Q1RGP4UB73) (PINUS SYLVESTRIS LEAFY TWIG - UNII:Q1RGP4UB73) | PINUS SYLVESTRIS LEAFY TWIG | 4 [hp_X] in 50 mL |
| SMILAX ORNATA ROOT (UNII: 2H1576D5WG) (SMILAX ORNATA ROOT - UNII:2H1576D5WG) | SMILAX ORNATA ROOT | 6 [hp_X] in 50 mL |
| SCROPHULARIA NODOSA (UNII: 7H443NUB2T) (SCROPHULARIA NODOSA - UNII:7H443NUB2T) | SCROPHULARIA NODOSA | 3 [hp_X] in 50 mL |
| LOBARIA PULMONARIA (UNII: D1YM0P5Z2T) (LOBARIA PULMONARIA - UNII:D1YM0P5Z2T) | LOBARIA PULMONARIA | 5 [hp_X] in 50 mL |
| TEUCRIUM SCORODONIA FLOWERING TOP (UNII: LOK3I16O7G) (TEUCRIUM SCORODONIA FLOWERING TOP - UNII:LOK3I16O7G) | TEUCRIUM SCORODONIA FLOWERING TOP | 3 [hp_X] in 50 mL |
| VERONICA OFFICINALIS FLOWERING TOP (UNII: 9IH82J936J) (VERONICA OFFICINALIS FLOWERING TOP - UNII:9IH82J936J) | VERONICA OFFICINALIS FLOWERING TOP | 3 [hp_X] in 50 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------------------------|----------|
| ALCOHOL (UNII: 3K9958V90M) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
|---|-----------|---------------------|----------------------|--------------------|

| | | | | |
|----------|------------------|--|--|--|
| 1 | NDC:62795-2007-4 | 50 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |
|----------|------------------|--|--|--|

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 01/01/2018 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 01/01/2018 | |

Labeler - MediNatura Inc (079324099)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------|---------|-----------|-------------------------|
| MediNatura Inc | | 102783016 | manufacture(62795-2004) |

Revised: 10/2021

MediNatura Inc